

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 310 571 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
15.02.2006 Bulletin 2006/07

(51) Int Cl.:

C12Q 1/70^(2006.01)

C07K 14/015^(2006.01)

C12N 15/86^(2006.01)

C12N 15/10^(2006.01)

C12Q 1/68^(2006.01)

C12N 5/10^(2006.01)

(21) Application number: 02257826.4

(22) Date of filing: 12.11.2002

(54) **A Method of identifying unknown adeno-associated virus (AAV) sequences and a kit for the method**

Verfahren zur Identifizierung von Adeno-assoziiertem Virus (AAV) Sequenzen sowie Kit zur Ausführung der Methode

Une méthode d'identification de séquences de virus adéno-associés et kit permettant d'appliquer la méthode

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR

Designated Extension States:

AL LT LV MK RO SI

(56) References cited:

WO-A-02/18659

(30) Priority: 13.11.2001 US 350607 P
17.12.2001 US 341117 P
01.05.2002 US 377066 P
05.06.2002 US 386675 P

(43) Date of publication of application:
14.05.2003 Bulletin 2003/20

(73) Proprietor: THE TRUSTEES OF THE UNIVERSITY
OF PENNSYLVANIA
Philadelphia,
Pennsylvania 19104-6283 (US)

(72) Inventors:

- Gao, Guangping
Rosemont, Pennsylvania 19010 (US)
- Wilson, James M.
Gladwyne, Pennsylvania 19035 (US)
- Alvira, Maricio
Philadelphia, Pennsylvania 19104 (US)

(74) Representative: Hale, Stephen Geoffrey et al
Bromhead Johnson,
Kingsbourne House,
229-231 High Holborn
London WC1V 7DP (GB)

- GAO GUANG-PING ET AL: "Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES, vol. 99, no. 18, 3 September 2002 (2002-09-03), pages 11854-11859, XP002229849 <http://www.pnas.org> September 3, 2002 ISSN: 0027-8424
- FORSLUND OLA ET AL: "A broad range of human papillomavirus types detected with a general PCR method suitable for analysis of cutaneous tumours and normal skin." JOURNAL OF GENERAL VIROLOGY, vol. 80, no. 9, 1999, pages 2437-2443, XP002229850 ISSN: 0022-1317
- XIAO WEIDONG ET AL: "Gene therapy vectors based on adeno-associated virus type 1." JOURNAL OF VIROLOGY, vol. 73, no. 5, May 1999 (1999-05), pages 3994-4003, XP002229851 ISSN: 0022-538X
- GENE THERAPY, vol. 10, 2003, pages 194-196,
- PROC. NATL. ACAD. SCI. USA, vol. 100, no. 10, 2003, pages 6081-6086,
- J. VIROL., vol. 78, no. 12, 2004, pages 6381-6388,

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

BACKGROUND OF THE INVENTION

[0001] Adeno-associated virus (AAV), a member of the Parvovirus family, is a small nonenveloped, icosahedral virus with single-stranded linear DNA genomes of 4.7 kilobases (kb) to 6 kb. AAV is assigned to the genus, Dependovirus, because the virus was discovered as a contaminant in purified adenovirus stocks. AAV's life cycle includes a latent phase at which AAV genomes, after infection, are site specifically integrated into host chromosomes and an infectious phase in which, following either adenovirus or herpes simplex virus infection, the integrated genomes are subsequently rescued, replicated, and packaged into infectious viruses. The properties of non-pathogenicity, broad host range of infectivity, including non-dividing cells, and potential site-specific chromosomal integration make AAV an attractive tool for gene transfer.

[0002] Recent studies suggest that AAV vectors may be the preferred vehicle for gene therapy. To date, there have been 6 different serotypes of AAVs isolated from human or non-human primates (NHP) and well characterized. Among them, human serotype 2 is the first AAV that was developed as a gene transfer vector; it has been widely used for efficient gene transfer experiments in different target tissues and animal models. Gene therapy vectors based on adeno-associated virus type 1 have also been disclosed (Xiao et al. J. Virology; May 1999; pages 3994-4008). Clinical trials of the experimental application of AAV2 based vectors to some human disease models are in progress, and include such diseases as cystic fibrosis and hemophilia B.

[0003] A general PCR method suitable for detecting human papillomavirus types in cutaneous tumours and normal skin is known (Forslund et al. J. of General Virology; 1999 80: P2437-2443).

[0004] What are desirable are AAV-based constructs for gene delivery.

SUMMARY OF THE INVENTION

[0005] In one aspect, the invention provides a novel method of identifying unknown AAV sequences from cellular DNAs of various human and non-human primate (NHP) tissues using bioinformatics analysis, PCR based gene amplification and cloning technology, based on the nature of latency and integration of AAVs in the absence of helper virus co-infection, the method being defined in claim 1 hereinafter.

[0006] In another aspect the invention provides a kit for use in the method of the invention, the kit being as defined in claim 23 hereinafter.

DETAILED DESCRIPTION OF THE INVENTION

[0007] In the present invention, the inventors have found a method which takes advantage of the ability of adeno-associated virus (AAV) to penetrate the nucleus, and, in the absence of a helper virus co-infection, to integrate into cellular DNA and establish a latent infection. This method utilizes a polymerase chain reaction (PCR)-based strategy for detection, identification of sequences of AAVs from DNAs from tissues of human and non-human primate origin as well as from other sources.

[0008] Nucleic acid sequences can be identified according to the method of the invention. One such adeno-associated virus is of the serotype, termed herein serotype 7 (AAV7). Other novel adeno-associated virus serotypes identified by the method include AAV10, AAV11, and AAV12.

[0009] Among particularly desirable AAV fragments which can be identified are the cap proteins, including the vp1, vp2, vp3, the hypervariable regions, the rep proteins, including rep 78, rep 68, rep 52, and rep 40, and the sequences encoding these proteins. Each of these fragments may be readily utilized in a variety of vector systems and host cells. Such fragments may be used alone, in combination with other AAV sequences or fragments, or in combination with elements from other AAV or non-AAV viral sequences. In one particularly desirable embodiment, a vector contains the AAV cap and/or rep sequences.

[0010] As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as "Clustal W", accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also used. There are also a number of algorithms known in the art which can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1. Similar programs are available for amino acid sequences, e.g., the "Clustal X" program. Generally, any of these programs are used at default settings, although one of skill in the art can alter these settings as needed. Alternatively, one of skill in the art can utilize

another algorithm or computer program which provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

[0011] The term "substantial homology" or "substantial similarity," when referring to a nucleic acid, or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or an open reading frame thereof, or another suitable fragment which is at least 15 nucleotides in length. Examples of suitable fragments are described herein.

[0012] The term "substantial homology" or "substantial similarity," when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid, there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or a protein thereof, e.g., a cap protein, a rep protein, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

[0013] By the term "highly conserved" is meant at least 80% identity, preferably at least 90% identity, and more preferably, over 97% identity. Identity is readily determined by one of skill in the art by resort to algorithms and computer programs known by those of skill in the art.

[0014] The term "percent sequence identity" or "identical" in the context of nucleic acid sequences refers to the residues in the two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome, the full-length of a gene coding sequence, or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, "percent sequence identity" may be readily determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

[0015] The AAV sequences and fragments thereof are useful in production of rAAV, and are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors.

[0016] As described herein, the vectors containing the AAV capsid proteins are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other AAV serotype based vectors, as well as other viral vectors. The rAAV vectors are particularly advantageous in rAAV readministration and repeat gene therapy.

[0017] As used throughout this specification and the claims, the terms "comprising" and "including" and their variants are inclusive of other components, elements, integers, steps and the like. Conversely, the term "consisting" and its variants is exclusive of other components, elements, integers, steps and the like.

I. Methods of the Invention

A. Detection of Sequences Via Molecular Cloning

[0018] In one aspect, the invention provides a method of identifying target (unknown) nucleic acid sequences in a sample. This method is particularly well suited for detection of viral sequences which are integrated into the chromosome of a cell, e.g., adeno-associated viruses (AAV) and retroviruses, among others.

[0019] As used herein, a sample is any source containing nucleic acids, e.g., tissue, tissue culture, cells, cell culture, and biological fluids including, without limitation, urine and blood. These nucleic acid sequences may be DNA or RNA from plasmids, natural DNA or RNA from any source, including bacteria, yeast, viruses, and higher organisms such as plants or animals. DNA or RNA is extracted from the sample by a variety of techniques known to those of skill in the art, such as those described by Sambrook, *Molecular Cloning: A Laboratory Manual* (New York: Cold Spring Harbor Laboratory). The origin of the sample and the method by which the nucleic acids are obtained for application of the method of the invention is not a limitation of the present invention. Optionally, the method of the invention can be performed directly on the source of DNA, or on nucleic acids obtained (e.g., extracted) from a source.

[0020] The method of the invention involves subjecting a sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers specific for a first region of double-stranded nucleic acid sequences, thereby obtaining amplified sequences.

[0021] As used herein, each of the "regions" is predetermined based upon the alignment of the nucleic acid sequences of at least two serotypes (e.g., AAV) or strains (e.g., lentiviruses), and wherein each of said regions is composed of sequences having a 5' end which is highly conserved, a middle which is variable, and a 3' end which is highly conserved, each of these being conserved or variable relative to the sequences of at least AAV1-AAV6. The 5' and 3' ends are highly conserved over at least 18 base pairs (bp). However, one or both of the sequences at the 5' or 3' end may be conserved over more than 18 bp, more than 25 bp, more than 30 bp, or more than 50 bp at the 5' end. With respect to the variable region, there is no requirement for conserved sequences, these sequences may be relatively conserved, or may have less than 90, 80, or 70% identity among the aligned serotypes or strains.

[0022] Each of the regions may span about 100 bp to about 10 kilobase pairs in length, provided that the first region is at least 250 bp in length. However, it is particularly desirable that one of the regions is a "signature region", i.e., a region which is sufficiently unique to positively identify the amplified sequence as being from the target source. For example, in one embodiment, the first region is about 250 bp in length, and is sufficiently unique among known AAV sequences, that it positively identifies the amplified region as being of AAV origin. Further, the variable sequences within this region are sufficiently unique that can be used to identify the serotype from which the amplified sequences originate. Once amplified (and thereby detected), the sequences can be identified by performing conventional restriction digestion and comparison to restriction digestion patterns for this region in any of AAV1, AAV2, AAV3, AAV4, AAV5, or AAV6, or that of AAV7, AAV10, AAV11, AAV12, or any of the other novel serotypes identified by the invention, which is predetermined and provided by the present invention.

[0023] Given the guidance provided herein, one of skill in the art can readily identify such regions among other integrated viruses to permit ready detection and identification of these sequences. Thereafter, an optimal set of generic primers located within the highly conserved ends can be designed and tested for efficient amplification of the selected region from samples. This aspect of the invention is readily adapted to a diagnostic kit for detecting the presence of the target sequence (e.g., AAV) and for identifying the AAV serotype, using standards which include the restriction patterns for the AAV serotypes described herein or isolated using the techniques described herein. For example, quick identification or molecular serotyping of PCR products can be accomplished by digesting the PCR products and comparing restriction patterns.

[0024] Thus, in one embodiment, the "signature region" for AAV spans about bp 2800 to about 3200 of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2, AAV3, AAV4, AAV5, and AAV6. More desirably, the region is about 250 bp, located within bp 2886 to about 3143 bp of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2 [SEQ ID NO:7], AAV3 [SEQ ID NO:8], and other AAV serotypes. To permit rapid detection of AAV in the sample, primers which specifically amplify this signature region are utilized. However, the present invention is not limited to the exact sequences identified herein for the AAV signature region, as one of skill in the art may readily alter this region to encompass a shorter fragment, or a larger fragment of this signature region.

[0025] The PCR primers are generated using techniques known to those of skill in the art. Each of the PCR primer sets is composed of a 5' primer and a 3' primer. See, e.g., Sambrook et al, cited herein. The term "primer" refers to an oligonucleotide which acts as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product which is complementary to a nucleic acid strand is induced. The primer is preferably single stranded. However, if a double stranded primer is utilized, it is treated to separate its strands before being used to prepare extension products. The primers may be about 15 to 25 or more nucleotides, and preferably at least 18 nucleotides. However, for certain applications shorter nucleotides, e.g., 7 to 15 nucleotides are utilized.

[0026] The primers are selected to be sufficiently complementary to the different strands of each specific sequence to be amplified to hybridize with their respective strands. Therefore, the primer sequence need not reflect the exact sequence of the region being amplified. For example, a non-complementary nucleotide fragment may be attached to the 5' end of the primer, with the remainder of the primer sequence being completely complementary to the strand. Alternatively, non-complementary bases or longer sequences can be interspersed into the primer, provided that the primer sequence has sufficient complementarity with the sequence of the strand to be amplified to hybridize therewith and form a template for synthesis of the extension product of the other primer.

[0027] The PCR primers for the signature region are based upon the highly conserved sequences of two or more aligned sequences (e.g., two or more AAV serotypes). The primers can accommodate less than exact identity among the two or more aligned AAV serotypes at the 5' end or in the middle. However, the sequences at the 3' end of the primers correspond to a region of two or more aligned AAV serotypes in which there is exact identity over at least five, preferably, over at least nine base pairs, and more preferably, over at least 18 base pairs at the 3' end of the primers. Thus, the 3' end of the primers is composed of sequences with 100% identity to the aligned sequences over at least five nucleotides. However, one can optionally utilize one, two, or more degenerate nucleotides at the 3' end of the primer.

[0028] For example, the primer set for the signature region of AAV was designed based upon a unique region within the AAV capsid, as follows. The 5' primer was based upon nt 2867-2891 of AAV2 [SEQ ID NO:7], 5'-GGTAATTCCTCCGGAATTGGCATT3'. The 3' primer was designed based upon nt 3096-3122 of AAV2 [SEQ ID NO:7], 5'-GACTCATCAACAACAACACTGGGGATT3'. However, one of skill in the art may have readily designed the primer set based upon the corresponding regions of AAV 1, AAV3, AAV4, AAV5, AAV6, or based upon the information provided herein, AAV7, AAV10, AAV11, AAV12, or another novel AAV. In addition, still other primer sets can be readily designed to amplify this signature region, using techniques known to those of skill in the art.

B. Isolation of Target Sequences

[0029] As described herein, the present invention uses a first primer set which specifically amplifies the signature region of the target sequence, e.g., an AAV serotype, in order to permit detection of the target. In a situation in which

further sequences are desired, e.g., if a novel AAV serotype is identified, the signature region may be extended. Thus, the invention may further utilize one or more additional primer sets.

[0030] Suitably, these primer sets are designed to include either the 5' or 3' primer of the first primer set and a second primer unique to the primer set, such that the primer set amplifies a region 5' or 3' to the signature region which anneals to either the 5' end or the 3' end of the signature region. For example, a first primer set is composed of a 5' primer, P1 and a 3' primer P2 to amplify the signature region. In order to extend the signature region on its 3' end, a second primer set is composed of primer P1 and a 3' primer P4, which amplifies the signature region and contiguous sequences downstream of the signature region. In order to extend the signature region on its 5' end, a third primer set is composed of a 5' primer, P5, and primer P2, such that the signature region and contiguous sequences upstream of the signature region are amplified. These extension steps are repeated (or performed at the same time), as needed or desired. Thereafter, the products results from these amplification steps are fused using conventional steps to produce an isolated sequence of the desired length.

[0031] The second and third primer sets are designed, as with the primer set for the signature region, to amplify a region having highly conserved sequences among the aligned sequences. Reference herein to the term "second" or "third" primer set is for each of discussion only, and without regard to the order in which these primers are added to the reaction mixture, or used for amplification. The region amplified by the second primer set is selected so that upon amplification it anneals at its 5' end to the 3' end of the signature region. Similarly, the region amplified by the third primer set is selected so that upon amplification it anneals at its 3' end to the 5' end of the signature region. Additional primer sets can be designed such that the regions which they amplify anneal to the either the 5' end or the 3' end of the extension products formed by the second or third primer sets, or by subsequent primer sets.

[0032] For example, where AAV is the target sequence, a first set of primers (P1 and P2) are used to amplify the signature region from the sample. In one desirable embodiment, this signature region is located within the AAV capsid. A second set of primers (P1 and P4) is used to extend the 3' end of the signature region to a location in the AAV sequence which is just before the AAV 3' ITR, i.e., providing an extension product containing the entire 3' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P4 primer corresponds to nt 4435 to 4462 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.6 kb, which contains the 0.25 kb signature region. A third set of primers (P3 and P2) is used to extend the 5' end of signature region to a location in the AAV sequences which is in the 3' end of the rep genes, i.e., providing an extension product containing the entire 5' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P3 primer corresponds to nt 1384 to 1409 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.7 kb, which contains the 0.25 kb signature region. Optionally, a fourth set of primers are used to further extend the extension product containing the entire 5' end of the AAV capsid to also include the rep sequences. In one embodiment, the primer designated P5 corresponds to nt 108 to 133 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes and is used in conjunction with the P2 primer.

[0033] Following completion of the desired number of extension steps, the various extension products are fused, making use of the signature region as an anchor or marker, to construct an intact sequence. In the example provided herein, AAV sequences containing, at a minimum, an intact AAV cap gene are obtained. Larger sequences may be obtained, depending upon the number of extension steps performed.

[0034] Suitably, the extension products are assembled into an intact AAV sequence using methods known to those of skill in the art. For example, the extension products may be digested with DraIII, which cleaves at the DraIII site located within the signature region, to provide restriction fragments which are re-ligated to provide products containing (at a minimum) an intact AAV cap gene. However, other suitable techniques for assembling the extension products into an intact sequence may be utilized. See, generally, Sambrook et al, cited herein.

[0035] As an alternative to the multiple extension steps described above, another embodiment of the invention provides for direct amplification of a 3.1 kb fragment which allows isolation of full-length cap sequences. To directly amplify a 3.1 kb full-length cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene is utilized (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGT-TCAACTGAAACGA 3', SEQ ID NO: 7) for amplification of AAV sequences including the full-length AAV cap. Typically, following amplification, the products are cloned and sequence analysis is performed with an accuracy of $\geq 99.9\%$. Using this method, the inventors have isolated at least 50 capsid clones which have subsequently been characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomolgous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5). These clones are identified elsewhere in the specification, together with the species of animal from which they were identified and the tissues in that animal these novel sequences have been located.

II. Diagnostic Kit

[0036] In another aspect, the invention provides a diagnostic kit as defined in claim 23 hereinafter for detecting the presence of an unknown adeno-associated virus (AAV) in a sample. Such a kit may contain a first set of 5' and 3' PCR primers specific for a signature region of the AAV nucleic acid sequence. Alternatively, or additionally, such a kit can contain a first set of 5' and 3' PCR primers specific for the 3.1 kb fragment which includes the full-length AAV capsid nucleic acid sequence identified herein (e.g., the AV1ns and AV2cas primers.) Optionally, a kit of the invention may further contain two or more additional sets of 5' and 3' primers, as described herein, and/or PCR probes. These primers and probes are used according to the present invention to amplify signature regions of each AAV serotype, e.g., using quantitative PCR.

[0037] Such a kit may further include one or more restriction enzymes, standards for AAV serotypes providing their "signature restriction enzyme digestions analyses", and/or other means for determining the serotype of the AAV detected.

[0038] In addition, kits of the invention may include, instructions, a negative and/or positive control, containers, diluents and buffers for the sample, indicator charts for signature comparisons, disposable gloves, decontamination instructions, applicator sticks or containers, and sample preparator cups, as well as any desired reagents, including media, wash reagents and concentration reagents. Such reagents may be readily selected from among the reagents described herein, and from among conventional concentration reagents. In one desirable embodiment, the wash reagent is an isotonic saline solution which has been buffered to physiologic pH, such as phosphate buffered saline (PBS); the elution reagent is PBS containing 0.4 M NaCl, and the concentration reagents and devices. For example, one of skill in the art will recognize that reagents such as polyethylene glycol (PEG), or NH_4SO_4 may be useful, or that devices such as filter devices. For example, a filter device with a 100 K membrane would concentrate rAAV.

[0039] The kits provided by the present invention are useful for performing the methods described herein, and for study of biodistribution, epidemiology, mode of transmission of novel AAV serotypes in human and NHPs.

[0040] Thus, the methods and kits of the invention permit identification of target AAV sequences, particularly integrated AAV sequences.

[0041] In one notable example, the method of the invention facilitated analysis of cloned AAV sequences by the inventors, which revealed heterogeneity of proviral sequences between cloned fragments from different animals, all of which were distinct from the known six AAV serotypes, with the majority of the variation localized to hypervariable regions of the capsid protein. Surprising divergence of AAV sequences was noted in clones isolated from single tissue sources, such as lymph node, from an individual rhesus monkey. This heterogeneity is best explained by apparent evolution of AAV sequence within individual animals due, in part, to extensive homologous recombination between a limited number of co-infecting parenteral viruses. These studies suggest sequence evolution of widely disseminated virus during the course of a natural AAV infection that presumably leads to the formation of swarms of quasispecies which differ from one another in the array of capsid hypervariable regions. This is the first example of rapid molecular evolution of a DNA virus in a way that formerly was thought to be restricted to RNA viruses.

[0042] Sequences of several novel AAV serotypes identified by the method of the invention and characterization of these serotypes is provided.

III. Novel AAV Serotypes

A. Nucleic Acid Sequences

[0043] Nucleic acid sequences of novel AAV serotypes identified by the methods of the invention are provided. See, SEQ ID NO:1, 9 - 59, and 117 - 120. See also and the sequence listing.

[0044] For novel serotype AAV7, the full-length sequences, including the AAV 5' ITRs, capsid, rep, and AAV 3' ITRs are provided in SEQ ID NO:1.

[0045] For other novel AAV serotypes, the approximately 3.1 kb fragment isolated according to the method of the invention is provided. This fragment contains sequences encoding full-length capsid protein and all or part of the sequences encoding the rep protein. These sequences include the clones identified below.

[0046] For still other novel AAV serotypes, the signature region encoding the capsid protein is provided. For example, the AAV10 nucleic acid sequences include those illustrated in See, SEQ ID NO:117, which spans 255 bases. The AAV11 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO:118 which spans 258 bases. The AAV12 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO: 119, which consists of 255 bases. Using the methodology described above, further AAV10, AAV11 and AAV 12 sequences can be readily identified and used for a variety of purposes, including those described for AAV7 and the other novel serotypes herein.

[0047] Novel NHP sequences identified by the invention include those provided in the following Table I, which are identified by clone number:

Table 1

| AAV Cap Sequence | Clone Number | Source | | |
|---------------------|-------------------|---------|--------|--------------------|
| | | Species | Tissue | SEQ ID NO (DNA) |
| Rh.1 | Clone 9 (AAV9) | Rhesus | Heart | 5 |
| Rh.2 | Clone 43.1 | Rhesus | MLN | 39 |
| Rh.3 | Clone 43.5 | Rhesus | MLN | 40 |
| Rh.4 | Clone 43.12 | Rhesus | MLN | 41 |
| Rh.5 | Clone 43.20 | Rhesus | MLN | 42 |
| Rh.6 | Clone 43.21 | Rhesus | MLN | 43 |
| Rh.7 | Clone 43.23 | Rhesus | MLN | 44 |

Table 1 (cont'd)

| | | | | |
|-------|--------------|--------|-----------------------------|----|
| Rh.8 | Clone 43.25 | Rhesus | MLN | 45 |
| Rh.9 | Clone 44.1 | Rhesus | Liver | 46 |
| Rh.10 | Clone 44.2 | Rhesus | Liver | 59 |
| Rh.11 | Clone 44.5 | Rhesus | Liver | 47 |
| Rh.12 | Clone 42.1B | Rhesus | MLN | 30 |
| Rh.13 | 42.2 | Rhesus | MLN | 9 |
| Rh.14 | Clone 42.3A | Rhesus | MLN | 32 |
| Rh.15 | Clone 42.3B | Rhesus | MLN | 36 |
| Rh.16 | Clone 42.4 | Rhesus | MLN | 33 |
| Rh.17 | Clone 42.5A | Rhesus | MLN | 34 |
| Rh.18 | Clone 42.5B | Rhesus | MLN | 29 |
| Rh.19 | Clone 42.6B | Rhesus | MLN | 38 |
| Rh.20 | Clone 42.8 | Rhesus | MLN | 27 |
| Rh.21 | Clone 42.10 | Rhesus | MLN | 35 |
| Rh.22 | Clone 42.11 | Rhesus | MLN | 37 |
| Rh.23 | Clone 42.12 | Rhesus | MLN | 58 |
| Rh.24 | Clone 42.13 | Rhesus | MLN | 31 |
| Rh.25 | Clone 42.15 | Rhesus | MLN | 28 |
| Rh.26 | Clone 223.2 | Rhesus | Liver | 49 |
| Rh.27 | Clone 223.4 | Rhesus | Liver | 50 |
| Rh.28 | Clone 223.5 | Rhesus | Liver | 51 |
| Rh.29 | Clone 223.6 | Rhesus | Liver | 52 |
| Rh.30 | Clone 223.7 | Rhesus | Liver | 53 |
| Rh.31 | Clone 223.10 | Rhesus | Liver | 48 |
| Rh.32 | Clone C1 | Rhesus | Spleen, Duo, Kid & Liver | 19 |
| Rh.33 | Clone C3 | Rhesus | | 20 |
| Rh.34 | Clone C5 | Rhesus | | 21 |
| Rh.35 | Clone F1 | Rhesus | Liver | 22 |
| Rh.36 | Clone F3 | Rhesus | | 23 |
| Rh.37 | Clone F5 | Rhesus | | 24 |
| Cy.1 | Clone 1.3 | Cyno | Blood | 14 |
| Cy.2 | Clone 13.3B | Cyno | Blood | 15 |
| Cy.3 | Clone 24.1 | Cyno | Blood | 16 |
| Cy.4 | Clone 27.3 | Cyno | Blood | 17 |
| Cy.5 | Clone 7.2 | Cyno | Blood | 18 |
| Cy.6 | Clone 16.3 | Cyno | Blood | 10 |

Table 1 (cont'd)

| | | | | |
|------|------------|--------|-------|----|
| bb.1 | Clone 29.3 | Baboon | Blood | 11 |
| bb.2 | Clone 29.5 | Baboon | Blood | 13 |
| Ch.1 | Clone A3.3 | Chimp | Blood | 57 |
| Ch.2 | Clone A3.4 | Chimp | Blood | 54 |
| Ch.3 | Clone A3.5 | Chimp | Blood | 55 |
| Ch.4 | Clone A3.7 | Chimp | Blood | 56 |

[0048] A novel NHP clone was made by splicing capsids fragments of two chimp adenoviruses into an AAV2 rep construct. This new clone, A3.1, is also termed Ch.5 [SEQ ID NO:20]. Additionally, the present invention includes two human AAV sequences, termed H6 [SEQ ID NO:25] and H2 [SEQ ID NO:26].

[0049] The AAV nucleic acid sequences further encompass the strand which is complementary to the strands provided in the sequences provided in the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], nucleic acid sequences, as well as the RNA and cDNA sequences corresponding to the sequences provided in the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], and their complementary strands. Also included in the nucleic acid sequences are natural variants and engineered modifications of the sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], and their complementary strands. Such modifications include, for example, labels which are known in the art, methylation, and substitution of one or more of the naturally occurring nucleotides with a degenerate nucleotide.

[0050] Further included are nucleic acid sequences which are greater than 85%, preferably at least about 90%, more preferably at least about 95%, and most preferably at least about 98 to 99% identical or homologous to the sequences of the invention, including the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120]. These terms are as defined herein.

[0051] Also included are fragments of the novel AAV sequences identified by the method described herein. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest. In one embodiment, these fragments are fragments of the novel sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], their complementary strands, cDNA and RNA complementary thereto.

[0052] Examples of suitable fragments are provided with respect to the location of these fragments on AAV1, AAV2, or AAV7. However, using the alignment provided herein (obtained using the Clustal W program at default settings), or similar techniques for generating an alignment with other novel serotypes of the invention, one of skill in the art can readily identify the precise nucleotide start and stop codons for desired fragments.

[0053] Examples of suitable fragments include the sequences encoding the three variable proteins (vp) of the AAV capsid which are alternative splice variants: vp1 [e.g., nt 825 to 3049 of AAV7, SEQ ID NO: 1]; vp2 [e.g., nt 1234 - 3049 of AAV7, SEQ ID NO: 1]; and vp3 [e.g., nt 1434 - 3049 of AAV7, SEQ ID NO:1]. It is notable that AAV7 has an unusual GTG start codon. With the exception of a few house-keeping genes, such a start codon has not previously been reported in DNA viruses. The start codons for vp1, vp2 and vp3 for other AAV serotypes have been believed to be such that they permit the cellular mechanism of the host cell in which they reside to produce vp1, vp2 and vp3 in a ratio of 10%:10%:80%, respectively, in order to permit efficient assembly of the virion. However, the AAV7 virion has been found to assemble efficiently even with this rare GTG start codon. Thus, the inventors anticipate this it is desirable to alter the start codon of the vp3 of other AAV serotypes to contain this rare GTG start codon, in order to improve packaging efficiency, to alter the virion structure and/or to alter location of epitopes (e.g., neutralizing antibody epitopes) of other AAV serotypes. The start codons may be altered using conventional techniques including, e.g., site directed mutagenesis. The altered AAV virions may be of any selected serotype, composed of a vp 3, and/or optionally, vp 1 and/or vp2 having start codons altered to GTG.

[0054] Other suitable fragments of AAV, include a fragment containing the start codon for the AAV capsid protein [e.g., nt 468 to 3090 of AAV7, SEQ ID NO:1, nt 725 to 3090 of AAV7, SEQ ID NO: 1, and corresponding regions of the other AAV serotypes]. Still other fragments of AAV7 and the other novel AAV serotypes identified using the methods described herein include those encoding the rep proteins, including *rep* 78 [e.g., initiation codon 334 for AAV7], *rep* 68 [initiation codon nt 334 for AAV7], *rep* 52 [initiation codon 1006 for AAV7], and *rep* 40 [initiation codon 1006 for AAV7]. Other fragments of interest may include the AAV 5' inverted terminal repeats ITRs, [nt 1 to 107 for AAV7]; the AAV 3' ITRs [nt 4704 to 4721 for AAV7], P19 sequences, AAV P40 sequences, the rep binding site, and the terminal resolute site (TRS). Still other suitable fragments will be readily apparent to those of skill in the art.

[0055] In addition to the nucleic acid sequences provided in the figures and Sequence Listing, there are nucleic acid molecules and sequences which are designed to express the amino acid sequences, proteins and peptides of the AAV serotypes of the invention. These include nucleic acid sequences which encode the following novel AAV amino acid sequences: C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67],

A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104], 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106], 42-38 [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], and/or 42-12 [SEQ ID NO: 113], and artificial AAV serotypes generated using these sequences and/or unique fragments thereof.

[0056] As used herein, artificial AAV serotypes include, without limitation, AAV with a non-naturally occurring capsid protein. Such an artificial capsid may be generated by any suitable technique, using a novel AAV sequence (e.g., a fragment of a vp1 capsid protein) in combination with heterologous sequences which may be obtained from another AAV serotype (known or novel), non-contiguous portions of the same AAV serotype, from a non-AAV viral source, or from a non-viral source. An artificial AAV serotype may be, without limitation, a chimeric AAV capsid, a recombinant AAV capsid, or a "humanized" AAV capsid.

B. AAV Amino Acid Sequences, Proteins and Peptides

[0057] The invention provides proteins and fragments thereof which are encoded by the nucleic acid sequences of the novel AAV serotypes identified herein, including, e.g., AA V7 [nt 825 to 3049 of AA V7, SEQ ID NO: 1] the other novel serotypes provided herein. Thus, the capsid proteins of the novel serotypes of the invention, including: H6 [SEQ ID NO: 25], H2 [SEQ ID NO: 26], 42-2 [SEQ ID NO:9], 42-8 [SEQ ID NO:27], 42-15 [SEQ ID NO:28], 42-5b [SEQ ID NO: 29], 42-1b [SEQ ID NO:30], 42-13 [SEQ ID NO: 31], 42-3a [SEQ ID NO: 32], 42-4 [SEQ ID NO:33], 42-5a [SEQ ID NO: 34], 42-10 [SEQ ID NO:35], 42-3b [SEQ ID NO: 36], 42-11 [SEQ ID NO: 37], 42-6b [SEQ ID NO:38], 43-1 [SEQ ID NO: 39], 43-5 [SEQ ID NO: 40], 43-12 [SEQ ID NO:41], 43-20 [SEQ ID NO:42], 43-21 [SEQ ID NO: 43], 43-23 [SEQ ID NO:44], 43-25 [SEQ ID NO: 45], 44.1 [SEQ ID NO:47], 44.5 [SEQ ID NO:47], 223.10 [SEQ ID NO:48], 223.2 [SEQ ID NO:49], 223.4 [SEQ ID NO:50], 223.5 [SEQ ID NO:51], 223.6 [SEQ ID NO: 52], 223.7 [SEQ ID NO: 53], A3.4 [SEQ ID NO: 54], A3.5 [SEQ ID NO:55], A3.7 [SEQ ID NO: 56], A3.3 [SEQ ID NO:57], 42.12 [SEQ ID NO: 58], and 44.2 [SEQ ID NO: 59], can be readily generated using conventional techniques from the open reading frames provided for the above-listed clones.

[0058] The sequences, proteins, and fragments may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Such production methods are within the knowledge of those of skill in the art.

IV. Production of rAAV with novel AAV capsids

[0059] Novel, wild-type AAV serotypes can be identified by the invention, the sequences of which wild-type AAV serotypes are free of DNA and/or cellular material with these viruses are associated in nature. In another aspect, the present invention provides molecules which utilize the novel AAV sequences of the invention, including fragments thereof, for production of molecules useful in delivery of a heterologous gene or other nucleic acid sequences to a target cell.

[0060] The following examples illustrate several aspects and embodiments of the invention.

EXAMPLES

Example 1: PCR amplification, cloning and characterization of novel AAV sequences.

[0061] Tissues from nonhuman primates were screened for AAV sequences using a PCR method based on oligonucleotides to highly conserved regions of known AAVs. A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which a hypervariable region of the capsid protein (Cap) that is unique to each known AAV serotype, which is termed herein a "signature region," is flanked by conserved sequences. In later analysis, this signature region was shown to be located between conserved residues spanning hypervariable region 3.

[0062] An initial survey of peripheral blood of a number of nonhuman primate species revealed detectable AAV in a subset of animals from species such as rhesus macaques, cynomolgous macaques, chimpanzees and baboons. However, there were no AAV sequences detected in some other species tested, including Japanese macaques, pig-tailed macaques and squirrel monkeys. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

A. Amplification of an AAV signature region

[0063] DNA sequences of AAV1-6 and AAVs isolated from Goose and Duck were aligned to each other using "Clustal W" at default settings. Sequence similarities among AAVs were compared.

[0064] In the line of study, a 257 bp region spanning 2886 bp to 3143 bp of AAV 1 [SEQ ID NO: 6], and the corresponding region in the genomes of AAV 2-6 genomes was identified by the inventors. This region is located with the AAV capsid gene and has highly conserved sequences among at both 5' and 3' ends and is relatively variable sequence in the middle. In addition, this region contains a *DraIII* restriction enzyme site (CACCACGTC, SEQ ID NO:15). The inventors have found that this region serves as specific signature for each known type of AAV DNA. In other words, following PCR reactions, digestion with endonucleases that are specific to each known serotypes and gel electrophoresis analysis, this regions can be used to definitively identify amplified DNA as being from serotype 1, 2, 3, 4, 5, 6, or another serotype.

[0065] The primers were designed, validated and PCR conditions optimized with AAV1, 2 and 5 DNA controls. The primers were based upon the sequences of AAV2: 5' primer, 1S: bp 2867-2891 of AAV2 (SEQ ID NO:7) and 3' primer, 18as, bp 3095-3121 of AAV2 (SEQ ID NO:7).

[0066] Cellular DNAs from different tissues including blood, brain, liver, lung, testis, etc. of different rhesus monkeys were studied utilizing the strategy described above. The results revealed that DNAs from different tissues of these monkeys gave rise to strong PCR amplifications. Further restriction analyses of PCR products indicated that they were amplified from AAV sequences different from any published AAV sequences.

[0067] PCR products (about 255 bp in size) from DNAs of a variety of monkey tissues have been cloned and sequenced. Bioinformatics study of these novel AAV sequences indicated that they are novel AAV sequences of capsid gene and distinct from each other. Multiple sequence alignment analysis was performed using the Clustal W (1.81) program. The percentage of sequence identity between the signature regions of AAV 1-7 and AAV 10-12 genomes is provided below.

Table 1. Sequences for Analysis

| Sequence # | AAV Serotype | Size (bp) |
|------------|--------------|-----------|
| 1 | AAV1 | 258 |
| 2 | AAV2 | 255 |
| 3 | AAV3 | 255 |
| 4 | AAV4 | 246 |
| 5 | AAV5 | 258 |
| 6 | AAV6 | 258 |
| 7 | AAV7 | 258 |
| 10 | AAV10 | 255 |
| 11 | AAV11 | 258 |
| 12 | AAV12 | 255 |

Table 3. Pairwise Alignment (Percentage of Identity)

| | AAV2 | AAV3 | AAV4 | AAV5 | AAV6 | AAV7 | AAV10 | AAV11 | AAV12 |
|-------|------|------|------|------|------|------|-------|-------|-------|
| AAV1 | 90 | 90 | 81 | 76 | 97 | 91 | 93 | 94 | 93 |
| AAV2 | | 93 | 79 | 78 | 90 | 90 | 93 | 93 | 92 |
| AAV3 | | | 80 | 76 | 90 | 92 | 92 | 92 | 92 |
| AAV4 | | | | 76 | 81 | 84 | 82 | 81 | 79 |
| AAV5 | | | | | 75 | 78 | 79 | 79 | 76 |
| AAV6 | | | | | | 91 | 92 | 94 | 94 |
| AAV7 | | | | | | | 94 | 92 | 92 |
| AAV10 | | | | | | | | 95 | 93 |

Table continued

| | AAV2 | AAV3 | AAV4 | AAV5 | AAV6 | AAV7 | AAV10 | AAV11 | AAV12 |
|-------|------|------|------|------|------|------|-------|-------|-------|
| AAV11 | | | | | | | | | 94 |

[0068] Over 300 clones containing novel AAV serotype sequences that span the selected 257 bp region were isolated and sequenced. Bioinformatics analysis of these 300+ clones suggests that this 257 bp region is critical in serving as a good land marker or signature sequence for quick isolation and identification of novel AAV serotype.

B. Use of the signature region for PCR amplification.

[0069] The 257 bp signature region was used as a PCR anchor to extend PCR amplifications to 5' of the genome to cover the junction region of rep and cap genes (1398 bp - 3143 bp, SEQ ID NO:6) and 3' of the genome to obtain the entire cap gene sequence (2866 bp - 4600 bp, SEQ ID NO:6). PCR amplifications were carried out using the standard conditions, including denaturing at 95°C for 0.5-1 min, annealing at 60-65°C for 0.5-1 min and extension at 72° C for 1 min per kb with a total number of amplification cycles ranging from 28 to 42.

[0070] Using the aligned sequences as described in "A", two other relative conserved regions were identified in the sequence located in 3' end of rep genes and 5' to the 257 bp region and in the sequence down stream of the 257 bp fragment but before the AAV' 3 ITR. Two sets of new primers were designed and PCR conditions optimized for recovery of entire capsid and a part of rep sequences of novel AAV serotypes. More specifically, for the 5' amplification, the 5' primer, AV1Ns, was GCTGCGTCAACTGGACCAATGAGAAC [nt 1398-1423 of AAV1, SEQ ID NO:6] and the 3' primer was 18as, identified above. For the 3' amplification, the 5' primer was 1s, identified above, and the 3' primer was AV2Las, TCGTTTCAGTTGAACCTTGGTCTCTGCG [nt 4435-4462 of AAV2, SEQ ID NO:7].

[0071] In these PCR amplifications, the 257 bp region was used as a PCR anchor and land marker to generate overlapping fragments to construct a complete capsid gene by fusion at the DraIII site in the signature region following amplification of the 5' and 3' extension fragments obtained as described herein. More particularly, to generate the intact AAV7 cap gene, the three amplification products (a) the sequences of the signature region; (b) the sequences of the 5' extension; and (c) the sequences of the 3' extension were cloned into a pCR4-Topo [Invitrogen] plasmid backbone according to manufacturer's instructions. Thereafter, the plasmids were digested with DraIII and recombined to form an intact cap gene.

[0072] In this line of work, about 80 % of capsid sequences of AAV7 and AAV 8 were isolated and analyzed. Another novel serotype, AAV9, was also discovered from Monkey #2.

[0073] Using the PCR conditions described above, the remaining portion of the rep gene sequence for AAV7 is isolated and cloned using the primers that amplify 108 bp to 1461 bp of AAV genome (calculated based on the numbering of AAV2, SEQ ID NO:7). This clone is sequenced for construction of a complete AAV7 genome without ITRs.

C. Direct Amplification of 3.1 kb Cap fragment

[0074] To directly amplify a 3.1 kb full-length Cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene was selected (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt 1398-1423 of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGTTCAACTGAAACGA 3', SEQ ID NO:7) for amplification of full-length cap fragments. The PCR products were Topo-cloned according to manufacturer's directions (Invitrogen) and sequence analysis was performed by Qiagen Genomics (Qiagen Genomics, Seattle, WA) with an accuracy of $\geq 99.9\%$. A total of 50 capsid clones were isolated and characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomolgous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5).

[0075] To rule out the possibility that sequence diversity within the novel AAV family was not an artifact of the PCR, such as PCR-mediated gene splicing by overlap extension between different partial DNA templates with homologous sequences, or the result of recombination process in bacteria, a series of experiments were performed under identical conditions for VP1 amplification using total cellular DNAs. First, intact AAV7 and AAV8 plasmids were mixed at an equal molar ratio followed by serial dilutions. The serially diluted mixtures were used as templates for PCR amplification of 3.1 kb VP1 fragments using universal primers and identical PCR conditions to that were used for DNA amplifications to see whether any hybrid PCR products were generated. The mixture was transformed into bacteria and isolated transformants to look for hybrid clones possibly derived from recombination process in bacterial cells. In a different experiment, we restricted AAV7 and AAV8 plasmids with Msp I, Ava I and HaeI, all of which cut both genomes multiple times at different

positions, mixed the digestions in different combinations and used them for PCR amplification of VP1 fragments under the same conditions to test whether any PCR products could be generated through overlap sequence extension of partial AAV sequences. In another experiment, a mixture of gel purified 5' 1.5 kb AAV7 VP1 fragment and 3' 1.7 kb AAV8 VP1 fragment with overlap in the signature region was serially diluted and used for PCR amplification in the presence and absence of 200 ng cellular DNA extracted from a monkey cell line that was free of AAV sequences by TaqMan analysis. None of these experiments demonstrated efficient PCR-mediated overlap sequence production under the conditions of the genomic DNA Cap amplification (data not shown). As a further confirmation, 3 pairs of primers were designed, which were located at different HVRs, and were sequence specific to the variants of clone 42s from Rhesus macaque F953, in different combinations to amplify shorter fragments from mesenteric lymph node (MLN) DNA from F953 from which clone 42s were isolated. All sequence variations identified in full-length Cap clones were found in these short fragments (data not shown).

Example 2: Adeno-Associated Viruses Undergo Substantial Evolution in Primates During Natural Infections

[0076] Sequence analysis of selected AAV isolates revealed divergence throughout the genome that is most concentrated in hypervariable regions of the capsid proteins. Epidemiologic data indicate that all known serotypes are endemic to primates, although isolation of clinical isolates has been restricted to AAV2 and AAV3 from anal and throat swabs of human infants and AAV5 from a human condylomatous wart. No known clinical sequelae have been associated with AAV infection.

[0077] In an attempt to better understand the biology of AAV, nonhuman primates were used as models to characterize the sequelae of natural infections. Tissues from nonhuman primates were screened for AAV sequences using the PCR method of the invention based on oligonucleotides to highly conserved regions of known AAVs (see Example 1). A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which conserved sequences are flanked by a hypervariable region that is unique to each known AAV serotype, termed herein a "signature region."

[0078] An initial survey of peripheral blood of a number of nonhuman primate species including rhesus monkeys, cynomolgous monkeys, chimpanzees, and baboons revealed detectable AAV in a subset of animals from all species. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

[0079] The amplified signature sequences were subcloned into plasmids and individual transformants were subjected to sequence analysis. This revealed substantial variation in nucleotide sequence of clones derived from different animals. Variation in the signature sequence was also noted in clones obtained within individual animals. Tissues harvested from two animals in which unique signature sequences were identified (i.e., colon from 98E044 and heart from 98E056) were further characterized by expanding the sequence amplified by PCR using oligonucleotides to highly conserved sequences. In this way, complete proviral structures were reconstructed for viral genomes from both tissues as described herein. These proviruses differ from the other known AAVs with the greatest sequence divergence noted in regions of the Cap gene.

[0080] Additional experiments were performed to confirm that AAV sequences resident to the nonhuman primate tissue represented proviral genomes of infectious virus that is capable of being rescued and form virions. Genomic DNA from liver tissue of animal 98E056, from which AAV8 signature sequence was detected, was digested with an endonuclease that does not have a site within the AAV sequence and transfected into 293 cells with a plasmid containing an E1 deleted genome of human adenovirus serotype 5 as a source of helper functions. The resulting lysate was passaged on 293 cells once and the lysate was recovered and analyzed for the presence of AAV Cap proteins using a broadly reacting polyclonal antibody to Cap proteins and for the presence and abundance of DNA sequences from the PCR amplified AAV provirus from which AAV8 was derived. Transfection of endonuclease restricted heart DNA and the adenovirus helper plasmid yielded high quantities of AAV8 virus as demonstrated by the detection of Cap proteins by Western blot analysis and the presence of 10^4 AAV8 vector genomes per 293 cell. Lysates were generated from a large-scale preparation and the AAV was purified by cesium sedimentation. The purified preparation demonstrated 26 nm icosahedral structures that look identical to those of AAV serotype 2. Transfection with the adenovirus helper alone did not yield AAV proteins or genomes, ruling out contamination as a source of the rescued AAV.

[0081] To further characterize the inter and intra animal variation of AAV signature sequence, selected tissues were subjected to extended PCR to amplify entire Cap open reading frames.

[0082] The resulting fragments were cloned into bacterial plasmids and individual transformants were isolated and fully sequenced. This analysis involved mesenteric lymph nodes from three rhesus monkeys (Tulane/V223 - 6 clones; Tulane/T612 - 7 clones; Tulane/F953 - 14 clones), liver from two rhesus monkeys (Tulane/V251 - 3 clones; Penn/00E033 - 3 clones), spleen from one rhesus monkey (Penn/97E043 - 3 clones), heart from one rhesus monkey (IHGT/98E046-1 clone) and peripheral blood from one chimpanzee (New Iberia/X133 - 5 clones), six cynomolgous macaques (Charles River/A1378, A3099, A3388, A3442, A2821, A3242 - 6 clones total) and one Baboon (SFRB/8644 - 2 clones). Of the

50 clones that were sequenced from 15 different animals, 30 were considered non-redundant based on the finding of at least 7 amino acid differences from one another. The non-redundant VP1 clones are numbered sequentially as they were isolated, with a prefix indicating the species of non-human primate from which they were derived. The structural relationships between these 30 non-redundant clones and the previously described 8 AAV serotypes were determined using the SplitsTree program [Huson, D. H. SplitsTree: analyzing and visualizing evolutionary data. *Bioinformatics* 14, 68-73 (1998)] with implementation of the method of split decomposition. The analysis depicts homoplasy between a set of sequences in a tree-like network rather than a bifurcating tree. The advantage is to enable detection of groupings that are the result of convergence and to exhibit phylogenetic relationships even when they are distorted by parallel events. Extensive phylogenetic research will be required in order to elucidate the AAV evolution, whereas the intention here only is to group the different clones as to their sequence similarity.

[0083] To confirm that the novel VP1 sequences were derived from infectious viral genomes, cellular DNA from tissues with high abundance of viral DNA was restricted with an endonuclease that should not cleave within AAV and transfected into 293 cells, followed by infection with adenovirus. This resulted in rescue and amplification of AAV genomes from DNA of tissues from two different animals (data not shown).

[0084] VP1 sequences of the novel AAVs were further characterized with respect to the nature and location of amino acid sequence variation. All 30 VP1 clones that were shown to differ from one another by greater than 1% amino acid sequence were aligned and scored for variation at each residue. An algorithm developed to determine areas of sequence divergence yielded 12 hypervariable regions (HVR) of which 5 overlap or are part of the 4 previously described variable regions [Kotin, cited above; Rutledge, cited above]. The threefold-proximal peaks contain most of the variability (HVR5-10). Interestingly the loops located at the 2 and 5 fold axis show intense variation as well. The HVRs 1 and 2 occur in the N-terminal portion of the capsid protein that is not resolved in the X-ray structure suggesting that the N-terminus of the VP1 protein is exposed on the surface of the virion.

[0085] Real-time PCR was used to quantify AAV sequences from tissues of 21 rhesus monkeys using primers and probes to highly conserved regions of Rep (one set) and Cap (two sets) of known AAVs. Each data point represents analysis from tissue DNA from an individual animal. This confirmed the wide distribution of AAV sequences, although the quantitative distribution differed between individual animals. The source of animals and previous history or treatments did not appear to influence distribution of AAV sequences in rhesus macaques. The three different sets of primers and probes used to quantify AAV yielded consistent results. The highest levels of AAV were found consistently in mesenteric lymph nodes at an average of 0.01 copies per diploid genome for 13 animals that were positive. Liver and spleen also contained high abundance of virus DNA. There were examples of very high AAV, such as in heart of rhesus macaque 98E056, spleen of rhesus macaque 97E043 and liver of rhesus macaque RQ4407, which demonstrated 1.5, 3 and 20 copies of AAV sequence per diploid genome respectively. Relatively low levels of virus DNA were noted in peripheral blood mononuclear cells, suggesting the data in tissue are not due to resident blood components (data not shown). It should be noted that this method would not necessarily capture all AAVs resident to the nonhuman primates since detection requires high homology to both the oligonucleotides and the real time PCR probe. Tissues from animals with high abundance AAV DNA was further analyzed for the molecular state of the DNA, by DNA hybridization techniques, and its cellular distribution, by *in situ* hybridization.

[0086] The kind of sequence variation revealed in AAV proviral fragments isolated from different animals and within tissues of the same animals is reminiscent of the evolution that occurs for many RNA viruses during pandemics or even within the infection of an individual. In some situations the notion of a wild-type virus has been replaced by the existence of swarms of quasispecies that evolve as a result of rapid replication and mutations in the presence of selective pressure. One example is infection by HIV, which evolves in response to immunologic and pharmacologic pressure. Several mechanisms contribute to the high rate of mutations in RNA viruses, including low fidelity and lack of proof reading capacity of reverse transcriptase and non-homologous and homologous recombination.

[0087] Evidence for the formation of quasispecies of AAV was illustrated in this study by the systematic sequencing of multiple cloned proviral fragments. In fact, identical sequences could not be found within any extended clones isolated between or within animals. An important mechanism for this evolution of sequence appears to be a high rate of homologous recombination between a more limited number of parenteral viruses. The net result is extensive swapping of hypervariable regions of the Cap protein leading to an array of chimeras that could have different tropisms and serologic specificities (i.e., the ability to escape immunologic responses especially as it relates to neutralizing antibodies). Mechanisms by which homologous recombination could occur are unclear. One possibility is that + and - strands of different single stranded AAV genomes anneal during replication as has been described during high multiplicity of infections with AAV recombinants. It is unclear if other mechanisms contribute to sequence evolution in AAV infections. The overall rate of mutation that occurs during AAV replication appears to be relatively low and the data do not suggest high frequencies of replication errors. However, substantial rearrangements of the AAV genome have been described during lytic infection leading to the formation of defective interfering particles. Irrespective of the mechanisms that lead to sequence divergence, with few exceptions, vp1 structures of the quasispecies remained intact without frameshifts or nonsense mutations suggesting that competitive selection of viruses with the most favorable profile of fitness contribute to the population

dynamics.

[0088] These studies have implications in several areas of biology and medicine. The concept of rapid virus evolution, formerly thought to be a property restricted to RNA viruses, should be considered in DNA viruses, which classically have been characterized by serologic assays. It will be important in terms of parvoviruses to develop a new method for describing virus isolates that captures the complexity of its structure and biology, such as with HIV, which are categorized as general families of similar structure and function called Clades. An alternative strategy is to continue to categorize isolates with respect to serologic specificity and develop criteria for describing variants within serologic groups.

Example 3: Vectorology of recombinant AAV genomes equipped with AAV2 ITRs using chimeric plasmids containing AAV2 rep and novel AAV cap genes for serological and gene transfer studies in different animal models.

[0089] Chimeric packaging constructs are generated by fusing AAV2 rep with cap sequences of novel AAV serotypes. These chimeric packaging constructs are used, initially, for pseudotyping recombinant AAV genomes carrying AAV2 ITRs by triple transfection in 293 cell using Ad5 helper plasmid. These pseudotyped vectors are used to evaluate performance in transduction-based serological studies and evaluate gene transfer efficiency of novel AAV serotypes in different animal models including NHP and rodents, before intact and infectious viruses of these novel serotypes are isolated.

A. pAAV2GFP

[0090] The AAV2 plasmid which contains the AAV2 ITRs and green fluorescent protein expressed under the control of a constitutive promoter. This plasmid contains the following elements: the AAV2 ITRs, a CMV promoter, and the GFP coding sequences.

B. Cloning of trans plasmid

[0091] To construct the chimeric trans-plasmid for production of recombinant pseudotyped AAV7 vectors, p5E18 plasmid (Xiao *et al.*, 1999, *J. Virol* 73:3994-4003) was partially digested with Xho I to linearize the plasmid at the Xho I site at the position of 3169 bp only. The Xho I cut ends were then filled in and ligated back. This modified p5E18 plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene sequence and replaced with a 2267 bp Spe I/Xho I fragment containing the AAV7 cap gene which was isolated from pCRAAV7 6-5+15-4 plasmid.

[0092] The resulting plasmid contains the AAV2 rep sequences for Rep78/68 under the control of the AAV2 P5 promoter, and the AAV2 rep sequences for Rep52/40 under the control of the AAV2 P19 promoter. The AAV7 capsid sequences are under the control of the AAV2 P40 promoter, which is located within the Rep sequences. This plasmid further contains a spacer 5' of the rep ORF.

C. Production of Pseudotyped rAAV

[0093] The rAAV particles (AAV2 vector in AAV7 capsid) are generated using an adenovirus-free method. Briefly, the cis plasmid (pAAV2.1 lacZ plasmid containing AAV2 ITRs), and the trans plasmid pCRAAV7 6-5+15-4 (containing the AAV2 rep and AAV7 cap) and a helper plasmid, respectively, were simultaneously co-transfected into 293 cells in a ratio of 1:1:2 by calcium phosphate precipitation.

[0094] For the construction of the pAd helper plasmids, pBG 10 plasmid was purchased from Microbix (Canada). A RsrII fragment containing L2 and L3 was deleted from pBHG10, resulting in the first helper plasmid, pAdΔF13. Plasmid AdΔ F1 was constructed by cloning Asp700/SalI fragment with a PmeI/SgfI deletion, isolating from pBHG10, into Bluescript. MLP, L2, L2 and L3 were deleted in the pAdΔF1. Further deletions of a 2.3 kb NruI fragment and, subsequently, a 0.5 kb RsrII/NruI fragment generated helper plasmids pAdΔF5 and pAdΔF6, respectively. The helper plasmid, termed pΔF6, provides the essential helper functions of E2a and E4 ORF6 not provided by the E1-expressing helper cell, but is deleted of adenoviral capsid proteins and functional E1 regions).

[0095] Typically, 50 µg of DNA (cis:trans:helper) was transfected onto a 150 mm tissue culture dish. The 293 cells were harvested 72 hours post-transfection, sonicated and treated with 0.5% sodium deoxycholate (37°C for 10 min.) Cell lysates were then subjected to two rounds of a CsCl gradient. Peak fractions containing rAAV vector are collected, pooled and dialyzed against PBS.

Example 4: Creation of infectious clones carrying intact novel AAV serotypes for study of basic virology in human and NHP derived cell lines and evaluation of pathogenesis of novel AAV serotypes in NHP and other animal models.

[0096] To achieve this goal, the genome walker system is employed to obtain 5' and 3' terminal sequences (ITRs)

and complete construction of clones containing intact novel AAV serotype genomes.

[0097] Briefly, utilizing a commercially available Universal Genome Walker Kit [Clontech], genomic DNAs from monkey tissues or cell lines that are identified as positive for the presence of AAV7 sequence are digested with Dra I, EcoR V, Pvu II and Stu I endonucleases and ligated to Genome Walker Adaptor to generate 4 individual Genome Walker Libraries (GWLs). Using DNAs from GWLs as templates, AAV7 and adjacent genomic sequences will be PCR-amplified by the adaptor primer 1 (API, provided in the kit) and an AAV7 specific primer 1, followed by a nested PCR using the adaptor primer 2 (AP2) and another AAV7 specific primer 2, both of which are internal to the first set of primers. The major PCR products from the nested PCR are cloned and characterized by sequencing analysis.

[0098] In this experiment, the primers covering the 257 bp or other signature fragment of a generic AAV genome are used for PCR amplification of cellular DNAs extracted from Human and NHP derived cell lines to identify and characterize latent AAV sequences. The identified latent AAV genomes are rescued from the positive cell lines using adenovirus helpers of different species and strains.

[0099] To isolate infectious AAV clones from NHP derived cell lines, a desired cell line is obtained from ATCC and screened by PCR to identify the 257 bp amplicon, i.e., signature region of the invention. The 257 bp PCR product is cloned and serotyped by sequencing analysis. For these cell lines containing the AAV7 sequence, the cells are infected with SV-15, a simian adenovirus purchased from ATCC, human Ad5 or transfected with plasmid construct housing the human Ad genes that are responsible for AAV helper functions. At 48 hour post infection or transfection, the cells are harvested and Hirt DNA is prepared for cloning of AAV7 genome following Xiao et al., 1999, *J. Virol.*, 73:3994-4003.

Example 5 - Production of AAV Vectors

[0100] A pseudotyping strategy similar to that of Example 3 for AAV1/7 was employed to produce AAV2 vectors packaged with AAV1, AAV5 and AAV8 capsid proteins. Briefly, recombinant AAV genomes equipped with AAV2 ITRs were packaged by triple transfection of 293 cells with cis-plasmid, adenovirus helper plasmid and a chimeric packaging construct where the AAV2 rep gene is fused with cap genes of novel AAV serotypes. To create the chimeric packaging constructs, the Xho I site of p5E18 plasmid at 3169 bp was ablated and the modified plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene and replace it with a 2267 bp Spe I/Xho I fragment containing the AAV8 cap gene [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003]. A similar cloning strategy was used for creation of chimeric packaging plasmids of AAV2/1 and AAV2/5. All recombinant vectors were purified by the standard CsCl₂ sedimentation method except for AAV2/2, which was purified by single step heparin chromatography.

[0101] Genome copy (GC) titers of AAV vectors were determined by TaqMan analysis using probes and primers targeting SV40 poly A region as described previously [Gao, G., et al., (2000) *Hum Gene Ther* 11, 2079-91].

[0102] Vectors were constructed for each serotype for a number of *in vitro* and *in vivo* studies. Eight different transgene cassettes were incorporated into the vectors and recombinant virions were produced for each serotype. The recovery of virus, based on genome copies, is summarized in Table 4 below. The yields of vector were high for each serotype with no consistent differences between serotypes. Data presented in the table are average genome copy yields with standard deviation $\times 10^{13}$ of multiple production lots of 50 plate (150 mm) transfections.

Table 4. Production of Recombinant Vectors

| | AAV2/1 | AAV2/2 | AAV2/5 | AAV2/7 | AAV2/8 |
|----------|-----------------------|------------------------|------------------------|-----------------------|-------------------------|
| CMV LacZ | 7.30 \pm 4.33 (n=9) | 4.49 \pm 2.89 (n=6) | 5.19 \pm 5.19 (n=8) | 3.42 (n=1) | 0.87 (n=1) |
| CMV EGFP | 6.43 \pm 2.42 (n=2) | 3.39 \pm 2.42 (n=2) | 5.55 \pm 6.49 (n=4) | 2.98 \pm 2.66 (n=2) | 3.74 \pm 3.88 (n=2) |
| TBG LacZ | 4.18 (n=1) | 0.23 (n=1) | 0.704 \pm 0.43 (n=2) | 2.16 (n=1) | 0.532 (n=1) |
| Alb A1AT | 4.67 \pm 0.75 (n=2) | 4.77 (n=1) | 4.09 (n=1) | 5.04 (n=1) | 2.02 (n=1) |
| CB A1AT | 0.567 (n=1) | 0.438 (n=1) | 2.82 (n=1) | 2.78 (n=1) | 0.816 \pm 0.679 (n=2) |
| TBG rhCG | 8.51 \pm 6.65 (n=6) | 3.47 \pm 2.09 (n=5) | 5.26 \pm 3.85 (n=4) | 6.52 \pm 3.08 (n=4) | 1.83 \pm 0.98 (n=5) |
| TBG cFIX | 1.24 \pm 1.29 (n=3) | 0.63 \pm 0.394 (n=6) | 3.74 \pm 2.48 (n=7) | 4.05 (n=1) | 15.8 \pm 15.0 (n=5) |

Example 6 - Serologic Analysis of Pseudotyped Vectors

[0103] C57BL/6 mice were injected with vectors of different serotypes of AAVCBA1AT vectors intramuscularly (5 x

10¹¹ GC) and serum samples were collected 34 days later. To test neutralizing and cross-neutralizing activity of sera to each serotype of AAV, sera was analyzed in a transduction based neutralizing antibody assay [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43]. More specifically, the presence of neutralizing antibodies was determined by assessing the ability of serum to inhibit transduction of 84-31 cells by reporter viruses (AAVCMVEGFP) of different serotypes. Specifically, the reporter virus AAVCMVEGFP of each serotype [at multiplicity of infection (MOI) that led to a transduction of 90% of indicator cells] was pre-incubated with heat-inactivated serum from animals that received different serotypes of AAV or from naïve mice. After 1-hour incubation at 37° C, viruses were added to 84-31 cells in 96 well plates for 48 or 72- hour, depending on the virus serotype. Expression of GFP was measured by Fluorolmagin (Molecular Dynamics) and quantified by Image Quant Software. Neutralizing antibody titers were reported as the highest serum dilution that inhibited transduction to less than 50%.

[0104] The availability of GFP expressing vectors simplified the development of an assay for neutralizing antibodies that was based on inhibition of transduction in a permissive cell line (i.e., 293 cells stably expressing E4 from Ad5). Sera to selected AAV serotypes were generated by intramuscular injection of the recombinant viruses. Neutralization of AAV transduction by 1:20 and 1:80 dilutions of the antisera was evaluated (See Table 5 below). Antisera to AAV1, AAV2, AAV5 and AAV8 neutralized transduction of the serotype to which the antiserum was generated (AAV5 and AAV8 to a lesser extent than AAV1 and AAV2) but not to the other serotype (i.e., there was no evidence of cross neutralization suggesting that AAV 8 is a truly unique serotype).

Table 5. Serological Analysis of New AAV Serotypes.

| | | % Infection on 84-31 cells with AAVCMVEGFP virus: | | | | | | | | | |
|---------|---------------------|---|------|-----------------|------|-----------------|------|-----------------|------|-----------------|------|
| | | AAV2/1 | | AAV2/2 | | AAV2/5 | | AAV2/7 | | AAV2/8 | |
| | | Serum dilution: | | Serum dilution: | | Serum dilution: | | Serum dilution: | | Serum dilution: | |
| Sera: | Immunization Vector | 1/20 | 1/80 | 1/20 | 1/80 | 1/20 | 1/80 | 1/20 | 1/80 | 1/20 | 1/80 |
| Group 1 | AAV2/1 | 0 | 0 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Group 2 | AAV2/2 | 100 | 100 | 0 | 0 | 100 | 100 | 100 | 100 | 100 | 100 |
| Group 3 | AAV2/5 | 100 | 100 | 100 | 100 | 16.5 | 16.5 | 100 | 100 | 100 | 100 |
| Group 4 | AAV2/7 | 100 | 100 | 100 | 100 | 100 | 100 | 61.5 | 100 | 100 | 100 |
| Group 5 | AAV2/8 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 26.3 | 60 |

[0105] Human sera from 52 normal subjects were screened for neutralization against selected serotypes. No serum sample was found to neutralize AAV2/7 and AAV2/8 while AAV2/2 and AAV2/1 vectors were neutralized in 20% and 10% of sera, respectively. A fraction of human pooled IgG representing a collection of 60,000 individual samples did not neutralize AAV2/7 and AAV2/8, whereas AAV2/2 and AAV2/1 vectors were neutralized at titers of serum equal to 1/1280 and 1/640, respectively.

Example 7 - In vivo Evaluation of Different Serotypes of AAV Vectors

[0106] In this study, 7 recombinant AAV genomes, AAV2CBhA1AT, AAV2AlbA1AT, AAV2CMVrhCG, AAV2TBGrhCG, AAV2TBGcFIX, AAV2CMVLacZ and AAV2TBGLacZ were packaged with capsid proteins of different serotypes. In all 7 constructs, minigene cassettes were flanked with AAV2 ITRs. cDNAs of human α -antitrypsin (A1AT) [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003] β -subunit of rhesus monkey choriogonadotropic hormone (CG) [Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9] canine factor IX [Wang, L., et al., (1997) *Proc Natl Acad Sci USA* 94, 11563-6] and bacterial β -galactosidase (i.e., Lac Z) genes were used as reporter genes. For liver-directed gene transfer, either mouse albumin gene promoter (Alb) [Xiao, W. (1999), cited above] or human thyroid hormone binding globulin gene promoter (TBG) [Wang (1997), cited above] was used to drive liver specific expression of reporter genes. In muscle-directed gene transfer experiments, either cytomegalovirus early promoter (CMV) or chicken β -actin promoter with CMV enhancer (CB) was employed to direct expression of reporters.

[0107] For muscle-directed gene transfer, vectors were injected into the right tibialis anterior of 4-6 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). In liver-directed gene transfer studies, vectors were infused intraportally into 7-9 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). Serum samples were collected intraorbitally at different time points after vector administration. Muscle and liver tissues were harvested at different time points for cryosectioning and Xgal histochemical staining from animals that received the lacZ vectors. For the re-administration experiment, C56BL/6 mice initially received AAV2/1, 2/2, 2/5, 2/7 and 2/8CBA1AT vectors intramuscularly and followed for A1AT gene expression for 7 weeks. Animals were then treated with AAV2/8TBGcFIX intraportally and studied for cFIX gene expression.

[0108] ELISA based assays were performed to quantify serum levels of hA1AT, rhCG and cFIX proteins as described previously [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43; Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9; Wang, L., et al., *Proc Natl Acad Sci U S A* 94, 11563-6]. The experiments were completed when animals were sacrificed for harvest of muscle and liver tissues for DNA extraction and quantitative analysis of genome copies of vectors present in target tissues by TaqMan using the same set of primers and probe as in titration of vector preparations [Zhang, Y., et al., (2001) *Mol Ther* 3, 697-707].

[0109] The performance of vectors based on the new serotypes were evaluated in murine models of muscle and liver-directed gene transfer and compared to vectors based on the known serotypes AAV1, AAV2 and AAV5. Vectors expressing secreted proteins (alpha-antitrypsin (A1AT) and chorionic gonadotropin (CG)) were used to quantitate relative transduction efficiencies between different serotypes through ELISA analysis of sera. The cellular distribution of transduction within the target organ was evaluated using lacZ expressing vectors and X-gal histochemistry.

[0110] The performance of AAV vectors in skeletal muscle was analyzed following direct injection into the tibialis anterior muscles. Vectors contained the same AAV2 based genome with the immediate early gene of CMV or a CMV enhanced β -actin promoter driving expression of the transgene. Previous studies indicated that immune competent C57BL/6 mice elicit limited humoral responses to the human A1AT protein when expressed from AAV vectors [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003].

[0111] In each strain, AAV2/1 vector produced the highest levels of A1AT and AAV2/2 vector the lowest, with AAV2/7 and AAV2/8 vectors showing intermediate levels of expression. Peak levels of CG at 28 days following injection of nu/nu NCR mice showed the highest levels from AAV2/7 and the lowest from AAV2/2 with AAV2/8 and AAV2/1 in between. Injection of AAV2/1 and AAV2/7 lacZ vectors yielded gene expression at the injection sites in all muscle fibers with substantially fewer lacZ positive fibers observed with AAV2/2 and AAV2/8 vectors. These data indicate that the efficiency of transduction with AAV2/7 vectors in skeletal muscle is similar to that obtained with AAV2/1, which is the most efficient in skeletal muscle of the previously described serotypes [Xiao, W. (1999), cited above; Chao, H., et al., (2001) *Mol Ther* 4, 217-22; Chao, H., et al., (2000) *Mol Ther* 2, 619-23].

[0112] Similar murine models were used to evaluate liver-directed gene transfer. Identical doses of vector based on genome copies were infused into the portal veins of mice that were analyzed subsequently for expression of the transgene. Each vector contained an AAV2 based genome using previously described liver-specific promoters (i.e., albumin or thyroid hormone binding globulin) to drive expression of the transgene. More particularly, CMVCG and TBGCG minigene cassettes were used for muscle and liver-directed gene transfer, respectively. Levels of rhCG were defined as relative units (RUs $\times 10^3$). The data were from assaying serum samples collected at day 28, post vector administration (4 animals per group). As shown in Table 3, the impact of capsid proteins on the efficiency of transduction of A1AT vectors in nu/nu and C57BL/6 mice and CG vectors in C57BL/6 mice was consistent (See Table 6).

Table 6. Expression of β -unit of Rhesus Monkey Chorionic Gonadotropin (rhCG)

| Vector | Muscle | Liver |
|--------|----------------|-----------------|
| AAV2/1 | 4.5 \pm 2.1 | 1.6 \pm 1.0 |
| AAV2 | 0.5 \pm 0.1 | 0.7 \pm 0.3 |
| AAV2/5 | ND* | 4.8 \pm 0.8 |
| AAV2/7 | 14.2 \pm 2.4 | 8.2 \pm 4.3 |
| AAV2/8 | 4.0 \pm 0.7 | 76.0 \pm 22.8 |

* Not determined in this experiment.

[0113] In all cases, AAV2/8 vectors yielded the highest levels of transgene expression that ranged from 16 to 110 greater than what was obtained with AAV2/2 vectors; expression from AAV2/5 and AAV2/7 vectors was intermediate with AAV2/7 higher than AAV2/5. Analysis of X-Gal stained liver sections of animals that received the corresponding lacZ vectors showed a correlation between the number of transduced cells and overall levels of transgene expression. DNAs extracted from livers of C57BL/6 mice who received the A1AT vectors were analyzed for abundance of vector DNA using real time PCR technology.

[0114] The amount of vector DNA found in liver 56 days after injection correlated with the levels of transgene expression (See Table 7). For this experiment, a set of probe and primers targeting the SV40 polyA region of the vector genome was used for TaqMan PCR. Values shown are means of three individual animals with standard deviations. The animals were sacrificed at day 56 to harvest liver tissues for DNA extraction. These studies indicate that AAV8 is the most efficient vector for liver-directed gene transfer due to increased numbers of transduced hepatocytes.

Table 7 - Real Time PCR Analysis for Abundance of AAV Vectors in nu/nu Mouse Liver Following Injection of 1×10^{11} Genome Copies of Vector.

| AAV vectors/Dose | Genome Copies per Cell |
|------------------|------------------------|
| AAV2/1A1bA1AT | 0.6 ± 0.36 |
| AAV2A1bA1AT | 0.003 ± 0.001 |
| AAV2/5A1bA1AT | 0.83 ± 0.64 |
| AAV2/7A1bA1AT | 2.2 ± 1.7 |
| AAV2/8A1bA1AT | 18 ± 11 |

[0115] The serologic data described above suggest that AAV2/8 vector should not be neutralized *in vivo* following immunization with the other serotypes. C57BL/6 mice received intraportal injections of AAV2/8 vector expressing canine factor IX (10^{11} genome copies) 56 days after they received intramuscular injections of A1AT vectors of different serotypes. High levels of factor IX expression were obtained 14 days following infusion of AAV2/8 into naïve animals (17 ± 2 $\mu\text{g/ml}$, $n=4$) which were not significantly different than what was observed in animals immunized with AAV2/1 (31 ± 23 $\mu\text{g/ml}$, $n=4$), AAV2/2 (16 $\mu\text{g/ml}$, $n=2$), and AAV2/7 (12 $\mu\text{g/ml}$, $n=2$). This contrasts to what was observed in AAV2/8 immunized animals that were infused with the AAV2/8 factor IX vector in which no detectable factor IX was observed (< 0.1 $\mu\text{g/ml}$, $n=4$).

[0116] Oligonucleotides to conserved regions of the cap gene did amplify sequences from rhesus monkeys that represented unique AAVs. Identical cap signature sequences were found in multiple tissues from rhesus monkeys derived from at least two different colonies. Full-length rep and cap open reading frames were isolated and sequenced from single sources. Only the cap open reading frames of the novel AAVs were necessary to evaluate their potential as vectors because vectors with the AAV7 or AAV8 capsids were generated using the ITRs and rep from AAV2. This also simplified the comparison of different vectors since the actual vector genome is identical between different vector serotypes. In fact, the yields of recombinant vectors generated using this approach did not differ between serotypes.

[0117] Vectors based on AAV7 and AAV8 appear to be immunologically distinct (i.e., they are not neutralized by antibodies generated against other serotypes). Furthermore, sera from humans do not neutralize transduction by AAV7 and AAV8 vectors, which is a substantial advantage over the human derived AAVs currently under development for which a significant proportion of the human population has pre-existing immunity that is neutralizing [Chirmule, N., et al., (1999) *Gene Ther* 6, 1574-83].

[0118] The tropism of each new vector is favorable for *in vivo* applications. AAV2/7 vectors appear to transduce skeletal muscle as efficiently as AAV2/1, which is the serotype that confers the highest level of transduction in skeletal muscle of the primate AAVs tested to date [Xiao, W., cited above; Chou (2001), cited above, and Chou (2000), cited above]. Importantly, AAV2/8 provides a substantial advantage over the other serotypes in terms of efficiency of gene transfer to liver that until now has been relatively disappointing in terms of the numbers of hepatocytes stably transduced. AAV2/8 consistently achieved a 10 to 100-fold improvement in gene transfer efficiency as compared to the other vectors. The basis for the improved efficiency of AAV2/8 is unclear, although it presumably is due to uptake via a different receptor that is more active on the basolateral surface of hepatocytes. This improved efficiency will be quite useful in the development of liver-directed gene transfer where the number of transduced cells is critical, such as in urea cycle disorders and familial hypercholesterolemia.

[0119] Thus, the present invention provides a novel approach for isolating new AAVs based on PCR retrieval of genomic sequences. The amplified sequences were easily incorporated into vectors and tested in animals. The lack of pre-existing immunity to AAV7 and the favorable tropism of the vectors for muscle indicates that AAV7 is suitable for use as a vector in human gene therapy and other *in vivo* applications. Similarly, the lack of pre-existing immunity to the AAV serotypes of the invention, and their tropisms, renders them useful in delivery of therapeutic molecules and other useful molecules.

Example 9 - Tissue Tropism Studies

[0120] In the design of a high throughput functional screening scheme for novel AAV constructs, a non-tissue specific and highly active promoter, CB promoter (CMV enhanced chicken β actin promoter) was selected to drive an easily detectable and quantifiable reporter gene, human α anti-trypsin gene. Thus only one vector for each new AAV clone needs to be made for gene transfer studies targeting 3 different tissues, liver, lung and muscle to screen for tissue tropism of a particular AAV construct. The following table summarizes data generated from 4 novel AAV vectors in the tissue tropism studies (AAVCBA1AT), from which a novel AAV capsid clone, 44.2, was found to be a very potent gene transfer vehicle in all 3 tissues with a big lead in the lung tissue particularly. Table 8 reports data obtained (in μg A1AT/mL serum) at day 14 of the study.

Table 8

| Vector | Target Tissue | | |
|--------------------|---------------|--------|---------|
| | Lung | Liver | Muscle |
| AAV2/1 | ND | ND | 45±11 |
| AAV2/5 | 0.6±0.2 | ND | ND |
| AAV2/8 | ND | 84±30 | ND |
| AAV2/rh.2 (43.1) | 14±7 | 25±7.4 | 35±14 |
| AAV2/rh.10 (44.2) | 23±6 | 53±19 | 46±11 |
| AAV2/rh.13 (42.2) | 3.5±2 | 2±0.8 | 3.5±1.7 |
| AAV2/rh.21 (42.10) | 3.1±2 | 2±1.4 | 4.3±2 |

A couple of other experiments were then performed to confirm the superior tropism of AAV 44.2 in lung tissue. First, AAV vector carried CC10hA1AT minigene for lung specific expression were pseudotyped with capsids of novel AAVs were given to Immune deficient animals (NCR nude) in equal volume (50 μ l each of the original preps without dilution) via intratracheal injections as provided in the following table. In Table 9, 50 μ l of each original prep per mouse, NCR Nude, detection limit ≥ 0.033 μ g/ml, Day 28

Table 9

| Vector | Total GC in 50 μ l vector | μ g of A1AT/ml with 50 μ l vector | μ g of A1AT/ml with 1×10^{11} vector | Relative Gene transfer as compared to rh.10 (clone 44.2) |
|-----------------|-------------------------------|---|---|--|
| 2/1 | 3×10^{12} | 2.6 ± 0.5 | 0.09 ± 0.02 | 2.2 |
| 2/2 | 5.5×10^{11} | <0.03 | <0.005 | <0.1 |
| 2/5 | 3.6×10^{12} | 0.65 ± 0.16 | 0.02 ± 0.004 | 0.5 |
| 2/7 | 4.2×10^{12} | 1 ± 0.53 | 0.02 ± 0.01 | 0.5 |
| 2/8 | 7.5×10^{11} | 0.9 ± 0.7 | 0.12 ± 0.09 | 2.9 |
| 2/ch.5 (A.3.1) | 9×10^{12} | 1 ± 0.7 | 0.01 ± 0.008 | 0.24 |
| 2/rh.8 (43.25) | 4.6×10^{12} | 26 ± 21 | 0.56 ± 0.46 | 13.7 |
| 2/rh.10 (44.2) | 2.8×10^{12} | 115 ± 38 | 4.1 ± 1.4 | 100 |
| 2/rh.13 (42.2) | 6×10^{12} | 7.3 ± 0.8 | 0.12 ± 0.01 | 2.9 |
| 2/rh.21 (42.10) | 2.4×10^{12} | 9 ± 0.9 | 0.38 ± 0.04 | 9.3 |
| 2/rh.22 (42.11) | 2.6×10^{12} | 6 ± 0.4 | 0.23 ± 0.02 | 5.6 |
| 2/rh.24 (42.13) | 1.1×10^{11} | 0.4 ± 0.3 | 0.4 ± 0.3 | 1 |

The vectors were also administered to immune competent animals (C57BL/6) in equal genome copies (1×10^{11} GC) as shown in the Table 10. (1×10^{11} GC per animal, C57BL/6, day 14, detection limit ≥ 0.033 μ g/ml)

Table 10

| AAV Vector | μ g of A1AT/ml with 1×10^{11} vector | Relative Gene transfer as compared to rh.10 (clone 44.2) |
|------------|---|--|
| 2/1 | 0.076 ± 0.031 | 2.6 |
| 2/2 | 0.1 ± 0.09 | 3.4 |
| 2/5 | 0.084 ± 0.033 | 2.9 |

Table continued

| AAV Vector | μg of A1AT/ml with 1×10^{11} vector | Relative Gene transfer as compared to rh.10 (clone 44.2) |
|-----------------|---|--|
| 2/7 | 0.33 ± 0.01 | 11 |
| 2/8 | 1.92 ± 1.3 | 2.9 |
| 2/ch.5 (A.3.1) | 0.048 ± 0.004 | 1.6 |
| 2/rh.8 (43.25) | 1.7 ± 0.7 | 58 |
| 2/rh.10 (44.2) | 2.93 ± 1.7 | 100 |
| 2/rh.13 (42.2) | 0.45 ± 0.15 | 15 |
| 2/rh.21 (42.10) | 0.86 ± 0.32 | 29 |
| 2/rh.22 (42.11) | 0.38 ± 0.18 | 13 |
| 2/rh.24 (42.13) | 0.3 ± 0.19 | 10 |

[0121] The data from both experiments confirmed the superb tropism of clone 44.2 in lung-directed gene transfer.

[0122] Interestingly, performance of clone 44.2 in liver and muscle directed gene transfer was also outstanding, close to that of the best liver transducer, AAV8 and the best muscle transducer AAV1, suggesting that this novel AAV has some intriguing biological significance.

[0123] To study serological properties of those novel AAVs, pseudotyped AAVGFP vectors were created for immunization of rabbits and in vitro transduction of 84-31 cells in the presence and absence of antisera against different capsids.

The data are summarized below:

Table 11a. Cross-NAB assay in 8431 cells and adenovirus (Adv) coinfection infection in 8431 cells (coinfecting with Adv) with:

| Serum from rabbit immunized with: | 10 ⁹ GC | 10 ⁹ GC | 10 ⁹ GC | 10 ¹⁰ GC |
|-----------------------------------|--------------------|--------------------|--------------------|---------------------|
| | rh.13 | rh.21 | rh.22 | rh.24 |
| | AAV2/42.2 | AAV2/42.10 | AAV2/42.1 | AAV2/42.13 |
| AAV2/1 | 1/20 | 1/20 | 1/20 | No NAB |
| AAV2/2 | 1/640 | 1/1280 | 1/5120 | No NAB |
| AAV2/5 | No NAB | 1/40 | 1/160 | No NAB |
| AAV2/7 | 1/81920 | 1/81920 | 1/40960 | 1/640 |
| AAV2/8 | 1/640 | 1/640 | 1/320 | 1/5120 |
| Ch.5 AAV2/A3 | 1/20 | 1/160 | 1/640 | 1/640 |
| rh.8 AAV2/43.25 | 1/20 | 1/20 | 1/20 | 1/320 |
| rh.10 AAV2/44.2 | No NAB | No NAB | No NAB | 1/5120 |
| rh.13 AAV2/42.2 | 1/5120 | 1/5120 | 1/5120 | No NAB |
| rh.21 AAV2/42.10 | 1/5120 | 1/10240 | 1/5120 | 1/20 |
| rh.22 AAV2/42.11 | 1/20480 | 1/20480 | 1/40960 | No NAB |
| rh.24 AAV2/42.13 | No NAB | 1/20 | 1/20 | 1/5120 |

Table 11b. Cross-NAB assay in 8431 cells and Adv coinfection Infection in 8431 cells (coinfected with Adv) with:

| Serum from rabbit immunized with: | 10 ⁹ GC | 10 ¹⁰ GC | 10 ¹⁰ GC | 10 ⁹ GC | 10 ⁹ GC |
|-----------------------------------|--------------------|---------------------|---------------------|--------------------|--------------------|
| | <i>rh.12</i> | <i>ch.5</i> | <i>rh. 8</i> | <i>rh.10</i> | <i>rh.20</i> |
| | AAV2/42.1B | AAV2/A3 | AAV2/43.25 | AAV2/44.2 | AAV2/42.8.2 |
| AAV2/1 | No NAB | 1/20480 | No NAB | 1/80 | ND |
| AAV2/2 | 1/20 | No NAB | No NAB | No NAB | ND |
| AAV2/5 | No NAB | 1/320 | No NAB | No NAB | ND |
| AAV2/7 | 1/2560 | 1/640 | 1/160 | 1/81920 | ND |
| AAV2/8 | 1/10240 | 1/2560 | 1/2560 | 1/81920 | ND |
| <i>ch.5</i> AAV2/A3 | 1/1280 | 1/10240 | ND | 1/5120 | 1/320 |
| <i>rh.8</i> AAV2/43.25 | 1/1280 | ND | 1/20400 | 1/5120 | 1/2560 |
| <i>rh.10</i> AAV2/44.2 | 1/5120 | ND | ND | 1/5120 | 1/5120 |
| <i>rh.13</i> AAV2/42.2 | 1/20 | ND | ND | No NAB | 1/320 |
| <i>rh.21</i> AAV2/42.10 | 1/20 | ND | ND | 1/40 | 1/80 |
| <i>rh.22</i> AAV2/42.1 1 | No NAB | ND | ND | ND | No NAB |
| <i>rh.24</i> AAV2/42.13 | 1/5120 | ND | ND | ND | 1/2560 |

Table 12

| Titer of rabbit sera | | | Titer after Boosting |
|----------------------|------------|----------|----------------------|
| Vector | Titer d21 | | |
| <i>ch.5</i> | AAV2/A3 | 1/10,240 | 1/40,960 |
| <i>rh.8</i> | AAV2/43.25 | 1/20,400 | 1/163,840 |
| <i>rh.10</i> | AAV2/44.2 | 1/10,240 | 1/527,680 |
| <i>rh.13</i> | AAV2/42.2 | 1/5,120 | 1/20,960 |
| <i>rh.21</i> | AAV2/42.10 | 1/20,400 | 1/81,920 |
| <i>rh.22</i> | AAV2/42.11 | 1/40,960 | N D |
| <i>rh.24</i> | AAV2/42.13 | 1/5,120 | ND |

Table 13 a. Infection in 8431 cells (coinfected with Adv) with GFP

| | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well |
|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | | | | | | <i>ch.5</i> |
| | AAV2/1 | AAV2/2 | AAV2/5 | AAV2/7 | AAV2/8 | AAV2/A3 |
| # GFU/field | 128 | >200 | 95 | 56 | 13 | 1 |
| | 83 | >200 | 65 | 54 | 11 | 1 |
| | | | | | | |

Table 13b. Infection in 8431 cells (coinfecting with Adv) with GFP

| | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well | 10 ⁹ GC/well |
|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | <i>rh.8</i> | <i>rh.10</i> | <i>rh.13</i> | <i>rh.21</i> | <i>rh.22</i> | <i>rh.24</i> | <i>rh.12</i> | |
| | AAV2/43.25 | AAV2/44.2 | AAV2/42.2 | AAV2/42.10 | AAV2/42.11 | AAV2/42.13 | AAV2/42.1B | |
| | 3 | 13 | 54 | 62 | 10 | 3 | 18 | |
| | 2 | 12 | 71 | 60 | 14 | 2 | 20 | |
| | | | 48 | 47 | 16 | 3 | 12 | |
| # GFU/field | | | | | | | | |

Example 10 - Mouse Model of Familial Hypercholesterolemia

[0124] The following experiment demonstrates that the AAV2/7 construct of the invention delivers the LDL receptor and express LDL receptor in an amount sufficient to reduce the levels of plasma cholesterol and triglycerides in animal models of familial hypercholesterolemia.

A. Vector Construction

[0125] AAV vectors packaged with AAV7 or AAV8 capsid proteins were constructed using a pseudotyping strategy [Hildinger M, *et al.*, *J. Virol* 2001; 75:6199-6203]. Recombinant AAV genomes with AAV2 inverted terminal repeats (ITR) were packaged by triple transfection of 293 cells with the *cis*-plasmid, the adenovirus helper plasmid and a chimeric packaging construct, a fusion of the capsids of the novel AAV serotypes with the rep gene of AAV2. The chimeric packaging plasmid was constructed as previously described [Hildinger et al, cited above]. The recombinant vectors were purified by the standard CsCl₂ sedimentation method. To determine the yield TaqMan (Applied Biosystems) analysis was performed using probes and primers targeting the SV40 poly(A) region of the vectors [Gao GP, *et al.*, *Hum Gene Ther.* 2000 Oct 10;11(15):2079-91]. The resulting vectors express the transgene under the control of the human thyroid hormone binding globulin gene promoter (TBG).

B. Animals

[0126] LDL receptor deficient mice on the C57Bl/6 background were purchased from the Jackson Laboratory (Bar Harbor, ME, USA) and maintained as a breeding colony. Mice were given unrestricted access to water and obtained a high fat Western Diet (high % cholesterol) starting three weeks prior vector injection. At day -7 as well at day 0, blood was obtained via retroorbital bleeds and the lipid profile evaluated. The mice were randomly divided into seven groups. The vector was injected via an intraportal injection as previously described ([Chen SJ *et al.*, *Mol Therapy* 2000; 2(3), 256-261]. Briefly, the mice were anaesthetized with ketamine and xylazine. A laparotomy was performed and the portal vein exposed. Using a 30g needle the appropriate dose of vector diluted in 100ul PBS was directly injected into the portal vein. Pressure was applied to the injection site to ensure a stop of the bleeding. The skin wound was closed and draped and the mice carefully monitored for the following day. Weekly bleeds were performed starting at day 14 after liver directed gene transfer to measure blood lipids. Two animals of each group were sacrificed at the time points week 6 and week 12 after vector injection to examine atherosclerotic plaque size as well as receptor expression. The remaining mice were sacrificed at week 20 for plaque measurement and determination of transgene expression.

Table 14

| | Vector | dose | n |
|---------|------------------|------------------------|----|
| Group 1 | AAV2/7-TBG-hLDLr | 1x 10 ¹² gc | 12 |
| Group 2 | AAV2/7-TBG-hLDLr | 3x 10 ¹¹ gc | 12 |
| Group 3 | AAV2/7-TBG-hLDLr | 1x 10 ¹¹ gc | 12 |
| Group 4 | AAV2/8-TBG-hLDLr | 1x 10 ¹² gc | 12 |
| Group 5 | AAV2/8-TBG-hLDLr | 3x 10 ¹¹ gc | 12 |
| Group 6 | AAV2/8-TBG-hLDLr | 1x 10 ¹¹ gc | 12 |
| Group 7 | AAV2/7-TBG-LacZ | 1x 10 ¹¹ gc | 16 |

C. Serum lipoprotein and liver function analysis

[0127] Blood samples were obtained from the retroorbital plexus after a 6 hour fasting period. The serum was separated from the plasma by centrifugation. The amount of plasma lipoproteins and liver transaminases in the serum were detected using an automatized clinical chemistry analyzer (ACE, Schiapparelli Biosystems, Alpha Wassermann)

D. Detection of transgene expression

[0128] LDL receptor expression was evaluated by immuno-fluorescence staining and Western blotting. For Western Blot frozen liver tissue was homogenized with lysis buffer (20 mM Tris, pH7.4, 130mM NaCl, 1% Triton X 100, proteinase inhibitor (complete, EDTA-free, Roche, Mannheim, Germany). Protein concentration was determined using the Micro

BCA Protein Assay Reagent Kit (Pierce, Rockford, IL). 40 µg of protein was resolved on 4- 15% Tris-HCl Ready Gels (Biorad, Hercules, CA) and transferred to a nitrocellulose membrane (Invitrogen,). To generate Anti-hLDL receptor antibodies a rabbit was injected intravenously with an AdhLDLr prep (1×10^{13} GC). Four weeks later the rabbit serum was obtained and used for Western Blot. A 1:100 dilution of the serum was used as a primary antibody followed by a HRP-conjugated anti-rabbit IgG and ECL chemiluminescent detection (ECL Western Blot Detection Kit, Amersham, Arlington Heights, IL).

E. Immunocytochemistry

[0129] For determination of LDL receptor expression in frozen liver sections immunohistochemistry analyses were performed. 10µm cryostat sections were either fixed in acetone for 5 minutes, or unfixed. Blocking was obtained via a 1 hour incubation period with 10% of goat serum. Sections were then incubated for one hour with the primary antibody at room temperature. A rabbit polyclonal antibody anti-human LDL (Biomedical Technologies Inc., Stoughton, MA) was used diluted accordingly to the instructions of the manufacturer. The sections were washed with PBS, and incubated with 1:100 diluted fluorescein goat anti-rabbit IgG (Sigma, St Louis, MO). Specimens were finally examined under fluorescence microscope Nikon Microphot-FXA. In all cases, each incubation was followed by extensive washing with PBS. Negative controls consisted of preincubation with PBS, omission of the primary antibody, and substitution of the primary antibody by an isotype-matched non-immune control antibody. The three types of controls mentioned above were performed for each experiment on the same day.

F. Gene transfer efficiency

[0130] Liver tissue was obtained after sacrificing the mice at the designated time points. The tissue was shock frozen in liquid nitrogen and stored at -80°C until further processing. DNA was extracted from the liver tissue using a QIAamp DNA Mini Kit (QIAGEN GmbH, Germany) according to the manufacturers protocol. Genome copies of AAV vectors in the liver tissue were evaluated using Taqman analysis using probes and primers against the SV40 poly(A) tail as described above.

G. Atherosclerotic plaque measurement

[0131] For the quantification of the atherosclerotic plaques in the mouse aorta the mice were anaesthetized (10% ketamine and xylazine, ip), the chest opened and the arterial system perfused with ice-cold phosphate buffered saline through the left ventricle. The aorta was then carefully harvested, slit down along the ventral midline from the aortic arch down to the femoral arteries and fixed in formalin. The lipid-rich atherosclerotic plaques were stained with Sudan IV (Sigma, Germany) and the aorta pinned out flat on a black wax surface. The image was captured with a Sony DXC-960 MD color video camera. The area of the plaque as well as of the complete aortic surface was determined using Phase 3 Imaging Systems (Media Cybernetics).

H. Clearance of 125 LDL

[0132] Two animals per experimental group were tested. A bolus of 125 -labeled LDL (generously provided by Dan Rader, U Penn) was infused slowly through the tail vein over a period of 30 sec (1,000,000 counts of 125 -LDL diluted in 100µl sterile PBS/ animal). At time points 3min, 30 min, 1.5hr, 3hr, 6hr after injection a blood sample was obtained via the retro-orbital plexus. The plasma was separated off from the whole blood and 10µl plasma counted in the gamma counter. Finally the fractional catabolic rate was calculated from the lipoprotein clearance data.

I. Evaluation of Liver Lipid accumulation

[0133] Oil Red Staining of frozen liver sections was performed to determine lipid accumulation. The frozen liver sections were briefly rinsed in distilled water followed by a 2 minute incubation in absolute propylene glycol. The sections were then stained in oil red solution (0.5% in propylene glycol) for 16 hours followed by counterstaining with Mayer's hematoxylin solution for 30 seconds and mounting in warmed glycerin jelly solution.

[0134] For quantification of the liver cholesterol and triglyceride content liver sections were homogenized and incubated in chloroform/methanol (2:1) overnight. After adding of 0.05% H_2SO_4 and centrifugation for 10 minutes, the lower layer of each sample was collected, divided in two aliquots and dried under nitrogen. For the cholesterol measurement the dried lipids of the first aliquot were dissolved in 1% Triton X-100 in chloroform. Once dissolved, the solution was dried under nitrogen. After dissolving the lipids in ddH_2O and incubation for 30 minutes at 37°C the total cholesterol concentration was measured using a Total Cholesterol Kit (Wako Diagnostics). For the second aliquot the dried lipids were dissolved

in alcoholic KOH and incubated at 60°C for 30 minutes. Then 1 M MgCl₂ was added, followed by incubation on ice for 10 minutes and centrifugation at 14,000 rpm for 30 minutes. The supernatant was finally evaluated for triglycerides (Wako Diagnostics).

[0135] All of the vectors pseudotyped in an AAV2/8 or AAV2/7 capsid lowered total cholesterol, LDL and triglycerides as compared to the control. These test vectors also corrected phenotype of hypercholesterolemia in a dose-dependent manner. A reduction in plaque area for the AAV2/8 and AAV2/7 mice was observed in treated mice at the first test (2 months), and the effect was observed to persist over the length of the experiment (6 months).

Example 10 - Functional Factor IX Expression and Correction of Hemophilia

A. Knock-Out Mice

[0136] Functional canine factor IX (FIX) expression was assessed in hemophilia B mice. Vectors with capsids of AAV1, AAV2, AAV5, AAV7 or AAV8 were constructed to deliver AAV2 5' ITR - liver-specific promoter [LSP] - canine FIX - woodchuck hepatitis post-regulatory element (WPPE) - AAV2 3' ITR. The vectors were constructed as described in Wang et al, 2000, *Molecular Therapy* 2: 154-158, using the appropriate capsids.

[0137] Knock-out mice were generated as described in Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* 94: 11563-11566. This model closely mimics the phenotypes of hemophilia B in human.

[0138] Vectors of different serotypes (AAV1, AAV2, AAV5, AAV7 and AAV8) were delivered as a single intraportal injection into the liver of adult hemophilic C57Bl/6 mice in a dose of 1×10^{11} GC/mouse for the five different serotypes and one group received an AAV8 vector at a lower dose, 1×10^{10} GC/mouse. Control group was injected with 1×10^{11} GC of AAV2/8 TBG LacZ3. Each group contains 5-10 male and female mice. Mice were bled bi-weekly after vector administration.

1. ELISA

[0139] The canine FIX concentration in the mouse plasma was determined by an ELISA assay specific for canine factor IX, performed essentially as described by Axelrod et al, 1990, *Proc. Natl. Acad. Sci. USA*, 87:5173-5177 with modifications. Sheep anti-canine factor IX (Enzyme Research Laboratories) was used as primary antibody and rabbit anti-canine factor IX ((Enzyme Research Laboratories) was used as secondary antibody. Beginning at two weeks following injection, increased plasma levels of cFIX were detected for all test vectors. The increased levels were sustained at therapeutic levels throughout the length of the experiment, i.e., to 12 weeks. Therapeutic levels are considered to be 5% of normal levels, i.e., at about 250 ng/mL.

[0140] The highest levels of expression were observed for the AAV2/8 (at 10^{11}) and AAV2/7 constructs, with sustained superphysiology levels cFIX levels (ten-fold higher than the normal level). Expression levels for AAV2/8 (10^{11}) were approximately 10 fold higher than those observed for AAV2/2 and AAV2/8 (10^{10}). The lowest expression levels, although still above the therapeutic range, were observed for AAV2/5.

2. In Vitro Activated Partial Thromboplastin time (aPTT) Assay

[0141] Functional factor IX activity in plasma of the FIX knock-out mice was determined by an *in vitro* activated partial thromboplastin time (aPTT) assay-Mouse blood samples were collected from the retro-orbital plexus into 1/10 volume of citrate buffer. The aPTT assay was performed as described by Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* 94: 11563-11566.

[0142] Clotting times by aPTT on plasma samples of all vector injected mice were within the normal range (approximately 60 sec) when measured at two weeks post-injection, and sustained clotting times in the normal or shorter than normal range throughout the study period (12 weeks).

[0143] Lowest sustained clotting times were observed in the animals receiving AAV2/8 (10^{11}) and AAV2/7. By week 12, AAV2/2 also induced clotting times similar to those for AAV2/8 and AAV2/7. However, this lowered clotting time was not observed for AAV2/2 until week 12, whereas lowered clotting times (in the 25 - 40 sec range) were observed for AAV2/8 and AAV2/7 beginning at week two.

[0144] Immuno-histochemistry staining on the liver tissues harvested from some of the treated mice is currently being performed. About 70-80% of hepatocytes are stained positive for canine FIX in the mouse injected with AAV2/8.cFIX vector.

B. Hemophilia B Dogs

[0145] Dogs that have a point mutation in the catalytic domain of the F.IX gene, which, based on modeling studies,

appears to render the protein unstable, suffer from hemophilia B [Evans et al, 1989, Proc. Natl. Acad. Sci. USA, 86:10095-10099]. A colony of such dogs has been maintained for more than two decades at the University of North Carolina, Chapel Hill. The homeostatic parameters of these dogs are well described and include the absence of plasma F.IX antigen, whole blood clotting times in excess of 60 minutes, whereas normal dogs are 6-8 minutes, and prolonged activated partial thromboplastin time of 50-80 seconds, whereas normal dogs are 13-28 seconds. These dogs experience recurrent spontaneous hemorrhages. Typically, significant bleeding episodes are successfully managed by the single intravenous infusion of 10 ml/kg of normal canine plasma; occasionally, repeat infusions are required to control bleeding.

[0146] Four dogs are injected intraportally with AAV.cFIX according to the schedule below. A first dog receives a single injection with AAV2/2.cFIX at a dose of 3.7×10^{11} genome copies (GC)/kg. A second dog receives a first injection of AAV2/2.cFIX (2.8×10^{11} GC/kg), followed by a second injection with AAV2/7.cFIX (2.3×10^{13} GC/kg) at day 1180. A third dog receives a single injection with AAV2/2.cFIX at a dose of 4.6×10^{12} GC/kg. The fourth dog receives an injection with AAV2/2.cFIX (2.8×10^{12} GC/kg) and an injection at day 99.5 with AAV2/7.cFIX (5×10^{12} GC/kg).

[0147] The abdomen of hemophilia dogs are aseptically and surgically opened under general anesthesia and a single infusion of vector is administered into the portal vein. The animals are protected from hemorrhage in the peri-operative period by intravenous administration of normal canine plasma. The dog is sedated, intubated to induce general anesthesia, and the abdomen shaved and prepped. After the abdomen is opened, the spleen is moved into the operative field. The splenic vein is located and a suture is loosely placed proximal to a small distal incision in the vein. A needle is rapidly inserted into the vein, then the suture loosened and a 5 F cannula is threaded to an intravenous location near the portal vein threaded to an intravenous location near the portal vein bifurcation. After hemostasis is secured and the catheter balloon inflated, approximately 5.0 ml of vector diluted in PBS is infused into the portal vein over a 5 minute interval. The vector infusion is followed by a 5.0 ml infusion of saline. The balloon is then deflated, the cannula removed and venous hemostasis is secured. The spleen is then replaced, bleeding vessels are cauterized and the operative wound is closed. The animal is extubated having tolerated the surgical procedure well. Blood samples are analyzed as described. [Wang et al, 2000, *Molecular Therapy* 2: 154-158]

[0148] Results showing correction or partial correction are anticipated for AAV2/7.

SEQUENCE LISTING

[0149]

<110> The Trustees of The University of Pennsylvania

<120> A Method of Detecting and/or Identifying Adeno-Associated Virus (AAV) Sequences and Isolating Novel Sequences Identified Thereby

<130> UPN-02735ff

<150> US 60/350,607

<151> 2001-11-13

<150> US 60/341,117

<151> 2001-12-17

<150> US 60/377,066

<151> 2002-05-01

<150> US 60/386,675

<151> 2002-06-05

<160> 120

<170> PatentIn version 3.1

<210> 1

<211> 4721

<212> DNA

<213> adeno-associated virus serotype 7

EP 1 310 571 B1

<400> 1

| | | |
|----|---|-----|
| | ttggccactc cctctatgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc | 60 |
| 5 | agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcat agagggagtg | 120 |
| | gccaaactcca tcactagggg taccggaag cgctccac gctgccgct cagcgctgac | 180 |
| | gtaaatcacg tcatagggga gtggtcctgt attagctgtc acgtgagtg ttttgcgaca | 240 |
| 10 | ttttgcgaca ccacgtggcc atttgaggta tatatggccg agtgagcgag caggatctcc | 300 |
| | at ttgtgaccg cgaaatttga acgagcagca gccatgccgg gtttctacga gatcgtgatc | 360 |
| | aaggtgccga gcgacctgga cgagcacctg ccgggcattt ctgactcgtt tgtgaactgg | 420 |
| 15 | gtggccgaga aggaatggga gctgccccg gattctgaca tggatctgaa tctgatcgag | 480 |
| | caggcacccc tgaccgtggc cgagaagctg cagcgcgact tcctgggtcca atggcgccgc | 540 |
| | gtgagtaagg ccccgagggc cctgttcttt gttcagttcg agaagggcga gagctacttc | 600 |
| 20 | caccttcacg ttctgggtgga gaccacgggg gtcaagtcca tggtgctagg ccgcttcctg | 660 |
| | agtcagattc gggagaagct ggtccagacc atctaccgcg gggtcgagcc cacgctgccc | 720 |
| | aactggttcg cggtgaccaa gacgcgtaat ggcgccggcg gggggaacaa ggtggtggac | 780 |
| 25 | gagtgtctaca tccccaaacta cctcctgccc aagaccagc ccgagctgca gtgggcgtgg | 840 |
| | actaacatgg aggagtatat aagcgctgt ttgaacctgg ccgaacgcaa acggctcgtg | 900 |

30

35

40

45

50

55

ggcgcagcacc tgacccacgt cagccagacg caggagcaga acaaggagaa tctgaacccc 960
 aattctgacg cgcccgatgat cagggtcaaaa acctccgcgc gctacatgga gctgggtcggg 1020
 5 tggctggtgg accggggcat cacctccgag aagcagtggg tccaggagga ccaggcctcg 1080
 tacatctcct tcaacgcgcg ctccaactcg cgttcccaga tcaaggcgcg gctggacaat 1140
 gccggcaaga tcatggcgct gaccaaattcc gcgcccgaact acctgggtggg gccctcgctg 1200
 10 ccgcgagaca ttaaaaccaa ccgcatctac cgcacctctg agctgaacgg gtacgaatcct 1260
 gcctacgccc gctccgtctt tctcggctgg gccagaaaa agttcgggaa gcgcaacacc 1320
 atctggctgt ttggggccgc caccaccggc aagaccaaca ttgcggaagc catcgccac 1380
 15 gccgtgccct tctacggctg cgtcaactgg accaatgaga actttccctt caacgattgc 1440
 gtcgacaaga tgggtgatctg gtgggaggag ggcaagatga cggccaaggc cgtggagtcc 1500
 gccaaaggcca ttctcggcgg cagcaagggt gcgctggacc aaaagtgcaa gtcgtccgcc 1560
 20 cagatcgacc ccacccccgt gatcgtcacc tccaacacca acatgtgcgc cgtgattgac 1620
 gggaacagca ccaccttcga gcaccagcag ccgttgacag accggatgtt caaatttgaa 1680
 ctcacccgcc gtctggagca cgactttggc aagggtgacga agcagggaagt caaagagtcc 1740
 25 ttccgctggg ccagtgatca cgtgaccgag gtggcgcatg agttctacgt cagaaagggc 1800
 ggagccagca aaagaccgcg ccccgatgac gcggatataa gcgagccaa gcgggcctgc 1860
 ccctcagtcg cggatccatc gacgtcagac gcggaaggag ctccggtgga ctttgccgac 1920
 30 aggtacaaaa acaaatgttc tcgtcacgcg ggcatgattc agatgctgtt tccctgcaaa 1980
 acgtgcgaga gaatgaatca gaatttcaac atttgcttca cacacggggt cagagactgt 2040
 tttagagtgt tccccggcgt gtcagaatct caaccggtcg tcagaaaaaa gacgtatcgg 2100
 35 aaactctcgc cgattcatca tctgctgggg cgggcgcccg agattgcttg ctgggcctgc 2160
 gacctggtca acgtggacct ggacgactgc gtttctgagc aataaatgac ttaaacagg 2220
 tatggctgcc gatggttate ttccagattg gctcgaggac aacctctctg agggcatctg 2280
 40 cgagtgggtg gacctgaaac ctggagcccc gaaaccaaa gccaaaccagc aaaagcagga 2340
 caacggccgg ggtctggtgc ttctggcta caagtacctc ggaccttca acggactcga 2400
 caagggggag cccgtcaacg cggcggacgc agcggccctc gagcacgaca aggcctacga 2460
 45 ccagcagctc aaagcgggtg acaatccgta cctgcggtat aaccacgccg acgccagatt 2520
 tcaggagcgt ctgcaagaag atacgtcatt tgggggcaac ctcgggcgag cagtcttcca 2580
 ggccaagaag cgggttctcg aacctctcgg tctggttgag gaaggcgcta agacggctcc 2640
 50 tgcaagaag agaccggtag agccgtcacc tcagcgttcc cccgactcct ccacgggcat 2700
 cggcaagaaa ggccagcagc ccgcagaaa gagactcaat ttcggtcaga ctggcgactc 2760
 agagtcagtc cccgacctc aacctctcgg agaacctcca gcagcgccct ctagtgtggg 2820
 55

EP 1 310 571 B1

atctggtaca gtggctgcag gcggtggcgc accaatggca gacaataacg aagggtgccga 2880
 cggagtggggt aatgcctcag gaaattggca ttgcgattcc acatggctgg gcgacagagt 2940
 5 cattaccacc agcacccgaa cctggggcct gccacctac aacaaccacc tctacaagca 3000
 aatctccagt gaaactgcag gtagtaccaa cgacaacacc tacttcggct acagcaccct 3060
 ctgggggtat tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg 3120
 10 actcatcaac aacaactggg gattccggcc caagaagctg cggttcaagc tcttcaacat 3180
 ccagggtcaag gaggtcacga cgaatgacgg cgttacgacc atcgctaata accttaccag 3240
 cagattcag gtattctcgg actcggaata ccagctgccg tacgtcctcg gctctgcgca 3300
 15 ccagggctgc ctgcctcctg tccggcgga cgtcttcattg attcctcagt acggctacct 3360
 gactctcaac aatggcagtc agtctgtggg acgttcctcc ttctactgcc tggagtactt 3420
 cccctctcag atgtgagaa cgggcaacaa ctttgagttc agctacagct tcgaggacgt 3480
 20 gcctttccac agcagctacg cacacagcca gagcctggac cggctgatga atccctcat 3540
 cgaccagtac ttgtactacc tggccagaac acagagtaac ccaggaggca cagctggcaa 3600
 tcgggaactg cagttttacc agggcggggc ttcaactatg gccgaacaag ccaagaattg 3660
 25 gttacctgga ccttgcttcc ggcaacaaag agtctccaaa acgctggatc aaaacaacaa 3720
 cagcaacttt gcttggaactg gtgccaccaa atatcacctg aacggcagaa actcgttgg 3780
 taatcccggc gtcgccatgg caactcacaa ggacgacgag gaccgctttt tcccatccag 3840
 30 cggagtcctg atttttggaa aaactggagc aactaacaaa actacattgg aaaatgtgtt 3900
 aatgacaaat gaagaagaaa ttcgtcctac taatcctgta gccacggaag aatacgggat 3960
 agtcagcagc aacttacaag cggctaatac tgcagcccag acacaagttg tcaacaacca 4020
 35 gggagcctta cctggcatgg tctggcagaa cggggacgtg tacctgcagg gtcccatctg 4080
 ggccaagatt cctcacacgg atggcaactt tcaccctgtt cctttgatgg gcggctttgg 4140
 acttaaacat ccgcctcctc agatcctgat caagaacact cccgttccc gtaatcctcc 4200
 40 ggaggtgttt actcctgcca agtttgcttc gttcatcaca cagtacagca ccggacaagt 4260
 cagcgtggaa atcgagtggg agctgcagaa ggaaaacagc aagcgtgga acccgagat 4320
 tcagtacacc tccaactttg aaaagcagac tgggttggaac tttgccgttg acagccaggg 4380
 45 tgtttactct gagcctcgcc ctattggcac tcgttacctc acccgtaatc tgtaattgca 4440
 tgttaatcaa taaaccgggt gattcgtttc agttgaactt tgggtctctg tgcttcttat 4500
 cttatcgggt tccatagcaa ctggttacac attaactgct tgggtgcgct tcacgataag 4560
 50 aacactgacg tcaccgcggt acccctagtg atggagtgg ccactccctc tatgcgcgct 4620
 cgctcgtctg gtggggcctg cggaccaaag gtccgcagac ggcagagctc tgctctgccg 4680
 55 gcccaccga gcgagcgagc gcgcatagag ggagtggcca a 4721

<210> 2

<211> 737

EP 1 310 571 B1

<212> PRT

<213> capsid protein of adeno-associated virus serotype 7

<400> 2

5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

10

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

15

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

20

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

25

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

30

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

35

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

40

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

45

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

50

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210 215 220

55

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 5
 Leu Tyr Lys Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
 260 265 270
 10
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 15
 Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
 305 310 315 320
 20
 Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
 340 345 350
 25
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 30
 Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 35
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
 405 410 415
 40
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
 435 440 445
 45
 Arg Thr Gln Ser Asn Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
 450 455 460
 50
 Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
 465 470 475 480
 55
 Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
 485 490 495

5 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 10 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
 530 535 540
 Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
 545 550 555 560
 15 Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
 565 570 575
 20 Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
 580 585 590
 Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
 595 600 605
 25 Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
 610 615 620
 30 His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
 625 630 635 640
 Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
 645 650 655
 35 Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
 660 665 670
 40 Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
 675 680 685
 Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser
 690 695 700
 45 Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
 705 710 715 720
 50 Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
 725 730 735
 55 Leu

EP 1 310 571 B1

<211> 623
 <212> PRT
 <213> rep protein of adeno-associated virus serotype 7

<400> 3

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp
 1 5 10 15
 Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Asn Trp Val Ala Glu
 20 25 30
 Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile
 35 40 45
 Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu
 50 55 60
 Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val
 65 70 75 80
 Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Val Leu Val Glu
 85 90 95
 Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile
 100 105 110
 Arg Glu Lys Leu Val Gln Thr Ile Tyr Arg Gly Val Glu Pro Thr Leu
 115 120 125
 Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly
 130 135 140
 Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys
 145 150 155 160
 Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile
 165 170 175
 Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His
 180 185 190
 Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn
 195 200 205
 Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr
 210 215 220
 Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
 225 230 235 240

Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
 245 250 255
 5 Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
 260 265 270
 10 Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ser
 275 280 285
 Leu Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
 290 295 300
 15 Asn Gly Tyr Asp Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
 305 310 315 320
 20 Gln Lys Lys Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
 325 330 335
 Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
 340 345 350
 25 Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
 355 360 365
 30 Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
 370 375 380
 Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
 385 390 395 400
 35 Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
 405 410 415
 40 Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
 420 425 430
 Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
 435 440 445
 45 Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
 450 455 460
 50 Glu Val Lys Glu Phe Phe Arg Trp Ala Ser Asp His Val Thr Glu Val
 465 470 475 480
 Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Ser Lys Arg Pro Ala
 485 490 495
 55

EP 1 310 571 B1

Pro Asp Asp Ala Asp Ile Ser Glu Pro Lys Arg Ala Cys Pro Ser Val
500 505 510

Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala
515 520 525

Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Ile Gln Met
530 535 540

Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile
545 550 555 560

Cys Phe Thr His Gly Val Arg Asp Cys Leu Glu Cys Phe Pro Gly Val
565 570 575

Ser Glu Ser Gln Pro Val Val Arg Lys Lys Thr Tyr Arg Lys Leu Cys
580 585 590

Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala
595 600 605

Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln
610 615 620

<210> 4
<211> 4393
<212> DNA
<213> adeno-associated virus serotype 8

<400> 4

| | | |
|----|---|-----|
| | cagagagggga gtggccaact ccatcactag gggtagcgcg aagcgccctcc cacgctgccg | 60 |
| | cgtcagcgct gacgtaaatt acgtcatagg ggagtgggtcc tgtattagct gtcacgtgag | 120 |
| 5 | tgcttttgcg gcattttgcy acaccacgtg gccatttgag gtatatatgg ccgagtggagc | 180 |
| | gagcaggatc tccattttga ccgcgaaatt tgaacgagca gcagccatgc cgggcttcta | 240 |
| | cgagatcgtg atcaaggtgc cgagcgacct ggacgagcac ctgccgggca tttctgactc | 300 |
| 10 | gtttgtgaac tgggtggcgc agaaggaatg ggagctgccc ccggattctg acatggatcg | 360 |
| | gaatctgac gagcaggcac ccctgacct ggccgagaag ctgcagcgcg acttcctggt | 420 |
| | ccaatggcgc cgcgtgagta agggcccgga ggccctcttc tttgttcagt tcgagaaggg | 480 |
| 15 | cgagagctac tttcacctgc acgttctggt cgagaccacg ggggtcaagt ccatggtgct | 540 |
| | aggccgcttc ctgagtcaga ttcgggaaaa gcttgggtcca gaccatctac ccgcggggtc | 600 |
| | gagccccacc ttgcccact ggttcgcggt gaccaaagac gcggtaatgg cgcggcgggg | 660 |
| 20 | ggggaacaag gtggtggacg agtgctacat ccccaactac ctctgcccag actcagcc | 720 |
| | cgagctgcag tgggcgtgga ctaacatgga ggagtatata agcgcggtgct tgaacctggc | 780 |

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | cgagcgcaaa cggctcgtgg cgcagcacct gaccacgctc agccagacgc aggagcagaa | 840 |
| 5 | caaggagaat ctgaacccca attctgacgc gcccgatgc aggtcaaaaa cctccgcgcg | 900 |
| | ctatatggag ctggtcgggt ggctgggtgga ccggggcacc acctccgaga agcagtggat | 960 |
| | ccaggaggac caggcctcgt acatctcctt caacgcgcgc tccaactcgc ggtcccagat | 1020 |
| 10 | caaggccgcg ctggacaatg ccggcaagat catggcgctg accaaatccg cgcccgacta | 1080 |
| | cctgggtggg ccctcgtcgc ccggggacat taccacagaac cgcattctacc gcattcctcgc | 1140 |
| | tctcaacggc tacgacctg cctacgcggg ctccgtcttt ctgggctggg ctcaaaaaa | 1200 |
| 15 | gttcgggaaa cgcaacacca tctggctgtt tggaccgcgc accaccggca agaccaacat | 1260 |
| | tggggaagcc atcgccacg ccgtgccctt ctacggctgc gtcaactgga ccaatgagaa | 1320 |
| | ctttcccttc aatgattgcg tcgacaagat ggtgatctgg tgggaggagg gcaagatgac | 1380 |
| 20 | ggccaaggtc gtggagtccg ccaaggccat tctcggcggc agcaaggctg gcgtggacca | 1440 |
| | aaagtgcgaag tcgtccgccc agatcgaccc ccccccggtg atcgtcacct ccaacaccaa | 1500 |
| | catgtgcgcc gtgattgacg ggaacagcac caccttcgag caccagcagc ctctccagga | 1560 |
| 25 | ccggatgttt aagtccgaac tcacccgccc tctggagcac gactttggca aggtgacaaa | 1620 |
| | gcaggaagtc aaagagttct tccgctgggc cagtgatcac gtgaccgagg tggcgcatga | 1680 |
| | gttttacgtc agaaagggcg gagccagcaa aagaccgcgc cccgatgacg cggataaaag | 1740 |
| 30 | cgagcccaag cgggcctgcc cctcagtcgc ggatccatcg acgtcagacg cggaaggagc | 1800 |
| | tccgggtggac tttgccgaca ggtaccaaaa caaatgttct cgtcacgcgg gcattgcttca | 1860 |
| | gatgctgttt ccctgcaaaa cgtgcgagag aatgaatcag aatttcaaca tttgcttcac | 1920 |
| 35 | acacggggtc agagactgct cagagtgttt ccccggcgtg tcagaatctc aaccggctcgt | 1980 |
| | cagaaagagg acgtatcgga aactctgtgc gattcatcat ctgctggggc gggctcccga | 2040 |
| | gattgcttgc tcggcctgcg atctggtcaa cgtggacctg gatgactgtg tttctgagca | 2100 |
| 40 | ataaatgact taaaccaggt atggctgccc atgggttatct tccagattgg ctcgaggaca | 2160 |
| | acctctctga gggcattcgc gagtgggtgg cgctgaaacc tggagccccg aagcccaaaag | 2220 |
| | ccaaccagca aaagcaggac gacggccggg gtctggtgct tcctggctac aagtacctcg | 2280 |
| 45 | gaccttcaa cggactcgac aagggggagc ccgtcaacgc ggcggaacga gcggccctcg | 2340 |
| | agcacgacaa ggcctacgac cagcagctgc aggggggtga caatccgtac ctgcggtata | 2400 |
| | accacgccga cgccgagttt caggagcgtc tgcaagaaga tacgtctttt gggggcaacc | 2460 |
| 50 | tcgggcgagc agtcttccag gccaaagaagc ggggttctga acctctcgtt ctggttgagg | 2520 |
| | aaggcgctaa gacggctcct ggaaagaaga gaccggtaga gccatcacc cagcgttctc | 2580 |
| | cagactcctc tacgggcacg ggcaagaaag gccaacagcc cgccagaaaa agactcaatt | 2640 |
| 55 | ttggtcagac tggcgactca ggtcagttc cagaccctca acctctcggg gaacctccag | 2700 |

5 cagcgccctc tgggtgtggga cctaatacaa tggctgcagg cggtggcgca ccaatggcag 2760
 acaataacga aggcgccgac ggagtgggta gttcctcggg aaattggcat tgcgattcca 2820
 5 catggctggg cgacagagtc atcaccacca gcaccogaac ctgggccttg cccacctaca 2880
 acaaccacct ctacaagcaa atctccaacg ggacatcggg aggagccacc aacgacaaca 2940
 cctacttcgg ctacagcacc ccctgggggt attttgactt taacagattc cactgccact 3000
 10 tttcaccacg tgactggcag cgactcatca acaacaactg gggattccgg cccaagagac 3060
 tcagcttcaa gctcttcaac atccagggtca aggaggtcac gcagaatgaa ggcaccaaga 3120
 ccatcgccaa taacctcacc agcaccatcc aggtgtttac ggactcggag taccagctgc 3180
 15 cgtacgttct cggtcttgcc caccagggct gcctgcctcc gtccccggcg gacgtgttca 3240
 tgattcccca gtacggctac ctaacactca acaacggtag tcaggccgtg ggacgctcct 3300
 ccttctactg cctggaatac tttccttcgc agatgctgag aaccggcaac aacttccagt 3360
 20 ttacttacac cttcgaggac gtgcctttcc acagcagcta cgcccacagc cagagcttgg 3420
 accggctgat gaatcctctg attgaccagt acctgtacta ctgtctcgg actcaaaca 3480
 caggaggcac ggcaaatagc cagactcttg gcttcagcca aggtgggcct aatacaatgg 3540
 25 ccaatcaggc aaagaactgg ctgccaggac cctgttaccg ccaacaacgc gtctcaacga 3600
 caaccgggca aaacaacaat agcaactttg cctggactgc tgggaccaa taccatctga 3660
 atggaagaaa ttcattggct aatcctggca tcgctatggc aacacacaaa gacgacgagg 3720
 30 agcgtttttt tcccagtaac gggatcctga ttttggcaa acaaatgct gccagagaca 3780
 atgcggatta cagcgatgtc atgctcacca gcgaggaaga aatcaaaacc actaacctg 3840
 tggctacaga ggaatacggg atcgtggcag ataacttgca gcagcaaac acggctcctc 3900
 35 aaattggaac tgtcaacagc cagggggcct taccgggtat ggtctggcag aaccgggacg 3960
 tgtacctgca ggggtccatc tgggccaaga ttcttcacac ggacggcaac tccaccctg 4020
 ctccgctgat gggcggtttt ggcctgaaac atcctccgcc tcagatcctg atcaagaaca 4080
 40 cgctgtacc tgcggtacct ccgaccacct tcaaccagtc aaagctgaac tctttcatca 4140
 cgcaatacag caccggacag gtcagcgtgg aaattgaatg ggagctgcag aaggaaaaca 4200
 gcaagcgctg gaaccccgag atccagtaca cctccaacta ctacaaatct acaagtgtgg 4260
 45 actttgctgt taatacagaa ggcgtgtact ctgaaccccg cccattggc acccgttacc 4320
 tcacccgtaa tctgtaattg cctgttaatc aataaacggg ttgattcgtt tcagttgaac 4380
 50 tttggctctct gcg 4393

<210> 5

<211> 4385

<212> DNA

55 <213> adeno-associated virus serotype 9

<400> 5

cagagagggga gtggccaact ccatacactag gggtaatcgc gaagcgccctc ccacgctgcc 60
 gcgtcagcgc tgacgtagat tacgtcatag gggagtggtc ctgtattagc tgtcacgtga 120
 5 gtgcttttgc gacattttgc gacaccacat ggccatttga ggtatatatg gccgagtga 180
 cgagcaggat ctccattttg accgcgaaat ttgaacgagc agcagccatg ccgggcttct 240
 acgagattgt gatcaagggtg ccgagcgacc tggacgagca cctgccgggc atttctgact 300
 10 cttttgtgaa ctgggtggcc gagaaggaaat gggagctgcc cccggattct gacatggatc 360
 ggaatctgat cgagcaggca cccctgaccg tggccgagaa gctgcagcgc gacttcctgg 420
 tccaatggcg ccgcgtgagt aaggccccgg aggccctctt ctttgttcag ttcgagaagg 480
 15 gcgagagcta ctttcacctg cacgttcttg tgcagaccac ggggggtcaag tccatggtgc 540
 tagggcgctt cctgagtcag attcgggaga agctggtcca gaccatctac cgcgggatcg 600
 agccgaccct gcccaacctgg ttgcgggtga ccaagacgcg taatggcgcc ggcgggggga 660
 20 acaagggtggg ggacgagtgc tacatcccca actacctctt gcccaagact cagcccagac 720
 tgcagtgggc gtggactaac atggaggagt atataagcgc gtgcttgaac ctggccgagc 780
 gcaaacggct cgtggcgag cacctgacct acgtcagcca gacgcaggag cagaacaagg 840
 25 agaatctgaa ccccaattct gacgcgcccg tgatcaggtc aaaaacctcc gcgcgtaca 900
 tggagctggg cgggtggctg gtggaccggg gcatcacctc cgagaagcag tggatccagg 960
 aggaccaggc ctctacatc tccttcaacg ccgcctccaa ctgcgggtcc cagatcaagg 1020
 30 ccgcgctgga caatgccggc aagatcatgg cgctgaccaa atccgcgcc gactacctgg 1080
 tagggccttc acttccggtg gacattacgc agaaccgcat ctaccgcatc ctgcagctca 1140
 acggctacga cctgcctac gccggctccg tctttctcgg ctgggcacaa aagaagtctg 1200
 35 ggaaacgcaa caccatctgg ctgtttgggc cggccaccac gggaaagacc aacatcgag 1260
 aagccattgc ccacgccgtg ccttctacg gctgcgtcaa ctggaccaat gagaactttc 1320
 ccttcaacga ttgcgtcgac aagatggtga tctggtggga ggagggcaag atgacggcca 1380
 40 aggtcgtgga gtccgccaag gccattctcg gggcgagcaa ggtgcgctg gaccaaagt 1440
 gcaagtcgtc cggccagatc gacccactc ccgtgatcgt cacctccaac accaactatg 1500
 gcgccgtgat tgacgggaac agcaccacct tcgagacca gcagcctctc caggaccgga 1560
 45 tgtttaagtt cgaactcacc cgccgtctgg agcacgactt tggcaagggtg acaaagcagg 1620
 aagtcaaaga gttcttccgc tgggctcagt atcacgtgac cgagggtggcg catgagtttt 1680
 acgtcagaaa gggcggagcc agcaaaagac ccgccccga tgacgaggat aaaagcgagc 1740
 50 ccaagcgggc ctgccctca gtcgcgatc catcgacgtc agacgcggaa ggagctccgg 1800
 tggactttgc cgacaggta caaaacaat gttctcgtca cgcgggcatg cttcagatgc 1860
 55 tgcttccctg caaaacgtgc gagagaatga atcagaattt caacatttgc ttcacacacg 1920

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

ggggtcagaga ctgctcagag tgtttccccc gcgtgtcaga atctcaaccg gtcgtcagaa 1980
 agaggacgta tcggaaactc tgtgcgattc atcatctgct ggggcgggct cccgagattg 2040
 cttgctcggc ctgcatctg gtcaacgtgg acctggatga ctgtgtttct gagcaataaa 2100
 tgacttaaac caggatatggc tgcgatggg tatcttcag attggctcga ggacaacctc 2160
 tctgagggca ttcgcgagt gtgggcgctg aaacctggag ccccgaggcc caaagccaac 2220
 cagcaaaagc aggacgacgg cgggggtctg gtgcttcctg gctacaagta cctcggacct 2280
 ttcaacggac tcgacaagg ggagcccgtc aacgcggcg acgcagcggc cctcagacac 2340
 ggcaaggcct acgaccagca gctgcaggcg ggtgacaatc cgtacctgag gtataaccac 2400
 gccgacgccg agtttcagga gcgtctgcaa gaagatacgt cttttggggg caacctcggg 2460
 cgagcagtct tccaggccaa gaagcgggtt ctggaacctc tcggtctggt tgaggaaggc 2520
 gctaagacgg ctccctggaaa gaagagaccg gtagagccat caccacagcg ttctccagac 2580
 tcctctacgg gcatcggcaa gaaaggccaa cagcccgcca gaaaaagact caattttggt 2640
 cagactggcg actcagagtc agttccagac cctcaacctc tcggagaacc tccagcagcg 2700
 cctctgggtg tgggacctaa tacaatggct gcaggcgggt gcgcaccaat ggagacaat 2760
 aacgaaggcg ccgacggagt gggtaattcc tcgggaaatt ggcattgcga tccacatgg 2820
 ctgggggaca gagtcatcac caccagcacc cgaacctggg cattgccac ctacaacaac 2880
 cacctctaca agcaaattct caatggaaca tcgggaggaa gcaccaacga caaacctac 2940
 tttggctaca gcacccctg ggggtatctt gacttcaaca gattccactg ccacttctca 3000
 ccacgtgact ggcagcgact catcaacaac aactggggat tccggccaaa gagactcaac 3060
 ttcaagctgt tcaacatcca ggtcaaggag gttacgacga acgaaggcac caagaccatc 3120
 gccataaacc ttaccagcac cgtccaggte tttacggact cggagtacca gctaccgtac 3180
 gtccataggct ctgcccacca aggatgcctg ccaccgttct ctgcagacgt cttcatgggt 3240
 cctcagtacg gctacctgac gctcaacaat ggaagtcaag cgttaggacg ttcttctttc 3300
 tactgtctgg aataacttccc ttctcagatg ctgagaaccg gcaacaactt tcagttcagc 3360
 tacactttcg aggacgtgcc tttccacagc agctacgcac acagccagag tctagatcga 3420
 ctgatgaacc cctcatcga ccagtaccta tactacctgg tcagaacaca gacaactgga 3480
 actgggggaa ctcaaacttt ggcattcagc caagcaggcc ctagctcaat ggccaatcag 3540
 gctagaaaact gggtagccgg gccttgctac cgtcagcagc gcgtctccac aaccaccaac 3600
 caaaataaca acagcaactt tgcgtggacg ggagctgcta aattcaagct gaacgggaga 3660
 gactcgctaa tgaatcctgg cgtggctatg gcatcgaca aagacgacga ggaccgcttc 3720
 tttccatcaa gtggcgttct catatttggc aagcaaggag ccgggaacga tggagtcgac 3780
 tacagccagg tgctgattac agatgaggaa gaaattaaag ccaccaaccc tgtagccaca 3840

EP 1 310 571 B1

gaggaatacgc gagcagtgcc catcaacaac caggccgcta acacgcaggc gcaaaactgga 3900
 5 cttgtgcata accagggagtg tttccttggt atggtctggc agaaccggga cgtgtacctg 3960
 caggggcccta tttgggctaa aatacctcac acagatggca actttcaccc gtctcctctg 4020
 atgggtggat ttggactgaa acacccacct ccacagattc taattaaaaa tacaccagtg 4080
 10 ccggcagatc ctctctttac cttcaatcaa gccaaagtga actctttcat cagcagtgac 4140
 agcacgggac aagtcagcgt ggaaatcgag tgggagctgc agaaagaaaa cagcaagcgc 4200
 tggaatccag agatccagta tacttcaaac tactacaaat ctacaaatgt ggactttgct 4260
 15 gtcaatacca aaggtgttta ctctgagcct cgccttcattg gtactcgtta cctcacccgt 4320
 aatttgtaat tgcctgttaa tcaataaacc ggtaattcg tttcagttga actttggtct 4380
 ctgcg 4385

20 <210> 6
 <211> 4718
 <212> DNA
 <213> adeno-associated virus serotype 1
 25 <400> 6

ttgccactc cctctctgcg cgtctgctcg ctggtgggg cctgcggacc aaaggtccgc 60
 30 agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgag agagggagtg 120
 ggcaactcca tcaactagggg taatcgcgaa gcgcctcca cgctgccgcg tcagcgctga 180
 cgtaaattac gtcataagggg agtggctcctg tattagctgt cagtgagtg cttttgcgac 240
 35 atttttgcgac accacgtggc catttagggg atatatggc gagtgagcga gcaggatctc 300
 cattttgacc gcgaaatttg aacgagcagc agccatgccg ggcttctacg agatcgtgat 360
 caaggtgccg agcgacctgg acgagcacct gccgggcatt tctgactcgt ttgtgagctg 420
 40 ggtggccgag aaggaatggg agctgcccc ggattctgac atggatctga atctgattga 480
 gcaggcacc ctagaccgtg ccgagaagct gcagcgcgac ttcttggtcc aatggcgccg 540
 cgtgagtaag gccccggagg cctctctctt tgttcagttc gagaagggcg agtcctactt 600
 45 ccacctccat attctggtgg agaccacggg ggtcaaatcc atggtgctgg gccgcttctt 660
 gagtcagatt agggacaagc tgggtgcagac catctaccgc gggatcgagc cgacctgcc 720
 caactggttc gcggtgacca agacgcgtaa tggcgccgga ggggggaaca aggtggtgga 780
 50 cgagtgcctac atccccaaact acctcctgcc caagactcag cccgagctgc agtgggctg 840
 gactaacatg gaggagtata taagcgctg tttgaacctg gccgagcgca aacggctcgt 900
 ggcgcagcac ctgaccacg tcagccagac ccaggagcag aacaaggaga atctgaaccc 960
 55 caattctgac gcgcctgtca tccgggtcaa aacctccgcg cgctacatgg agctggtcgg 1020
 gtggctggtg gaccggggca tcacctccga gaagcagtg atccaggagg accaggcctc 1080

gtacatctcc ttcaacgccc cttccaactc gcgggtcccag atcaaggccc ctctggacaa 1140
 tgccggcaag atcatggcgc tgaccaaatac cgcccccgcac tacctggtag gccccgctcc 1200
 5 gcccgcggac attaaaaacca accgcatcta ccgcatcctg gagctgaacg gctacgaacc 1260
 tgcttacgcc ggctccgtct ttctcggtg ggcccagaaa aggttcggga agcgcaaacac 1320
 catctggctg tttgggcccg ccaccacggg caagaccaac atcgcggaag ccacgcccc 1380
 10 cgccgtgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaatgattg 1440
 cgctcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc 1500
 cgccaaggcc attctcggcg gcagcaaggt gcgctggac caaaagtgc aagtcgtccgc 1560
 15 ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 1620
 cgggaacagc accaccttcg agcaccagca gccgttgacg gaccggatgt tcaaatttga 1680
 actcaccgc cgtctggagc atgacttttg caaggtgaca aagcaggaag tcaaagagtt 1740
 20 ctcccgctgg gcgcaggatc acgtgaccga ggtggcgcat gatttctacg tcagaaaggg 1800
 tggagccaac aaaagacccg cccccgatga gcgggataaa agcgagccca agcgggctg 1860
 cccctcagtc gcggatccat cgacgtcaga gcggaagga gctccggtg actttgccga 1920
 25 caggtacca aacaaatgtt ctctcagc gcggcatgctt cagatgctgt ttccctgcaa 1980
 gacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga cgagagactg 2040
 ttcagagtgc ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg 2100
 30 gaaactctgt gccattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg 2160
 cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaacag 2220
 gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc 2280
 35 gcgagtgtg ggacttgaaa cctggagccc cgaagcccaa agccaaccag caaaagcagg 2340
 acgacggccg ggggtctggtg cttcctggct acaagtacct cggacccttc aacggactcg 2400
 acaaggggga gcccgtaac gcggcgacg cagcggccct cgagcacgac aagccctacg 2460
 40 accagcagct caaagcgggt gacaatccgt acctgcggtg taaccacgcc gacgccgagt 2520
 ttcaggagcg tctgcaagaa gatacgtctt ttgggggcaa cctcgggcga gcagtcttcc 2580
 aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 2640
 45 ctggaaagaa acgtccggtg gagcagtcgc cacaagagcc agactcctcc tcgggcatcg 2700
 gcaagacagg ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 2760
 agtcagtccc cgatccacaa cctctcggag aacctccagc aacccccgct gctgtgggac 2820
 ctactacaat ggcttcaggc ggtggcgac caatggcaga caataacgaa ggcccgacg 2880
 50 gagtgggtaa tgcctcagga aattggcatt gcgattccac atggctgggc gacagagtca 2940
 tcaccaccag caccgcacc tgggccttgc ccacctacaa taaccacctc tacaagcaaa 3000
 55

5 tctccagtgc ttcaacgggg gccagcaacg acaaccacta cttcggtac agcaccctt 3060
 ggggggtattt tgatttcaac agattccact gccacttttc accacgtgac tggcagcgac 3120
 10 tcatcaacaa caattgggga ttccggccca agagactcaa cttcaaaactt ttcaacatcc 3180
 aagtcaggga ggtcacgacg aatgatggcg tcacaacat cgctaataac cttaccagca 3240
 cgggttcaagt cttctcggac tcggagtacc agcttccgta cgtcctcggc tctgcgcacc 3300
 agggctgcct ccttcggtc cggcgggacg tgttcatgat tccgcaatac ggctacctga 3360
 cgctcaacaa tggcagccaa gccgtgggac gttcatcctt ttactgcctg gaatatttcc 3420
 15 cttctcagat gctgagaacg ggcaacaact ttaccttcag ctacacctt gaggaagtgc 3480
 ctttccacag cagctacgag cacagccaga gcctggaccg gctgatgaat cctctcatcg 3540
 accaatacct gtattacctg aacagaactc aaaatcagtc cggaagtgc caaaacaagg 3600
 20 acttgctgtt tagccgtggg tctccagctg gcatgtctgt tcagcccaa aactggctac 3660
 ctggaccctg ttatcggcag cagcgcgttt ctaaaacaaa aacagacaac aacaacagca 3720
 attttacctg gactggtgct tcaaaatata acctcaatgg gcgtgaatcc atcatcaacc 3780
 25 ctggcactgc tatggcctca cacaaagacg acgaagacaa gttctttccc atgagcgggtg 3840
 tcatgatattt tggaaaagag agcgccggag cttcaaacac tgcattggac aatgtcatga 3900
 ttacagacga agaggaatt aaagccacta acctgtggc caccgaaaga tttgggaccg 3960
 30 tggcagtc aa tttccagagc agcagcacag acctgacgac cggagatgtg catgctatgg 4020
 gagcattacc tggcatggtg tggcaagata gagacgtgta cctgcagggt cccatttggg 4080
 ccaaaattcc tcacacagat ggacacttcc acctgtctcc tcttatggg ggctttggac 4140
 35 tcaagaaccc gcctcctcag atcctcatca aaaacacgac tgttctcgcg aatcctcggg 4200
 cggagttttc agctacaaag tttgcttcat tcattcaccata atactccaca ggacaagtga 4260
 gtgtggaaat tgaatgggag ctgcagaaag aaaacagcaa gcgctggaat cccgaagtgc 4320
 40 agtacacatc caattatgca aaatctgcc aagttgattt tactgtggac aacaatggac 4380
 tttatactga gcctcgcccc attggcacc gttaccttac ccgtccctg taattacgtg 4440
 ttaatcaata aaccgggtga ttcgtttcag ttgaactttg gtctcctgtc cttcttatct 4500
 45 tatcggttac catggttata gcttacacat taactgcttg gttgcgcttc gcgataaaag 4560
 acttacgtca tcgggttacc cctagtgtg gagttgccca ctccctctct gcgcgctcgc 4620
 tcgctcgggtg gggcctgcgg accaaaggtc cgcagacggc agagctctgc tctgcgggcc 4680
 50 ccaccgagcg agcgagcgcg cagagaggga gtgggcaa 4718

<210> 7

<211> 4675

<212> DNA

<213> adeno-associated virus serotype 2

<400> 7

ttggccactc cctctctgcg cgctcgctcg ctactgagg ccgggcgacc aaaggctcgcc 60
 cgacgcccgg gctttgcccg ggcggcctca gtgagcgagc gagcgcgag agagggagtg 120
 5 gccaaactcca tcaactagggg ttcttgaggg ggtggagtcg tgacgtgaat tacgtcatag 180
 ggttagggag gtcctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacaccat 240
 gtggtcacgc tgggtattta agcccagatg agcacgcagg gtctccattt tgaagcggga 300
 10 ggtttgaacg cgcagccgcc atgccggggt ttacgagat tgtgattaag gtccccagcg 360
 accttgacgg gcatctgccc ggcatttctg acagctttgt gaactgggtg gccgagaagg 420
 aatgggagtt gccgccagat tctgacatgg atctgaatct gattgagcag gcacccctga 480
 15 ccgtggccga gaagctgcag cgcgactttc tgacggaatg gcgccgtgtg agtaaggccc 540
 cggaggccct tttctttgtg caatttgaga agggagagag ctacttcac atgcacgtgc 600
 tcgtggaac caccggggtg aaatccatgg ttttgggacg tttctgagt cagattcgcg 660
 20 aaaaactgat tcagagaatt taccgcggga tcgagccgac tttgccaaac tggttcgcg 720
 tcacaaagac cagaaatggc gccggaggcg ggaacaagggt ggtggatgag tgctacatcc 780
 ccaattactt gctccccaaa acccagcctg agctccagtg ggcgtggact aatatggaac 840
 25 agtatttaag cgcctgtttg aatctcacgg agcgtaaacg gttggtggcg cagcatctga 900
 cgcacgtgtc gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc 960
 cggtgatcag atcaaaaact tcagccagggt acatggagct ggtcgggtgg ctctgggaca 1020
 30 aggggattac ctcggaagaag cagtggatcc agggaggacca ggcctcatac atctccttca 1080
 atgcggcctc caactcgcg tcccaaatca aggtgcctt ggacaatgcg ggaaagatta 1140
 tgagcctgac taaaaccgcc cccgactacc tgggtgggca gcagcccgtg gaggacattt 1200
 35 ccagcaatcg gatattataa attttggaaac taaacgggta cgatcccaa tatgcggcctt 1260
 ccgtctttct gggatgggcc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg 1320
 ggcctgcaac taccgggaag accaacatcg cggaggccat agcccacact gtgcccttct 1380
 40 acgggtgcgt aaactggacc aatgagaact ttcccttcaa cgactgtgtc gacaagatgg 1440
 tgatctgtgt ggaggagggg aagatgaccg ccaaggctgt ggagtgggcc aaagccattc 1500
 tcggaggaag caagggtgcg gtggaccaga aatgcaagtc ctcggccag atagaccga 1560
 45 ctcccgatgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga 1620
 ccttcgaaca ccagcagccg ttgcaagacc ggatgttcaa atttgaactc acccgccgtc 1680
 tggatcatga ctttgggaag gtcaccaagc aggaagtcaa agactttttc cgggtgggcaa 1740
 50 aggatcacgt ggttgaggtg gagcatgaat tctacgtcaa aaagggtgga gccaaagaaa 1800
 gacccgcccc cagtgcgcga gatataagt agcccaaacg ggtgcgcgag tcagttgcgc 1860
 agccatcgac gtcagacgcg gaagcttcga tcaactacgc agacaggtac caaaacaaat 1920
 55

EP 1 310 571 B1

| | | |
|----|--|------|
| | gttctcgtca cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga | 1980 |
| | atcagaattc aaatatctgc ttcactcacg gacagaaaga ctgttttagag tgctttcccg | 2040 |
| 5 | tgtcagaatc tcaaccggtt tctgtcgtca aaaagycgta tcagaaactg tgctacattc | 2100 |
| | atcatatcat gggaaagggtg ccagacgctt gcactgcctg cgatctggtc aatgtggatt | 2160 |
| | tggatgactg catctttgaa caataaatga tttaaatcag gtatggctgc cgatggttat | 2220 |
| 10 | cttccagatt ggctcgagga cactctctct gaaggaataa gacagtgggtg gaagctcaaa | 2280 |
| | cctggcccac caccacaaa gccgcgagag cggcataagg acgacagcag gggctctgtg | 2340 |
| | cttcctgggt acaagtacct cggacccttc aacggactcg acaagggaga gccggtcaac | 2400 |
| 15 | gaggcagacg ccgcggccct cgagcacgta caaagcctac gaccggcagc tcgacagcgg | 2460 |
| | agacaacccg tacctcaagt acaaccacgc cgacgcggag tttcaggagc gccttaaaga | 2520 |
| | agatacgtct tttgggggca acctcggacg agcagtcctc caggcgaaaa agagggttct | 2580 |
| 20 | tgaacctctg ggcttggttg aggaacctgt taagacggct ccgggaaaaa agaggccggt | 2640 |
| | agagcactct cctgtggagc cagactcctc ctccgggaacc ggaaaggcgg gccagcagcc | 2700 |
| | tgcaagaaaa agattgaatt ttggtcagac tggagacgca gactcagtac ctgaccccca | 2760 |
| 25 | gcctctcgga cagccaccag cagccccctc tggctctggga actaatcga tggctacagg | 2820 |
| | cagtggcgca ccaatggcag acaataacga gggcgccgac ggagtgggtta attcctccgg | 2880 |
| | aaattggcat tgcgattcca catggatggg cgacagagtc atcaccacca gcacccgaac | 2940 |
| 30 | ctggggccctg cccacctaca acaaccacct ctacaaacaa atttccagcc aatcaggagc | 3000 |
| | ctcgaacgac aatcactact ttggctacag caccctctgg gggatatttg acttcaacag | 3060 |
| | attccactgc cactttttcac cagtgactg gcaagactc atcaacaaca actggggatt | 3120 |
| 35 | ccgacccaag agactcaact tcaagctctt taacattcaa gtcaaagagg tcacgcagaa | 3180 |
| | tgacgggtacg acgacgattg ccaataacct taccagcacg gttcaggtgt ttactgactc | 3240 |
| | ggagtaccag ctcccgtacg tcctcggctc ggcgcacaa ggatgcctcc cgcggttccc | 3300 |
| 40 | agcagacgtc ttcattggtg cacagtatgg atacctcacc ctgaacaacg ggagtcaggc | 3360 |
| | agtaggacgc tcttcatttt actgcctgga gtactttcct tctcagatgc tgcgtaccgg | 3420 |
| | aaacaacttt accttcagct acacttttga ggacgttctt ttccacagca gctacgetca | 3480 |
| 45 | cagccagagt ctggaccgtc tcatgaatcc tctcatcgac cagtacctgt attacttgag | 3540 |
| | cagaacaaac actccaagtg gaaccaccac gcagtcaagg cttcagtttt ctcaggccgg | 3600 |
| | agcgagtac attcgggacc agtctaggaa ctggcttctt ggaccctgtt accgccagca | 3660 |
| 50 | gcgagtatca aagacatctg cggataacaa caacagtga tactcgtgga ctggagctac | 3720 |
| | caagtaccac ctcaatggca gagactctct ggtgaatccg gccatggcaa gccacaagga | 3780 |
| 55 | cgatgaagaa aagttttttc ctcagagcgg ggttctcatc tttgggaagc aaggctcaga | 3840 |

EP 1 310 571 B1

gaaaacaaat gtgaacattg aaaaggtcat gattacagac gaagaggaaa tcggaacaac 3900
 caatcccgtg gctacggagc agtatgggtc tgtatctacc aacctccaga gaggaacaac 3960
 5 acaagcagct accgcagatg tcaacacaca aggcgttctt ccaggcatgg tctggcagga 4020
 cagagatgtg taccttcagg ggcccatctg ggcaaagatt ccacacacgg acggacattt 4080
 tcacccctct cccctcatgg gtggattcgg acttaaacac cctcctccac agattctcat 4140
 10 caagaacacc cgggtacctg cgaatccttc gaccaccttc agtgcggaag agtttgcttc 4200
 cttcatcaca cagtactcca cgggacacgg tcagcgtgga gatcgagtgg gagctgcaga 4260
 aggaaaacag caaacgctgg aatcccgaat ttcagtacac ttccaactac aacaagtctg 4320
 15 ttaatcgtgg acttaccgtg gataactaatg gcgtgtattc agagcctcgc cccattggca 4380
 ccagatacct gactcgtaat ctgtaattgc ttgttaatca ataaaccgtt taattcgttt 4440
 cagttgaact ttggtctctg cgtatttctt tcttatctag tttccatggc tacgtagata 4500
 20 agtagcatgg cgggttaatc attaactaca aggaaccctt agtgatggag ttggccactc 4560
 cctctctgcg cgctcgtcgc ctactgagg cggggcgacc aaaggtcgcc cgacgccggg 4620
 gctttgcccg ggcggcctca gtgagcgagc gagcgcgcag agagggagtg gccaa 4675

<210> 8

<211> 4726

<212> DNA

<213> adeno-associated virus serotype 3

<400> 8

ttggccactc cctctatgcg cactcgtcgc ctccgtgggg cctggcgacc aaaggtcgcc 60
 agacggacgt gctttgcacg tccggcccca ccgagcgagc gagtgcgcac agagggagtg 120
 gccaaactcca tctactagagg tatggcagtg acgtaacgcg aagcgcgcga agcgagacca 180
 40 cgcctaccag ctgcgtcagc agtcagggtga cctttttgcg acagtttgcg acaccacgtg 240
 gccgctgagg gtatatattc tcgagtgcgc gaaccaggag ctccattttg accgcgaaat 300
 ttgaacgagc agcagccatg ccgggggtct acgagattgt cctgaaggtc ccgagtgcac 360
 45 tggacgagcg cctgccgggc atttctaact cgtttgttaa ctgggtggcc gagaaggaat 420
 gggacgtgcc gccggattct gacatggatc cgaatctgat tgagcaggca cccctgaccg 480
 tggccgaaaa gcttcagcgc gagttcctgg ttgagtgagg ccgcgtgagt aaggccccgg 540
 50 aggcctctct tttgtccag ttcgaaaagg gggagacctt cttccacctg cacgtgctga 600
 ttgagaccat cgggggtcaa tccatgggtg tcggccgcta cgtgagccag attaaagaga 660
 agctggtgac ccgcattctc cgcggggtcg agccgcagct tccgaactgg ttgcggtgga 720
 55 ccaaaacgcg aaatggcgcc gggggcgagg acaaggtggg ggacgactgc tacatcccca 780
 actacctgct ccccaagacc cagcccagac tccagtgggc gtggactaac atggaccagt 840

EP 1 310 571 B1

atttaagcgc ctgtttgaat ctcgcgaggc gtaaaccggct ggtggcgag catctgacgc 900
 acgtgtcgca gacgcaggag cagaacaaag agaatacagaa cccaattct gacgcgccgg 960
 5 tcatcaggtc aaaaacctca gccagggtaca tggagctggc cgggtggctg gtggaccgcg 1020
 ggatcacgtc agaaaagcaa tggattcagg aggaccaggc ctcgtacatc tccttcaacg 1080
 ccgcctccaa ctcgcggtcc cagatcaagg ccgcgctgga caatgcctcc aagatcatga 1140
 10 gcctgacaaa gacggctccg gactacctgg tgggcagcaa ccgcgccggag gacattacca 1200
 aaaatcggat ctaccaaata ctggagctga acgggtacga tccgcagtac gcggcctccg 1260
 tcttctctggg ctgggcgcaa aagaagtctg ggaagaggaa caccatctgg ctctttgggc 1320
 15 cggccacgac gggtaaaacc aacatcgcgg aagccatcgc ccacgccgtg cccttctacg 1380
 gctgcgtaaa ctggaccaat gagaactttc ccttcaacga ttgcgtcgac aagatgggtga 1440
 tctgggtggga ggagggcaag atgacggcca aggtcgtgga gagcgccaag gccattcttg 1500
 20 gcggaagcaa ggtgcgcgtg gacaaaaagt gcaagtcata gggccagatc gaacccactc 1560
 ccgtgatcgt cacctccaac accaacaatgt gcgccgtgat tgacgggaac agcaccacct 1620
 tcgagcatca gcagccgctg caggaccgga tgtttgaatt tgaacttacc cgccgttttg 1680
 25 accatgactt tgggaaggct accaaacagg aagtaaagga ctttttccgg tgggcttccg 1740
 atcacgtgac tgacgtggct catgagttct acgtcagaaa ggggtggagct aagaaacgcc 1800
 ccgcctccaa tgacgcggat gtaagcgagc caaaacggga gtgcacgtca cttgcgcagc 1860
 30 cgacaacgtc agacgcggaa gcaccggcgg actacgcgga caggtacca aacaaatggt 1920
 ctcgtcacgt gggcatgaat ctgatgcttt ttccctgtaa aacatgcgag agaataatc 1980
 aaatttccaa tgtctgtttt acgcatggct aaagagactg tggggaatgc ttccctggaa 2040
 35 tgtcagaatc tcaaccggtt tctgtcgtca aaaagaagac ttatcagaaa ctgtgtccaa 2100
 ttcacatat cctgggaagg gcacccgaga ttgcctgttc ggcctgcgat ttggccaatg 2160
 tggacttgga tgaactgtgt tctgagcaat aaatgactta aaccaggtat ggctgctgac 2220
 40 gggtatcttc cagattggct cgaggacaac ctttctgaag gcattcgtga gtggtgggct 2280
 ctgaaacctg gagtccctca acccaaagcg aaccaacaac accaggacaa ccgtcggggg 2340
 cttgtgcttc cgggttacaa atacctcgga cccggtaacg gactcgacaa aggagagccg 2400
 45 gtcaacgagg cggacgcggc agccctcgaa cacgacaaag cttacgacca gcagctcaag 2460
 gccggtgaca acccgtaact caagtacaac cacgccgacg ccgagtttca ggagcgtctt 2520
 caagaagata cgtcttttgg gggcaacctt ggcagagcag tcttccaggc caaaaagagg 2580
 50 atccttgagc ctcttggtct ggttgaggaa gcagctaaaa cggctcctgg aaagaagggg 2640
 gctgtagatc agtctcctca ggaaccggac tcatcatctg gtgttgcaa atcgggcaaa 2700
 55 cagcctgcca gaaaaagact aaatttcggg cagactggag actcagagtc agtcccagac 2760

| | | |
|----|---|------|
| | cctcaacctc tcggagaacc accagcagcc cccacaagtt tgggatctaa tacaatggct | 2820 |
| 5 | tcaggcgggtg gcgcaccaat ggcagacaat aacgaggggtg ccgatggagt gggtaattcc | 2880 |
| | tcaggaaatt ggcattgcga ttcccaatgg ctgggcgaca gagtcattcac caccagcacc | 2940 |
| | agaacctggg ccctgccccac ttacaacaac catctctaca agcaaattctc cagccaatca | 3000 |
| 10 | ggagcttcaa acgacaacca ctactttggc tacagcacc cttgggggta ttttgacttt | 3060 |
| | aacagattcc actgccactt ctcaccacgt gactggcagc gactcattaa caacaactgg | 3120 |
| | ggattccggc ccaagaaact cagcttcaag ctcttcaaca tccaagttag aggggtcacg | 3180 |
| 15 | cagaacgatg gcacgacgac tattgccaat aaccttacca gcacggttca agtgtttacg | 3240 |
| | gactcggagt atcagctccc gtacgtgctc gggtcggcgc accaaggctg tctcccgcgc | 3300 |
| | tttcagcgg acgtcttcat ggtccctcag tatggatacc tcacctgaa caacggaagt | 3360 |
| 20 | caagcgggtg gacgctcatc cttttactgc ctggagtact tcccttcgca gatgctaagg | 3420 |
| | actggaaata acttccaatt cagctatacc ttcgaggatg taccttttca cagcagctac | 3480 |
| | gctcacagcc agagtttgga tcgcttgatg aatcctctta ttgatcagta tctgtactac | 3540 |
| 25 | ctgaacagaa cgcaaggaaac aacctctgga acaaccaacc aatcacggct gctttttagc | 3600 |
| | caggctgggc ctcagcttat gtctttgcag gccagaaatt ggctacctgg gccctgctac | 3660 |
| | cggcaacaga gactttcaaa gactgctaac gacaacaaca acagtaactt tccttgga | 3720 |
| 30 | gcggccagca aatatcatct caatggccgc gactcgtctg tgaatccagg accagctatg | 3780 |
| | gccagtcaca aggacgatga agaaaaattt ttccctatgc acggcaatct aatatttggc | 3840 |
| | aaagaaggga caacggcaag taacgcagaa ttagataatg taatgattac ggatgaagaa | 3900 |
| 35 | gagattcgta ccaccaatcc tgtggcaaca gagcagtatg gaactgtggc aaataaactg | 3960 |
| | cagagctcaa atacagctcc cagcactgga actgtcaatc atcagggggc cttacctggc | 4020 |
| | atgggtgtggc aagatcgtga cgtgtacctt caaggaccta tctgggcaaa gattcctcac | 4080 |
| 40 | acggatggac actttcatcc ttctcctctg atgggaggct ttggactgaa acatccgcct | 4140 |
| | cctcaaataca tgatcaaaaa tactccggta ccggcaaatc ctccgacgac tttcagcccg | 4200 |
| | gccaagtttg cttcatttat cactcagtac tccactggac aggtcagcgt ggaaattgag | 4260 |
| 45 | tgggagctac agaaagaaaa cagcaaacgt tggaatccag agattcagta cacttccaac | 4320 |
| | tacaacaagt ctgttaatgt ggactttact gtagacacta atgggtgttta tagtgaacct | 4380 |
| | cgccctattg gaaccggta tctcacacga aacttgtgaa tcctgggttaa tcaataaacc | 4440 |
| 50 | gtttaattcg tttcagttga actttggctc ttgtgcactt ctttatcttt atcttgcttc | 4500 |
| | catggctact gcgtagataa gcagcggcct gcggcgcttg cgcttcgagg tttacaactg | 4560 |
| | ctggttaata ttttaactct gccatacctc tagtgatgga gttggccact ccctctatgc | 4620 |
| 55 | gcaactcgctc gctcgggtggg gcctggcgac caaaggctgc cagacggacg tgctttgcac | 4680 |

gtccggcccc accgagcgag cgagtgcgca tagagggagt ggccaa

4726

5 <210> 9
 <211> 3098
 <212> DNA
 <213> new AAV serotype, clone 42.2

10 <400> 9

gaattcgcgc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatgggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 15 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg 180
 ccagatcga tccccacccc gtgatcgtca cttccaacac caacatgtgc gctgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
 20 aactcaccgc ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
 tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtcttac gtcagaaagg 420
 gtggagccaa caagagaccc gcccccgatg acgcgggataa aagcgagccc aagcgggcct 480
 25 gccctcagt cgcggatcca tcgacgtcag acgcgggaagg agctccggtg gactttgccg 540
 acaggatacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact 660
 30 gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
 gcgatctggt caacgtggac ctggatgacc gtgtttctga gcaataaatg acttaaacca 840
 35 ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960
 40 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 gacaaggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac 1080
 gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag 1140
 45 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc 1320
 50 cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtcccc 1380
 gacccccaac ctctcgga gaacctccgc gcgccctcag gtctgggatac tgggtacaatg 1440
 gctgcaggcg gtggcgacc aatggcagac aataacgaag gcgccgacgg agtgggtaat 1500
 55 gcctccggaa attggcattg cgattccaca tggctgggag acagagtcac caccaccagc 1560
 acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag 1620
 agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac 1680

EP 1 310 571 B1

5 ttcaacagat tccactgccca cttctcacca cgtgactggc agcgactcat caacaacaac 1740
 tggggattcc ggcccagaaa gctgcgggtc aagttgttca acatccaggt caaggaggtc 1800
 acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcagggtcttc 1860
 tcggactcgg agtaccaaact gccgtacgtc ctcggtctctg cgcaccaggg ctgcctccct 1920
 10 ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc 1980
 agtcagtctg tgggacgttc ctcttcttac tgccctggagt actttccttc tcagatgctg 2040
 agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc 2100
 15 tatgcgacaca gccagagcct ggaccggctg atgaatcccc tcacgacca gtacctgtac 2160
 tacctggccc ggaccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct 2220
 gggccaaca ccatggccga gcaatcaaag aactggctgc cggaccctg ttatcggcag 2280
 20 cagagactgt caaaaaacat agacagcaac aacaacagta actttgectg gaccggggcc 2340
 actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc 2400
 aacaaggacg acgaggacca gttctttccc atcaacggag tgctgggttt tggcgaaacg 2460
 25 ggggctgcc acaagacaac gctggaaaac gtgctaata gaagcgagga ggagatcaaa 2520
 accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct 2580
 acggccggac ccagacaca gactgtcaac agccaggggg ctctgcccg catggtctgg 2640
 30 cagaaccggg acgtgtacct gcagggtccc atctgggcca aaattcctca cacggacggc 2700
 aactttcacc cgtctccct gatggcgga tttggactca aacaccgcc tcctcaaatt 2760
 ctcatcaaaa acaccccggt acctgcta atctccagagg tgtttactcc tgccaagttt 2820
 35 gcctcattta tcacgcagta cagcaccggc caggtcagcg tggagatcga gtgggaactg 2880
 cagaaagaaa acagcaaacg ctggaatcca gagattcagt acacctcaaa ttatgccaag 2940
 tctaataatg tggaaatttc tgtcaacaac gaagggggtt atactgagcc tcgccccatt 3000
 40 ggcaccggtt acctacccg taacctgtaa ttgcctgtta atcaataaac cggttaattc 3060
 gtttcagttg aactttggtc tctgcgaagg gcgaattc 3098

<210> 10

<211> 3098

<212> DNA

<213> new AAV serotype, clone 16.3

<400> 10

gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta 60
 acaagtaatt acaggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120
 accccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgagggtgtac 180
 tgaatctctg gattccagcg tttgctgttt tcttctgca gttcccactc gatctccacg 240

EP 1 310 571 B1

| | | |
|----|---|------|
| | ctgacctggc cggtgctgta ctgctgata aatgaggcaa actaggcagg agtaaacacc | 300 |
| | cctggaggat tagcaggtac cggggtgttt ttgatgagaa tttagaggagg cgggtgtttg | 360 |
| 5 | agtcctaaatc cgcccatcag gggagacggg tgaaagtgtc cgtccgtgtg aggaattttg | 420 |
| | gcccagatgg gacctgtcag gtacacgtcc cggttctgtcc agaccatgcc gggcagagcc | 480 |
| 10 | ccctggctgt tgacagtctg tgtctggggg cggccgtag acgattgcag gttgctggag | 540 |
| | accacaccgt attcttctgt agccacggga ttggtgtgtt tgatctcttc ctgctggtc | 600 |
| | attagcacgt tttccagcgt tgtctgtttg gcagccccg ttttgccaaa aaccagcact | 660 |
| 15 | ccgttgatgg gaaagaactg gccctcgtcg tccttgttgg tggccatggc tacgccggg | 720 |
| | ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta | 780 |
| | ctgttgttgt tgctgtctat gttttttgac agtctctgtc gccgataaca gggtcggggc | 840 |
| 20 | agccagttct ttgattgtc ggccatggtg ttgggccag cctgatggaa ctgcagctcc | 900 |
| | cttgtggacc cgtagtgtc ctgggtccgg gccaggtagt acaggtagt gtcgatgagg | 960 |
| | ggattcatca gccgggtccag gctctggctg tgcgcatagc tgctgtggaa aggcacttcc | 1020 |
| 25 | tcaaaggtgt agctgaattc aaagtatttg cccgtttctca gcattctgaga aggaaagtac | 1080 |
| | tccaggcagt agaaggagga acgtcccata gactgactgc cgttggttag agtcagatat | 1140 |
| | ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca | 1200 |
| 30 | gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta | 1260 |
| | aggttatttag cgtatggtcgt aacgccgtcg ttcgtcgtga cctccttgac ctggatgttg | 1320 |
| | aacaacttga accgcagctt tctggggccgg aatccccagt tgttggtgat gagtcgctgc | 1380 |
| 35 | cagtcacgtg gtgagaagtg gcagtggaa ctgttgaagt caaaatagcc ccagggggtg | 1440 |
| | ctgtagccga agaagtgtt gtcgttggtg gccccgctct gacttgatat ctgctttag | 1500 |
| | agggtgttgt tgtaggtggg cagggcccag gtgcgggtgc tgggtgtgat gactctgtcg | 1560 |
| 40 | cccagccatg tggaatcgca atgccaattt ccggaggcat taccactcc gtcggcgcc | 1620 |
| | tcgttattgt ctgccattgg tgcgccaccg cctgcagcca ttgtaccaga tcccagacct | 1680 |
| | gagggcgcg cgggaggttc tccgagaggt tgggggtcgg gcaactgactc tgagtcgcca | 1740 |
| 45 | gtctgcccaa agttgagctt ctttttagcg ggctgtggc ctttcttgcc gatgccgtg | 1800 |
| | gaggagtgg gggattctat ggggtctctt tttccaggag ccgtcttagc gccttctca | 1860 |
| | accagaccga gaggttcgag aaccgcctt ttggcctgga agactgtctc cccgaggtt | 1920 |
| 50 | ccccaaaaag acgtatcttc ttgaagacgc tcctgaaact cagcgtcggc gtgggtgtac | 1980 |
| | ttgaggtacg ggttgtcccc ctgctcgagc tgcttgcgt aggccttgc gtgctcgagg | 2040 |
| | gccgcggcgt ctgcctcgtt gaccggctct ccttctcga gtccgttgaa gggtcggagg | 2100 |
| 55 | tactttagc caggaagcac cagaccccg ccgtcgtcct gcttttgcgt gttggctttg | 2160 |

EP 1 310 571 B1

ggtttcgggg ctccagggtt caagtcccac cactcgcgaa tgccctcaga gaggttggtcc 2220
 tcgagccaat ctggaagata accatcggca gccataacctg gtttaagtca tttattgctc 2280
 5 agaaacacag tcattccagggt ccacgttgac cagatcgcag gccgagcaag caatctcggg 2340
 agcccgcgcc agcagatgat gaatggcaca gagtttccga tacgtcctct tcttgacgac 2400
 cggttgagat tctgacacgc cgggggaaaca tctgaacag tctctggtcc cgtgcgtgaa 2460
 10 gcaaatgttg aaattctgat tcattctctc gcatgtcttg caggggaaaca gcatctgaag 2520
 catgccgcgc tgacgagAAC atttggtttg gtacctgtcg gcaaagtcca ccggagctcc 2580
 ttccgcgtct gacgtcgatg gatccgcgac tgaggggcag gcccgcttg gctcgctttt 2640
 15 atccgcgtca tcggggggcg gcctcttggt ggctccaccc tttctgacgt agaactcatg 2700
 cgccacctcg gtcacgtgat cctgcgccca gcggaagaac tctttgactt cctgctttgt 2760
 caccttgcca aagtcctgct ccagacggcg ggtgagttca aatttgaaca tccggtcttg 2820
 20 taacggctgc tgggtgctga aggtggtgct gttcccgta atcacggcgc acatgttggt 2880
 gttggaagtg acgatcacgg ggggtgggac gatctgggcg gacgacttgc acttttggtc 2940
 cagcgcacc ttgctgccgc cgagaatggc cttggcgga tccacgacct tggccgctcat 3000
 25 cttgccctcc tcccaccaga tcaccatctt gtcgacgcaa tcgttgaagg gaaagtcttc 3060
 attggtccag ttgacgcagc cgtagaaagg gcgaattc 3098

<210> 11

<211> 3121

<212> DNA

<213> new AAV serotype, clone 29.3

<400> 11

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta | 60 |
| | acaagcaatt acagattacg ggtgaggtaa cgggtgccga tggggcgagg ctcagaataa | 120 |
| 5 | gtgccatctg tgttaacagc aaagtccaca ttgttagatt tgtagtagtt ggaagtgtat | 180 |
| | tgaatctctg ggttccagcg ttgtctgttt tctttctgca gctcccattc aatttccacg | 240 |
| | ctgacctgtc cgggtgctgta ctgcgtgatg aacgacgcca gcttagcttg actgaaggta | 300 |
| 10 | gttggaggat ccgcgggaac aggtgtattc ttaatcagga tctgaggagg cgggtgtttc | 360 |
| | agtccaaagc ccccatcag cggcgaggga tgaaagtttc cgtccgtgtg aggaatcttg | 420 |
| | gcccagatag gacctgcag gtacacgtcc cggttctgcc agaccatgcc aggtaaggct | 480 |
| 15 | ccttgactgt tgacggcccc tacaatagga gcggcgtttt gctgttgtag gttatcggcc | 540 |
| | accacgccgt actgttctgt ggccactggg ttggtggttt taatttcttc ctactggtt | 600 |
| | agcataacgc tgctatagtc cacgttgccct tttccagctc cctgtttccc aaacattaag | 660 |
| 20 | actccgctgg acggaaaaaa tcgtctcttcg tcgtccttgt gggttgccat agcgacaccg | 720 |
| | ggatttacca gagagtctct gccattcaga tgatacttgg tggcaccggt ccaggcaaag | 780 |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

| | | |
|----|---|------|
| | ttgctgttgt tattttgcga cagtgtcgtg gagacgcgtt gctgccggta gcagggcccg | 840 |
| 5 | ggtagccagt ttttggcctg agccgacatg ttattaggcc cggcctgaga aaatagcaac | 900 |
| | tgctgagttc ctgcggtacc tcccgtggac tgagtcagag acaggtagta cagggtactgg | 960 |
| | tcgatgaggg ggttcatcag ccgggtccagg ctttggctgt gcgcgtagct gctgtgaaaa | 1020 |
| 10 | ggcacgtcct caaactggta gctgaactca aagtgtgtgc ccgttctcag catttgagaa | 1080 |
| | ggaaagtact ccaggcagta gaaggaggaa cggcccacgg cctgactgcc attgttcaga | 1140 |
| | gtcagggtacc cgtactgagg aatcatgaag acgtccgcgg ggaacggagg caggcagccc | 1200 |
| 15 | tggcgcgtag agccgaggac gtacggggagc tggatttcgg agtccgtaaa gacctgaatc | 1260 |
| | gtgctggtaa gggtattggc gatgggtcttg gtgccttcat tctgcgtgac ctcttgacc | 1320 |
| | tggatgttga agagcttgaa gttgagttctc ttgggcccga atcccagtt gttgttgatg | 1380 |
| 20 | agtcgctgcc agtcacgtgg tgagaagtgg cagtggaaac tgttaaagtc aaaatacccc | 1440 |
| | caggggggtgc tgtagccgaa gtaggtgttg tcgttggtgc ttcttcccga agtcccgttg | 1500 |
| | gagatttgct tgtagaggtg gttgttgtag gtggggaggg cccagggttcg ggtgctggtg | 1560 |
| 25 | gtgatgactc tgtcgcgccag ccattgtgaa tcgcaatgcc aatttctctga ggaactacct | 1620 |
| | actccgtcgg cgccttcgtt attgtctgcc attggagcgc caccgcctgc agccattgta | 1680 |
| | ccagatccca gaccagaggg gcctgcgggg ggttctccga ttggttgagg gtcgggcact | 1740 |
| 30 | gactctgagt cgccagtctg cccaaagtgt agtctctttt tcgcggtctg ctggcctttc | 1800 |
| | ttgccgatgc ccgtagtggg gtctggagaa cgctgggttg atggctctac cgggtctctc | 1860 |
| | tttccaggag ccgtcttagc gccttctcca accagaccga gaggttcgag aaccgcctc | 1920 |
| 35 | ttggcctgga agactgctcg tccgaggttg ccccaaaaag acgtatcttc ttgcagacgc | 1980 |
| | tcctgaaact cggcgtcggc gtgggttatac cgcaggtacg gattgtcacc cgctttgagc | 2040 |
| | tgctgggtcgt aggccttgct gtgctcgagg gccgctgcgt ccgccgcgtt gacgggctcc | 2100 |
| 40 | cccttgctga gtccgttgaa ggggtccgagg tacttgtagc caggaagcac cagaccccg | 2160 |
| | ccgtcgtcct gcttttgctg gttggctttg ggcttcgggg ctccagggtt cagcgccac | 2220 |
| | cactcgcgaa tgccctcaga gaggttgctc tcgagccaat ctggaagata accatcggca | 2280 |
| 45 | gccatacctg atctaaatca tttattgttc aaagatgcag tcatccaaat ccacattgac | 2340 |
| | cagatcgcag gcagtgcag cgtctggcac ctttcccatg atatgatgaa tgtagcacag | 2400 |
| | tttctgatac gcctttttga cgacagaaac ggggttgagat tctgacacgg gaaagcactc | 2460 |
| 50 | taaacagtct ttctgtccgt gagtgaagca gatatttgaa ttctgattca ttctctcga | 2520 |
| | ttgtctgcag ggaaacagca tcagattcat gccacgtga cgagaacatt tgttttggtg | 2580 |
| | cctgtccgcg tagttgatcg aagcttccgc gtctgacgtc gatggctgcg caactgactc | 2640 |
| 55 | gcgcacccgt ttgggtctac ttatatctgc gtcactgggg gcgggtcttt tcttggtctc | 2700 |

EP 1 310 571 B1

| | | |
|----|--|------|
| | accctttttg acgtagaatt catgctccac ctcaaccacg tgatcctttg cccaccggaa | 2760 |
| 5 | aaagtctttg acttcctgct tggtagcctt cccaaagtca tgatccagac ggcgggtgag | 2820 |
| | ttcaaatttg aacatccggg cttgcaacgg ctgctggtgt tcgaaggctg ttgagttccc | 2880 |
| | gtcaatcacg gcgcacatgt tgggtgttga ggtgacgac acgggagtcg ggtctatctg | 2940 |
| 10 | ggccgaggac ttgcatttct ggtccacgcg caccttgctt cctccgagaa tggctttggc | 3000 |
| | cgactccacg accttggcgg tcatcttccc ctccctccac cagatcacca tcttgctcgac | 3060 |
| | acagtcgttg aagggaagt tctcattggt ccagttgacg cagccgtaga agggcggaatt | 3120 |
| 15 | c | 3121 |

<210> 12

<211> 3121

20 <212> DNA

<213> new AAV serotype, clone 29.4

<400> 12

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc ttctacggct gcgtaactg gaccaatgag aactttccct tcaacgactg | 60 |
| | tgtcgacaag atggtgatct ggtgggagga ggggaagatg accgccaagg tcgtggagtc | 120 |
| 5 | ggccaaagcc attctcggag gaagcaagggt gcgcgtggac cagaaatgca agtcctcggc | 180 |
| | ccagatagac ccgactcccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga | 240 |
| | cgggaactca acgaccttcg aacaccagca gccgttgcaa gaccggatgt tcaaatttga | 300 |
| 10 | actcaccgcg cgtctggatc atgactttgg gaaggtcacc aagcaggaag tcaaagactt | 360 |
| | tttccggtgg gcaaaggatc acgtggttga ggtggagcac gaattctacg tcaaaaaggg | 420 |
| | tggagccaag aaaagacccg cccccagtga cgcagatata agtgagccca aacgggtgcg | 480 |
| 15 | cgagtcaagt gcgcagccat cgacgtcaga cgcggaagct tcgatcaact acgcagacag | 540 |
| | gtacaaaaac aaatgttttc gtcacgcggg catgaatctg atgctgtttc cctgcagaca | 600 |
| | atgcgagaga atgaatcaga attcaaatat ctgcttcaact cacggacaga aagactgttt | 660 |
| 20 | agagtgtttt cccgtgtcag aatctcaacc cgtttctgtc gtcaaaaagg cgtatcagaa | 720 |
| | actgtgttac attcatcata tcatgggaaa ggtgccagac gcttgcactg cctgcgatct | 780 |
| | ggtcgatgtg gatttggatg actgcatctt tgaacaataa atgatttaaa tcaggatatg | 840 |
| 25 | ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt | 900 |
| | ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag caggacggcg | 960 |
| | gccggggctt ggtgcttcct ggctacaagt acctcggacc cttcaacgga ctcgacaagg | 1020 |
| 30 | gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc | 1080 |
| | agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgcgcagcc gagtttcagg | 1140 |
| | agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc ttccaggcca | 1200 |

EP 1 310 571 B1

agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gctcctggaa 1260
 agaagagacc ggtagagcca tcaccccagc gttctccaga ctctctacg ggcacggca 1320
 5 agaaaggcca gcagcccgcg aaaaagagac tcaactttgg gcagactggc gactcagagt 1380
 cagtgcgccga ccctcaacca atcgggagAAC ccccgagcagg cccctctggt ctgggatctg 1440
 gtacaatggc tgcaggcggt ggcgctccaa tggcagacaa taacgaaggc gccgacggag 1500
 10 tgggtagttc ctcaggaaat tggcattgag attccacatg gctgggagac tgagtcacatca 1560
 ccaccagcac ccgaacctgg gccctcccca cctacaacaa ccacctctac aagcaaattct 1620
 ccaacgggac ttcgggagga agcaccaacg acaacaccta cttcggctac agcacccct 1680
 15 ggggggtatct tgactttaac agattccact gccacttctc accacgtgac tggcagcgac 1740
 tcatcaacaa caactgggga ttccggccca agagactcaa cttcaagctc ttcaacatcc 1800
 aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac cttaccagca 1860
 20 cgattcaggt ctttacggac tcggaatacc agtcccgta cgtcctcggc tctgcgcacc 1920
 agggctgcct gcctccgttc ccggcgagc tcttcattgat tcctcagtag gggtagctga 1980
 ctctgaacaa tggcagtcag gccgtgggac gttcctcctt ctactgcctg gagtactttc 2040
 25 cttctcaaat gctgagaacg ggcaacaact ttgagttcag ctaccagttt gaggacgtgc 2100
 cttttcacag cagctacgcg cacagccaaa gcctggaccg gctgatgaac cccctcatcg 2160
 accagtacct gtactacctg tctcggactc agtccacggg aggtaccgca ggaactcagc 2220
 30 agttgctatt ttctcaggcc gggcctaata acatgtcggc tcaggccaaa aactggctac 2280
 ccggggccctg ctaccggcag taacgcgtct ccacgacact gtcgcaaaat aacaacagca 2340
 actttgtctg gaccggtgcc accaagtatc atctgaatgg cagagactct ctggtagatc 2400
 35 ccgggtgtgc tatggcaacc cacaaggacg acgaagagcg attttttccg tccagcggag 2460
 tcataatgtt tgggaaacag ggagctggaa aagacaacgt ggactatagc agcgtcatgc 2520
 taaccagtga ggaagaaatt aaaaccacca acccagtggc cacagaacag tacggcgtgg 2580
 40 tggccgataa cctgcaacag caaaacgccg ctctattgt aggggcccgtc aacagtcaag 2640
 gagccttacc tggcatggtc tggcagaacc gggacgtgta cctgcagggt cctacctggg 2700
 ccaagattcc tcacacggac ggaactttc atccctcgcg gctgatggga ggctttggac 2760
 45 tgaaacaccc gcctcctcag atcctgatta agaatacacc tggtcccgcg gatcctccaa 2820
 ctaccttcag tcaagctaag ctggcgctct tcatacagca gtacagcacc ggacaggatca 2880
 gcgtggaaat tgaatgggag ctgcaggaag aaaacagcaa acgctggaac ccagagattc 2940
 50 aatacacttc caactactac aaatctacaa atgtggactt tgctgttaac acagatggca 3000
 cttattctga gcctcgcccc atcggcaccg gttacctcac ccgtaattctg taattgcttg 3060
 55 ttaatcaata aaccgggtga ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120

c

3121

5

<210> 13

<211> 3121

<212> DNA

<213> new AAV serotype, clone 29.5

10

<400> 13

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|---|------|
| | gaattcgccc ttcgcgagac caaagttcaa ctgaaacgaa tcaaccggtt tattgattaa | 60 |
| | caagcaatta cagattacgg gtgaggtaac gggcgccgat gggcgaggc tcagaataag | 120 |
| 5 | tgccatctgt gttaacagca aagtccacat ttgtagattt gtagtagttg gaagtgtatt | 180 |
| | gaatctcttg gttccagcgt ttgctgtttt ctttctgcag ctcccatcca atttccacgc | 240 |
| | tgacctgtcc ggtgctgtac tgcgtgatga acgacgccag cttagcttga ctgaaggtag | 300 |
| 10 | ttggaggatc cgcgggaaca ggtgtattct taatcaggat ctgaggaggc ggggtgttcca | 360 |
| | gtccaaagcc tcccatcagc ggcgagggat gaaagtctcc gtccgtgtga ggaatcttgg | 420 |
| | cccagatagg accctgcagg tacacgtccc ggttctgccca gaccatgccca ggtaaggctc | 480 |
| 15 | cttgactgtt gacggcccct acaataggag cggcggtttt ctggtgcagg ttatcggcca | 540 |
| | ccacgccgta ctgttctgtg gccactgggt tgggtgtttt aatttcttcc tcaactggta | 600 |
| | gcataacgct gctatagtcc acgttgtctt ttccagctcc ctgtttccca aacattaaga | 660 |
| 20 | ctccgctgga cggaaaaaat cgctcttctg cgctcttctg ggttgccata gcgacaccgg | 720 |
| | gatttaccag agagtctctg ccattcagat gatacttggg ggcaccggc caggcaagt | 780 |
| | tgctgttctc attttgcgac agtgtcgtgg agacgcgtt ctgccggtg cagggcccg | 840 |
| 25 | gtagccagtt tttggcctga gccgacatgt tattaggccc ggcctgagaa aatagcaact | 900 |
| | gctgagttcc tgcggtacct ccggtggact gagtccgaga caggtagtac aggtactgg | 960 |
| | cgatgagggg gttcatcagc cgggtccaggc tttggctgtg cgcgtagctg ctgtgaaaag | 1020 |
| 30 | gcacgtctc aaactggtag ctgaactcaa agttgttgcc cgttctcagc atttgagaag | 1080 |
| | gaaagtactc caggcagtag aaggaggaaac ggcacaggc ctgactgccca ttgttcagag | 1140 |
| | tcagggtaccc gtactgagga atcatgaaga cgtccgccgg gaacggaggc aggcagccct | 1200 |
| 35 | gggtgcgcaga gccgaggacg tacgggagct ggtattccga gtccgtaaag acctgaatcg | 1260 |
| | tgctggtaag gttattggcg atgggtcttg tgccttcatt ctgcgtgacc tccttgacct | 1320 |
| | ggatgttgaa gagcttgaa gtgaggctct tgggcccggaa tccccagttg ttgttgatga | 1380 |
| 40 | gtcgtgccca gtcacgtggt gagaagtggc agtggaaatct gttaaagtca aaatacccc | 1440 |
| | aggggggtgct gtagccgaag taggtgttgt cgttggtgct tcctcccgaa gtcccgttg | 1500 |
| | agatttgctt gtagaggtag ttgtttagg tggggagggc ccagggttcgg gtgctggtgg | 1560 |
| 45 | tgatgactcc gtcgcccagc catgtggaat cgcaatgccca atttctgag gaactaccca | 1620 |
| | ctccgtcggc gccttcgtta ttgtctgccca ttggagcgcc accgcctgca gccattgtac | 1680 |

50

55

EP 1 310 571 B1

5 cagatcccag accagagggg cctgcggggg gttctccgat tggttgaggg tcgggcactg 1740
 actctgagtc gccagtctgc ccaaagtga gtctcttttt cgcgggctgc tggcctttct 1800
 10 tgccgatgcc cgtagaggag tctggagaac gctgggggtga tggctctacc ggtctcttct 1860
 ttcaggagc cgtcttagcg ccttctctcaa ccagaccgag aggttcgaga acccgcttct 1920
 tggcctggaa gactgctcgc ccgaggttgc ccccaaaaga cgtatcttct tgcagacgct 1980
 15 cctgaaactc ggcgtcggcg tggttatacc gcaggtacgg attgtcaccg gctttgagct 2040
 gctggctgta ggccttctcg tgctcgaggg ccgctgcgtc cgcgcggtg acgggctccc 2100
 ccttgtcgag tccgttgaag ggtccgaggt acttgtagcc aggaagcacc agaccccggc 2160
 20 cgtcgtcctg cttttgctgg ttggtcttgg gcttcggggc tccaggtttc agcgcccacc 2220
 actcgcgaat gccctcagag aggttctcct cgagccaatc tggaagataa ccatcggcag 2280
 ccatacctga tttaaatcat ttattgttca aagatgcagt catccaaatc cacattgacc 2340
 25 agatcgcagg cagtgcagc gtctggcacc tttcccatga tatgatgaat gtagcacagt 2400
 ttctgatacg cttttttgac gacagaaacg ggttgagatt ctgacacggg aaagcactct 2460
 aaacagtctt tctgtccgtg agtgaagcag atatttgaat tctgattcat tctctcgcat 2520
 30 tgtctgcagg gaaacagcat cagattcatg cccacgtgac gagaacattt gttttggtac 2580
 ctgtctgct agttgatcga agcttccgcg tctgacgtcg atggctgcgc aactgactcg 2640
 cgcaccggtt tgggctcact tatatctgcg tcaactgggg cggtcttttt cttggctcca 2700
 35 ccttttttga cgtagaattc atgctccacc tcaaccacgt gatcctttgc ccaccggaaa 2760
 aagtctttga cttctgctt ggtgaccttc ccaaagtcat gatccagacg gcgggtgagt 2820
 tcaaatttga acatccggtc ttgcaacggc tgctggtgtt cgaaggctgt tgagttcccc 2880
 40 tcaatcacgg cgcacatgtt ggtgttggag gtgacgatca cgggagtcgg gtctatcttg 2940
 gccgaggact tgcatttctg gtccacgcgc accttgcttc ctccgagaat ggctttggcc 3000
 gactccacga ccttggcggg catcttcccc tcctcccacc agatcaccat ctgtctgaca 3060
 45 cagtcgttga agggaaagt ctcattggtc cagttgacgc agccgtagaa agggcgaatt 3120
 c 3121

45 <210> 14
 <211> 3131
 <212> DNA
 <213> new AAV serotype, clone 1-3

50 <400> 14

55 gcggccgcga attcgcctt ggctgcgtca actggaccaa tgagaacttt ccttcaatg 60
 attgcgtcga caagatggtg atctgggtgg aggagggcaa gatgacggcc aaggctcgtg 120
 agtccgcgca ggccattctc ggcggcagca aggtgcgcgt ggaccaaag tgcaagtcgt 180

| | | |
|----|--|------|
| | ccgcccagat cgaccccacc cccgtgacg tcacctccaa caccaacatg tgcgccgtga | 240 |
| 5 | ttgacgggaa cagcaccacc ttcgagcacc agcagcctct ccaggaccgg atgtttaagt | 300 |
| | tcgaactcac ccgccgtctg gagcacgact ttggcaagggt gacaaagcag gaagtcaaag | 360 |
| | agttcttccg ctggggccagt gatcacgtga ccgaggtggc gcatgagttt tacgtcagaa | 420 |
| 10 | agggcggagc cagcaaaaga cccgcccccg atgacgcgga taaaagcgag cccaagcggg | 480 |
| | cctgccccctc agtcgcggat ccatcgacgt cagacgcgga aggagctccg gtggactttg | 540 |
| | ccgacaggta ccaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct | 600 |
| 15 | gcaaaacgtg cgagagaatg aatcggaatt tcaacatttg cttcacacac ggggtcagag | 660 |
| | actgctcaga gtgtttcccc ggcggtgcag aatctcaacc ggtcgtcaga aagaggacgt | 720 |
| | atcggaact ccgtgcgatt catcatctgc tggggcgggc tcccagagatt gcttgctcgg | 780 |
| 20 | cctgcgatct ggtcaacgtg gacctggatg actgtgtttc tgagcaataa atgacttaaa | 840 |
| | ccaggatatg ctgccgatg ttatcttcca gattggctcg aggacaacct ctctgagggc | 900 |
| | attcgcgagt ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag | 960 |
| 25 | caggacgacg gccgggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga | 1020 |
| | ctcgacaagg gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggct | 1080 |
| | tacgaccagc agctgcaggc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc | 1140 |
| 30 | gagtttcagg agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc | 1200 |
| | ttccaggcca agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg | 1260 |
| | gctcctggaa agaagagacc ggtagagcca tcacccagc gttctccaga ctctcttacg | 1320 |
| 35 | ggcatcggca agaaaggcca acagcccggc agaaaaagac tcaattttgg tcagactggc | 1380 |
| | gactcagagt cagttccaga ccctcaacct ctcggagaac ctccagcagc gccctctggt | 1440 |
| | gtgggacctt atacaatggc tgcaggcggg ggcgaccaa tggcagacaa taacgaaggc | 1500 |
| 40 | gccgacggag tgggtagtct ctcgggaaat tggcattgcg attccacatg gctgggcgac | 1560 |
| | agagtcatca ccaccagcac ccgaacctgg gccctgcca cctacaacaa ccacctctac | 1620 |
| | aagcaaactc ccaacgggac atcggggagga gccaccaacg acaacacctt cttcggctac | 1680 |
| 45 | agcaccctct ggggggtattt tgactttaac agattccact gccacctttc accacgtgac | 1740 |
| | tggcagcgac tcataacaa caactgggga ttccgacca agagactcag cttcaagctc | 1800 |
| | ttcaacatcc aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac | 1860 |
| 50 | ctcaccagca ccattcaggt gtttacggac tcggagtacc agctgccgta cgttctcggc | 1920 |
| | tctgtccacc agggctgcct gcctccgttc ccggcgagc tgttcatgat tcccagtac | 1980 |
| | ggctacctaa cactcaacaa cggtagtcag gccgtgggac gtcctcctt ctactgcctg | 2040 |
| 55 | gaatactttc cttcgcagat gctgagaacc ggcaacaact tccagtttac ttacaccttc | 2100 |

EP 1 310 571 B1

5
10
15
20
25
30

gaggacgtgc ctttccacag cagctacgcc cacagctaga gcttggaccg gctgatgaat 2160
cctctgattg accagtacct gtactacttg tctcggactc aaacaacagg aggcacggca 2220
aatacgcaga ctctgggctt cagccaaggc gggcctaata caatggccaa tcaggcaaag 2280
aactggctgc caggaccctg ttaccgccaa caacgcgtct caacgacaac cgggcaaaac 2340
aacaatagca actttgcctg gactgctggg accaaatacc atctgaatgg aagaaattca 2400
ttggctaata ctggcatcgc tatggcaaca cacaagacg acgaggagcg tttttttccc 2460
agtaacggga tcctgatttt tggcaaacaa aatgctgcc gagacaatgc ggattacagc 2520
gatgtcatgc tcaccagcga ggaagaaatc aaaaccacta accctgtggc tacagaggaa 2580
tacggtatcg tggcagataa cttgcagcag caaaacacgg ctctcaaata tggaaactgtc 2640
aacagccagg gggccttacc cggtatggc tggcagaacc gggacgtgta cctgcagggt 2700
cccatctggg ccaagattcc tcacacggac ggcaacttcc acccgtctcc gctgatgggc 2760
ggctttggcc tgaaacatcc tccgcctcag atcctgatca agaacacgcc tgtacctgcg 2820
gatcctccga ccaccttcaa ccagtcaaag ctgaactctt tcatcacgca atacagcacc 2880
ggacagggtca gcgtggaaat tgaatgggag ctgcagaagg aaaacagcaa gcgctggaac 2940
cccagatcc agtacacct ccaactactac aaatctataa gtgtggactt tgctgttaat 3000
acagaaggcg tgtactctga accccgcccc attggcacc gttacctcac ccgtaatctg 3060
taattgcctg ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga 3120
agggcgaatt c 3131

35
40
45
50
55

<210> 15
<211> 3127
<212> DNA
<213> new AAV serotype, clone 13-3b

<400> 15

EP 1 310 571 B1

gcgggccgca attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac atgcaattac agattacggg tgaggtaacg agtgccaata gggcgagget 120
5 cagagtaaac accctggctg tcaacggcaa agtccacacc agtctgcttt tcaaagttag 180
aggtgtactg aatctccggg tcccagcgtt tgctgttttc cttctgcagc tcccactcga 240
tttccacgct gacttgctcg gtgctgtact gtgtgatgaa cgaagcaaac ttggcaggag 300
10 taaacacctc cggaggatta gcgggaacgg gagtgttctt gatcaggatc tgaggaggcg 360
gatgtttaag tccaaagccg cccatcaaag gagacgggtg aaagttgcca tccgtgtgag 420
gaatcttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccag 480
15 gtaaggctcc ctggttgttg acaacttgtg tctgggctgc agtattagcc gcttgtaagt 540
tgctgctgac tatcccgatc tcttccgtgg ctacaggatt agtaggacga atttcttctt 600
catttgctat taacacattt tccaatgtag ttttgtagt tgctccagtt tttccaaaaa 660
20
25
30
35
40
45
50
55

| | | |
|----|---|------|
| | tcaggactcc gctggatggg aaaaagcggg cctcgtcgtc cttgtgagtt gccatggcga | 720 |
| 5 | cgccgggatt aaccaacgag tttctgccgt tcagggtgata tttgggtggca ccagtccaag | 780 |
| | caaagttagct gttgttggtt tgatccagcg ttttgagagac cctttgttgc cggaagcagg | 840 |
| | gtccaggtaa ccaattcttg gcttgttcgg ccatagttaga agggccgccc tggtaaaact | 900 |
| 10 | gcagttcccc attgccagct gtgcctcctg ggteactctg tgttctggcc aggtagtaca | 960 |
| | agtactgggtc gatgagggga ttcattcagcc ggtccaggct ctggctgtgt gcgtagctgc | 1020 |
| | tgtggaaagg cacgtcctcg aagctgtagc tgaactcaaa gttgttgccc gttctcagca | 1080 |
| 15 | tctgagaggg gaagtactcc aggcagtaga aggaggaacg tcccacagac tgactgccat | 1140 |
| | tgttgagagt caggtagccg tactgaggaa tcatgaagac gtccgccggg aacggaggca | 1200 |
| | ggcagccctg gtgcgcagag ccgaggacgt acggcagctg gtattccgag tccgagaata | 1260 |
| 20 | cctgaatcgt gctggtaagg ttattagcga tggctcgtaac gccgtcatte gtcgtgacct | 1320 |
| | ccttgacctg gatgttgaag agcttgaacc gcagcttctt gggccggaat cccagttgt | 1380 |
| | tgttgatgag tcgctgccag tcacgtggtg agaagtggca gtggaatctg ttaaagtcaa | 1440 |
| 25 | aataccccca gggggtgctg tagccgaagt aggtgttctc gttggtacta cctgcagttt | 1500 |
| | cactggagat ttgctcgtag aggtggtgtg tgtaggtggg cagggcccag gttcgggtgc | 1560 |
| | tgggtgtaat gactctgtcg cccagccatg tggaaatcgca atgccaatte cctgaggcat | 1620 |
| 30 | taccactcc gtcggcacct tcgttattgt ctgccattgg tgcgccaccg cctgcagcca | 1680 |
| | ctgtaccaga tcccacacta gaggcgctg ctggaggttc tccgagaggt tgagggtcgg | 1740 |
| | ggactgactc tgagtcgcca gtctgaccga aattgagtct ctttctggcg ggctgctggc | 1800 |
| 35 | ccttcttgcc gatgcccgtg gaggagtcgg gggaaacgtg aggtgacggc tctaccggtc | 1860 |
| | tcttctttgc aggagccgtc tttagccctt cctcaaccag accgagaggt tcgagaacct | 1920 |
| | gcttcttggc ctggaagact gctcgcccga ggttgcccc aaatgacgta tcttcttgca | 1980 |
| 40 | gacgtcctg aaactcggcg tcggcgtggt tataccgcag gtacgggttg tcaccgcacat | 2040 |
| | tgagctgctg gtcgtaggcc ttgtcgtgct cgagggccgc tcgctccgcc gcgttgacgg | 2100 |
| | gtcccccctt gtcgagtcgg ttgaagggtc cgaggtagct gtagccagga agcaccagac | 2160 |
| 45 | cccggccgtt gtccgtgctt tgctgggttg ctttgggttt cggggctcca ggtttcaggt | 2220 |
| | cccaccactc gcgaatgcc tcagagaggt tgcctcagag ccaatctgga agataaccat | 2280 |
| | cggcagccat acctgattta aatcatttat tgttcaaaga tgcagtcac ccaatccaca | 2340 |
| 50 | ttgaccagat cgcaggcagt gcaagcgtct ggcaccttt ccatgatatg atgaatgtag | 2400 |
| | cacagtttct gatagcctt tttgacgaca gaaacgggtt tagattctga cacgggaaaag | 2460 |
| | cactctaaac agtctttctg tccgtgagtg aagcagatat ttgaattctg attcattctc | 2520 |
| 55 | tcgcattgtc tgcagggaaa cagcatcaga ttcattgccc cgtgacgaga acatttggtt | 2580 |

EP 1 310 571 B1

| | | | | | | | |
|----|-------------|------------|-------------|------------|-------------|------------|------|
| | tggtagctgt | ctgcgtagtt | gatacgaagct | tccgcgtctg | acgtcgatgg | ctgcgcaact | 2640 |
| 5 | gactcgcgca | cccgtttggg | ctcacttata | tctgcgtcac | tgggggcggg | tctttctctg | 2700 |
| | gctccaccct | ttttgacgta | gaattcatgc | tccacctcaa | ccacgtaatc | ctttgcccac | 2760 |
| | cggaaaaagt | ctttgacttc | ctgcttgggtg | accttcccaa | agtcattgatc | cagacggcgg | 2820 |
| 10 | gtgagttcaa | atttgaacat | ccggctcttg | aacggctgct | gggtgttcgaa | ggtcgttgag | 2880 |
| | ttcccgtcga | tcacggcgca | catgttgggtg | ttggagatga | cgatcgcggg | agtcgggtct | 2940 |
| | atctgggccc | aggacttgca | tttctgggtcc | acgcgcacct | tgcttcctcc | gagaatggct | 3000 |
| 15 | ttggcgcgact | ccacgacctt | ggcgggtcacc | ttccccctcc | cccaccagat | caccatcttg | 3060 |
| | tcgacacagt | cgttgaaggg | aaagtctctca | ttggtccagt | tgacgcagcc | gtagaaaggg | 3120 |
| | cgaattc | | | | | | 3127 |

20 <210> 16
 <211> 3106
 <212> DNA
 <213> new AAV serotype, clone 24-1
25
 <400> 16

EP 1 310 571 B1

| | | |
|----|--|------|
| | gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccgggtt | 60 |
| | attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct | 120 |
| 5 | cagtataaac ccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg | 180 |
| | aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tcccactcga | 240 |
| | tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag | 300 |
| 10 | taaacacctc tggaggatta gcaggtagcg ggggtgtttt gatgagaatt tgaggaggcg | 360 |
| | ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag | 420 |
| | gaattttggc ccagatggga cctgcaggc acacgtcccg gttctgccag accatgccgg | 480 |
| 15 | gcagagcccc ctggctgttg acagtctgtg tctgggtcc gccgtagac gattgcagg | 540 |
| | tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct | 600 |
| | cgctggatcat tagcacgttt tccagcgttg tcttgttggc agccccggtt ttgccaaaaa | 660 |
| 20 | ccagcactcc gttgatggga aagaactggc cctcgtcgtc cttgttgggt gccatggcta | 720 |
| | cgcccggtt ggttaatgaa tttctacat tccagatggta tttagtggcc ccggtccagg | 780 |
| | caaagttact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg | 840 |
| 25 | gtccgggcag ccagttcttt gattgctcgg ccattgggtt gggcccagcc tgatggaaact | 900 |
| | gcagctccct tgtggacccc gtagtgctct gggccgggc caggtagtac aggtactggt | 960 |
| | cgatgagggg attcatcagc cggctcaggc tctggctgtg cacatagctg ctgtggaaaag | 1020 |
| 30 | gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag | 1080 |

35

40

45

50

55

5 gaaagtactc caggcagtag aaggaggaac gtccacaga ctgactgccg ttgtttagag 1140
 tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
 tgctggtaag gttattagcg atggtcgtaa cgccgctcgtt cgtcgtgacc tccttgacct 1320
 10 ggatgttgaa caacttgaa cgcagctttc tgggccggaa tccccagttg ttgttgatga 1380
 gtcgctgccg gtcacgtggt gagaagtggc agtgaatct gttgaagtca aaatagcccc 1440
 aggggggtgct gtagctgaag aagtggttgt cgttggtagc cccgctctga cttgatattc 1500
 15 gctttagtag gttgttgttg taggtgggca gggccaggt gcgggtgctg gtggtgatga 1560
 ctctgtcgcc cagccatgtg gaatcgcaat gccaatctcc ggaggcatta cccactccgt 1620
 cggcgccctc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
 20 ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
 agtcgccagt ctgccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga 1800
 tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcga 1860
 25 ctctctcaac cagaccgaga ggttcgagaa cccgcttctt ggcttgaag actgctcgcc 1920
 cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
 ggttgactt gaggtacggg ttgtccctc gctcgagctg cttgtcgtag gccttgctgt 2040
 30 gctcgagggc cgcggcgtct gcctcggtga cggctctcc cttgtcgagt ccgttgaagg 2100
 gtctgaggta cttgtagcca ggaagcacca gaccccgcc gtcgtcctgc ttttgctggt 2160
 tggctttggg ttctggggct ccaggtttca agtccacca ctgcgaatg cctcagaga 2220
 35 ggttgctctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
 tattgtcag aaacacagtc atccaggtcc acgttgacca gatcgaggc cgagcaagca 2340
 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 40 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
 tgcgtgaagc aaatgttgaa attctgattc actctctcgc atgtcttgca gggaaacagc 2520
 atctgaagca tgcccgctg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 45 ggagctcctt ccgctctga cgtcgatgga ttcgcgactg aggggcaggc ccgcttgggc 2640
 tcgcttttat ccgctcatc gggggcgggt ctcttggtgg cccaccctt tctgacgtag 2700
 aacccatgcg ccacctcggg cacgtgatcc tgcgcccagc ggaagaacct tttgacttcc 2760
 50 tgctttgtca ccttgccaaa gttatgctcc agacggcggg tgggttcaa tttgaacatc 2820
 cggctctgca acggctgctg gtgctcgaag gtggcgctgt tcccgtaac cagggcgac 2880
 atgttgggtg tggaggtgac ggtcacgggg gtggggctga tctgggcgga cgacttgac 2940
 55 ttttggtcca cgcgcacctt gctgcgcgcg agaatggcct tggcggactc cagaccttg 3000

EP 1 310 571 B1

gccgtcatct tgccttcctc ccaccagatc accatcttgt cggcgcaatc gttgaagggg 3060

aagttctcat tgggccagtt gacgcagccg tagaaagggc gaattc 3106

5

<210> 17

<211> 3102

<212> DNA

10 <213> new AAV serotype, clone 27-3

<400> 17

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

gcggccgcga attcgcctt cgagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
5 cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg 180
aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tccactcga 240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300
10 taaacacctc tggaggatta gcaggtaacc ggggtgtttt gatgagaatt tgaggaggcg 360
gggtgttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420
gaatttcggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg 480
15 gcagagcccc ctggctgttg acagtctgtg tccgggggtc ggccgtagac gattgcaggt 540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct 600
cgctggcat tagcacgttt tccagcgttg tcttgttggc agccccgtt ttgccaaaaa 660
20 ccagcactcc gttgatggga aggaactggt cctcgtcgtc cttgttggtg gccatggcta 720
cgccccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780
caaagtact gttgtgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg 840
25 gtccgggcag ccagttcttt gattgctcgg ccacgggtgtt gggcccagcc tgatggaact 900
gcagctccct tgtggacccc gtagtgctct ggggtccggc caggtagtac aggtactggt 960
cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatagctg ctgtggaaag 1020
30 gcaattcctc aaagggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag 1080
gaaagtactc caggcagcag aaggaggaac gtcccacaga ctgactgccg ttgtttagag 1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
35 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
tgctggtaag gttattagcg atggtcgtaa cgcgctcgtt cgtcgtgacc tccttgacct 1320
ggatgttgaa caacttgaa cgcagctttc tgggcccggaa tccccagttg ttgttgatga 1380
40 gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440
agggggtgct gtagccgaag aagtgggtgt cgttggtagc cccgctctga cttgatatct 1500
gcttgtagag gtggttggtg taggtgggca gggcccaggt gcgggtgctg gtggtgatga 1560
45 ctctgtcgcc cagccatgtg gaatcgcaat gccaatctcc ggaggcatta cccactccgt 1620

50

55

cggcgcccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
 ccagacctga gggcgcgggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
 5 agtcgccagt ctgccc aaag ttgagcttct ttttagcggg ctgctggcct tctttgccga 1800
 tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccggaagcc gtcttagcgc 1860
 10 cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
 cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
 ggttgactt gaggtacggg ttgtccccc gtctgagctg cttgtcgtag gccttgctgt 2040
 15 gctcgagggc cgcggcgtct gcctcgttga ccggtctctc cttgtcgagt ccgttgaagg 2100
 gtccgaggta cttgtagcca ggaagacca gaccccggcc gtcgtcctgc tttgtctgg 2160
 tggttttggg tttcggggct ccaggtttca agtcccacca ctcgcaatg ccctcagaga 2220
 ggttgctctc gagccaatct ggaagataac catcggcagc catacctgg ttaagtcatt 2280
 20 tattgctcag aaacacagtc atccaggctc acgttgacca gatcgaggc cgagcaagca 2340
 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 25 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctgggtccc 2460
 tgcggtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca gggaaacagc 2520
 atctgaagca tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 ggagctcctt ccgcgtctga cgtcgatgga tccgcgactg aggggcaagc ccgcttgggc 2640
 30 tcgcttttat ccgcgtcatc gggggcgggt ctcttggttg ctccaccctt tctgacgtag 2700
 aactcatgcg ccacctcggg cacgtgatcc tgcgccagc ggaagaactc tttgacttcc 2760
 35 tgctttgtca ccttgccaaa gtcattgctc agacggcggg tgagttcaaa tttgaacatc 2820
 cggctcttgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
 atgttggtgt tggaagtga gatcacgggg gtgggatcga tctgggcgga cgacttgac 2940
 40 ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgacctg 3000
 gccgtcatct tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
 aagttctcat tgggtccagtt gacgcagccg aagggcgaat tc 3102

45 <210> 18

<211> 3106

<212> DNA

<213> new AAV serotype, clone 7-2

50 <400> 18

gggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat cagccggttt 60
 attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
 55 cagtataaac ccttctgttg ttgacagcaa attccacatt attagacttg gcataatttg 180

aggtgtactg aatctctgga ttccagcggt tgctgttttc tttctgcagt tcccactcga 240
 tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300
 5 taaacacctc tggaggatta gcaggtaccg ggggtgtttt gatgagaatt tgaggaggcg 360
 ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420
 gaattttggc ccagatggga cctcgcaggt acacgtcccg gttctgccag accatgccgg 480
 10 gcagagcccc ctggctgttg acagtctgtg tctgggggtcc ggccgtagac gattgcaggt 540
 tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct 600
 cgctgggtcat tagcacgttt tccagcggtg tcttgttggc agcccccggt ttgccaaaaa 660
 15 ccagcactcc gttgatggga aagaactggg cctcgtcgtc cttgttggtg gccatggcta 720
 cggccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780
 caaagtact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg 840
 20 gtccgggcag ccagttcttt gattgctcgg ccattggtgtt gggcccagcc tgatggaact 900
 gcagctccct tgtggacccc gtagtgctct gggtcggggc caggtagtac aggtactggt 960
 cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatagctg ctgtggaaag 1020
 25 gcacttcctc aaaggtgtag ctgaattcaa agttatcgcc cgttctcagc atctgagaag 1080
 gaaagtactc caggcagtag aaggaggaaac gtcccacaga ctgactgccg ttgttttagag 1140
 tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
 30 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
 tgctggtaag gttattagcg atggtcgtaa cgccgtcgtt cgtcgtgacc tccttgacct 1320
 ggatgttgaa caacttgaa cgcagctttc tgggcccggaa tcccagttg ttgttgatga 1380
 35 gtctgtgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440
 aggggggtgct gtagccgaag aagtgggtgt cgttggttagc cccgctctga cttgatatct 1500
 gcttgtagag gtggttgttg taggtgggca gggcccagggt gcgggtgctg gtggtgatga 1560
 40 ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt 1620
 cggcgccttc gttattgtct gccattgggtg cgccaccgcc tgacagccatt gtaccagatc 1680
 ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
 45 agtcgccagt ctgccc aaag ttgagcttct ttttagcggg cggctggccg ttcttgccga 1800
 tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcgc 1860
 50 ctctctcaac cagaccgaga ggttcgagaa cccgcttctt ggccctggaag actgctcgcc 1920
 cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
 ggtgttactt gaggtacggg ttgtccccct gctcgagctg cttgtcgtag gccttgctgt 2040
 55 gctcgagggc cggcggctct gcctcggtga ccggctctcc cttgtcgagt ccgttgaagg 2100

EP 1 310 571 B1

gtccgaggta cctgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
 5 tggctttggg tttcggggct ccaggtttca agtcccacca ctgcgaatg ccctcagaga 2220
 ggttgccctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
 tattgctcag aaacacagtc atccagggtcc acgttggcca gatcgcaggc cgagcaagca 2340
 10 atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
 ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
 tgcgtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca ggggaacagc 2520
 15 atctgaagca tgcccgcgtg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
 ggagctcctt ccgcgtctga cgtcgtatga tccgcgactg aggggcaggc ccgcttgggc 2640
 tcgcttttat ccgcgtcatc gggggcgggt ctcttggttg ctcaccctt tctgacgtag 2700
 20 aactcatacg ccacctcggg cacgtgatcc tgcgccagc ggaagaactc tttgacttcc 2760
 tgctttgtca ccttgccaaa gtcattgtcc agacggcggg tgagttcaaa tttgaacatc 2820
 cggctcttgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
 25 atgttggtgt tggaagtgc gatcacgggg gtgggatcga tctgggcgga cgacttgcac 2940
 ttttggtcca cgcgcacctt gctgcccgcg agaatggcct tggcggactc cacgacctg 3000
 gccgtcatcc tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
 30 aagttctcat tgggtccagtt gacgcagccg tagaaagggc gaattc 3106

<210> 19

<211> 3105

<212> DNA

<213> new AAV serotype, clone C1

<400> 19

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg | 60 |
| | acaagatggg gatctggtgg gaggagggca agatgaccgc caaggtcgtg gagtccgcca | 120 |
| 5 | aggccattct gggcggaagc aaggtgcgcg tggaccaaaa gtgcaagtca tcggcccaga | 180 |
| | tcgacccac gcccgatgac gtcacctcca acaccaacat gtgcgccgtg atcgacggga | 240 |
| | acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca | 300 |
| 10 | cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gatttcttcc | 360 |
| | gctgggctca ggatcacgtg actgaggtgg cgcattgagtt ctacgtcaga aagggcggag | 420 |
| | ccaccaaaag acccgcccc agtgacgcgg atataagcga gcccaagcgg gcctgcccct | 480 |
| 15 | cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacaggtaac | 540 |
| | aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg | 600 |
| | agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt | 660 |
| 20 | gcttccccgg cgcgtcagaa tctcaaccgg tcgtcagaaa aaagacgtat cagaaactgt | 720 |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

| | | |
|----|--|------|
| | gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc cgcgatctcg | 780 |
| 5 | tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct | 840 |
| | gctgacggtt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg | 900 |
| | tgggacctga aacctggagc cccaagccc aaggccaacc agcagaagca ggacgacggc | 960 |
| 10 | cggggtctgg tgcttctg ctacaagtac ctcggaccct tcaacggact cgacaagggg | 1020 |
| | gagcccgtca acgcggcgga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag | 1080 |
| | ctcaaagcgg gtgacaatcc gtacctgagg tataaccacg ccgacgccga gtttcaggag | 1140 |
| 15 | cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag | 1200 |
| | aagagggtag tcgaacctct gggcctgggt gaagaagggt ctaagacggc tcctggaaag | 1260 |
| | aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc | 1320 |
| 20 | aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc | 1380 |
| | cctgaaggat cagataccag cgccatgtct tcagacattg aaatgctgc agcaccgggc | 1440 |
| | ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg | 1500 |
| 25 | cattgcgatt ccacctgggtc tgagggcaag gtcacaacaa cctcgaccag aacctgggtc | 1560 |
| | ttgccacact acaacaacca cttgtacctg cggctcggaa caacatcaa cagcaacacc | 1620 |
| | tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcacttc | 1680 |
| 30 | tcaccacgtg actggcaaaag actcatcaac aacaactggg gactacgacc aaaagccatg | 1740 |
| | cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg | 1800 |
| | gtcgctaata accttaccag cacggttcag atatttgcgg actcgtcgta tgagctcccg | 1860 |
| 35 | tacgtgatgg acgctggaca agagggaagt ctgtctcctt tccccaatga cgtcttcatg | 1920 |
| | gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga | 1980 |
| | aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt | 2040 |
| 40 | gaaatggctt acaactttgg gaagggtccg ttccactcaa tgtatgctta cagccagagc | 2100 |
| | ccggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc | 2160 |
| | tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtggg | 2220 |
| 45 | gactttgcct tttacagaaa gaactggctg cctgggcctt gtgttaaaaca gcagagactc | 2280 |
| | tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaag | 2340 |
| | tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgcttg acctccaatg | 2400 |
| 50 | gcaacagctg gaccttcaga tggggacttc agcaacgccc agctcatctt ccctggacca | 2460 |
| | tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaagaagaa | 2520 |
| | attgctgcca ccaacccaag agacacggac atgtttgggt agattgctga caataatcag | 2580 |
| 55 | aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgtt tcctggcatg | 2640 |

EP 1 310 571 B1

```

gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg 2700
5  gacggacatt ttcatacttc accgctaatt ggcggttttg gactgaaaca tccgcctccc 2760
   cagatattta tcaaaaacac ccccgtagct gccaatcctg cgacaacctt cactgcagcc 2820
   agagtggact ctttcatac acaatacagc accggccagg tcgctgttca gattgaatgg 2880
10  gaaatcgaaa aggaacgctc caaacgctgg aatcctgaag tgcagtttac ttcaaactat 2940
   gggaaccagt cttctatggt gtgggctccc gatacaactg ggaagtatac agagccgcgg 3000
   gttattggct ctcgttattt gactaatcat ttgtaactgc ctagttaatc aataaaccgt 3060
15  gtgattcgtt tcagttgaac tttggtctct gcgaaggcg aattc 3105

```

<210> 20

<211> 3105

<212> DNA

<213> new AAV serotype, clone C3

<400> 20

EP 1 310 571 B1

gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg 60
acaagatggt gatctggtgg gaggagggca agatgaccgc caaggtcgtg gagtccgcc 120
5 aggccattct gggcggagc aaggtgcgcg tggacaaaa gtgcaagtca tcggcccaga 180
tcgacccac gcccggtgac gtcacctcca acaccaacat gtgcgccgtg atcgacggga 240
acagcaccac ctctgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca 300
10 cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gatttcttcc 360
gctgggctca ggatcacgtg actgaggtgg cgcattgagt ctacgtcaga aagggcgag 420
ccacaaaag acccgcccc agtgacggcg atataagcga gcccaagcgg gcctgcccc 480
15 cagttgcgga gccatcgacg tcagacggcg aagcaccggg ggactttgcg gacaggtacc 540
aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg 600
agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt 660
20 gcttccccgg cgcgtcagaa tctcaaccgg tcgtcagaaa aaagacgtat cagaaactgt 720
gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc tgcgatctcg 780
tcaacgtgga ctgggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct 840
25 gctgacgggt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg 900
tgggacctga aacctggagc ccccaagctc aaggccaacc agcagaagca ggacgacggc 960
cggggctctgg tgcttcctgg ctacaagtac ctcgaccct tccacggact cgacaagggg 1020
30 gagcccgta acgcgggcga cgcagcgcc ctcgagcacg acaaggccta cgaccagcag 1080
ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga gtttcaggag 1140
cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag 1200
35
40
45
50
55

| | | |
|----|---|------|
| | aagaggggtac tcgaaccact gggcctgggtt gaagaagggtg ctaagacggc tcctggaaaag | 1260 |
| 5 | aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc | 1320 |
| | aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc | 1380 |
| | cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc | 1440 |
| 10 | ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg | 1500 |
| | cattgctgatt ccacctggtc tgaggggcaag gtcacaacaa cctcgaccag aacctgggtc | 1560 |
| | ttgcccacct acaacaacca cttgtacctg cggctcggaa caacatcaaa cagcaacacc | 1620 |
| 15 | tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcaacttc | 1680 |
| | tcaccacgtg actggcaaaag actcatcaac aacaactggg gactacgacc aaaagccatg | 1740 |
| | cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg | 1800 |
| 20 | gtcgctaata accttaccag cacggttcag atatttgcgg actcgtcgta tgagctcccg | 1860 |
| | tacgtgatgg acgctggaca agagggaagt ctgcctcctt tccccaatga cgtcttcattg | 1920 |
| | gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga | 1980 |
| 25 | aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt | 2040 |
| | gaaatggctt acaactttga gaaggtgccg ttccactcaa tgtatgctca cagccagagc | 2100 |
| | ctggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc | 2160 |
| 30 | tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtggg | 2220 |
| | gactttgcct ttacagaaa gaactggctg cctgggacct gtgttaaaaa gcagagattc | 2280 |
| | tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaaag | 2340 |
| 35 | tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgcctgg acctccaatg | 2400 |
| | gcaacagctg gaccttcaga tggggacttc agcaacgccc agctcatctt ccctggacca | 2460 |
| | tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaaggagaa | 2520 |
| 40 | attgctgcca ccaacccaag agacacggac atgtttggtc agattgctga caataatcag | 2580 |
| | aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgtc tcctggcatg | 2640 |
| | gtgtggcaaa acagagacat ttactaccaaa gggccaattt gggccaagat cccacacgcg | 2700 |
| 45 | gacggacatt ttcatccttc accgctaatt ggcggttttg gactgaaaca tccgcctccc | 2760 |
| | cagatattta tcaaaaacac ccccgctacct gccaatcctg cgacaacctt cactgcagcc | 2820 |
| | agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg | 2880 |
| 50 | gaaatcgaaa aggaacgctc caaacgccgg aatcctgaag tgcagtttac ttcaaaactat | 2940 |
| | gggaaccagt cttctatgtt gtgggctccc gatacaactg ggaagtatac agagccgctg | 3000 |
| | gttatggct ctcgttatct gactaatcat ttgtaactgc ctagttaatc aataaaccgt | 3060 |
| 55 | gtgattcgtt tcagttgaac tttggctctc gcgaaggcg aattc | 3105 |

EP 1 310 571 B1

<211> 3105
<212> DNA
<213> new AAV serotype, clone C5

5 <400> 21

gaattcgcgc ttcgcagaga ccaaagttca actgaaacga atcacacggt ttattgatta 60

10 actaggcagt tacaaatgat tagtcaaata acgagagcca ataaccgcg gctctgtata 120

cttcccagtt gtatcgggag cccacaacat agaagactgg ttcacacagt ttgaagtaa 180

ctgcacttca ggattccagc gtttgagagc ttccttttcg atttcccatt caatctgaac 240

15 agcgacctgg cgggtgctgt atttgtgtgat gaaagagtcc actctggctg cagtgaagggt 300

tgctgcagga taggcaggta cgggggtgtt ttgtataaat atctggggag gcggatgttt 360

cagtccaaaa ccgccaatta gcggtgaagg atgaaaatgt ccgtccgcgt gtgggatctt 420

20 ggcccaaatt ggcccttggt agtaaatgtc tctgttttgc cacaccatgc caggaagcac 480

tcccatagca gtcacgttgc cggttatggg agcagttgta gcattctgat tattgtcagc 540

aatctgacca aacatgtccg tgtctcttgg gttggtggca gcaatttctt cttctgatgt 600

25 aaacaacaga ttgtttgctg aggttgttgt gtttccggtg actgatggtc cagggaagat 660

gagctgggag ttgctgaagt ccccatctga aggtccagct gttgccattg gaggtccagg 720

cgctatgttg ctcacagcgt tgtttaaggt atagtgggtg tcatacttta acagagcgtt 780

30 gcccccgctg gcaggaatct tgtaattttg actggcagtt ttgtagaatc tctgctgttt 840

aacacaaggc ccaggcagcc agttctttct gtaaaaggca aagtctccac tcctgatttt 900

tccaaatgtg gttgtgcatt tgccttgatt cagagtctct ccagagggtg tcgactgtaa 960

35 gtgccacagg tactgggtcca ggaggggatt catcagtccg tccaggctct ggctgtgagc 1020

atacattgag tggaaacggca ccttctcaaa gttgtaagcc gtttcaaagt tattgccagt 1080

tctcagcatt tgtgaaggaa aatactccag gcagtagaaa gcatttctgt ccgtctggtt 1140

40 ctgatttttc ccagtcacaa tgccacagta gccatattga ggcacacatga agacgtcatt 1200

ggggaaagga ggcagacttc cctcttggtc agcgtccatc acgtacggga gctcatacga 1260

cgagtcgcga aatatctgaa ccgtgctggt aagggtatta gcgacgtag tctcgccgtt 1320

45 cgacgttggt acctccttaa cttggatatt gaagatttta acgcgcattg cttttgggtg 1380

tagtccccag ttgttgttga tgagtctttg ccagtcacgt ggtgagaagt gacagtggaa 1440

tctgttaaag tcaaagtatc cccagggggt ggagaatccg ttgtaggtgt tgctgtttga 1500

50 tgttgttccg agccgcaggt acaagtgggt gttgtaggtg ggcaagacc aggttctggt 1560

cgagggttgt gtgaccttgc cctcagacca ggtggaatcg caatgccaat caccgaggc 1620

attaccact ccacgcgaac cttgtccgc atcgacagca tttccgccg gtgctgcacg 1680

55 catttcaat tctgaagaca tggcgctggt atctgatcct tcaggggggc cgtctccggc 1740

EP 1 310 571 B1

5 tccagtgtcc tcttcaaagt tgagtctctt ttggctggg tgtttgcctt ttttgcgat 1800
 tcctgaggag gagtccgggt cttgtggtga ctctaaccgt ctcttcttcc caggagccgt 1860
 cttagcacct tcttcaacca ggcccagagg ttcgagtacc ctcttcttgg cctggaagac 1920
 tgctcgcccg aggttgcccc caaaagacgt atcttcttgc agacgtcct gaaactcggc 1980
 gtcggcggtg ttataccgca ggtacggatt gtcacccgt ttgagctgct ggtcgtaggc 2040
 10 cttgtcgtgc tcgagggccg ctgcgtccgc cgcgttgacg ggctccccct tgcgagctcc 2100
 gttgaagggc ccgaggtact cgtagccagg aagcaccaga ccccgggcgt cgtcctgctt 2160
 ctgctgggtg gccttgggct tgggggctcc aggtttcagg tcccaccact cgcgaatgcc 2220
 15 ctcagagagg ttgtcctcga gccaatctgg aagataaccg tcagcagcca tacctggttt 2280
 aagtcattta ttgctcagaa acacagtcac ccaagtccac gttgacgaga tcgcaggccg 2340
 aacacgcaat ctccgggtgcc cgtcccagca gatgatgaat cgcgcacagt ttctgatacg 2400
 20 tcttttttct gacgacgggt tgagattctg acgcgccggg gaagcactct gagcagtctc 2460
 tgaccccggt cgtgaagcag acgttgaaat tctgattcat tctctcgcat gtcttgacgg 2520
 gaaacagcat ctgaagcatg cccgcgtgac gagaacattt gttttggtac ctgtccgcaa 2580
 25 ggtccaccgg tgcttccgcg tctgacgtcg atggctccgc aactgagggg caggcccgt 2640
 tgggctcgct tatatccgcg tcaactgggg cgggtctttt ggtggctccg ccttttctga 2700
 cgtagaactc atgcgccacc tcagtcacgt gatcctgagc ccagcggag aactctttga 2760
 30 cttcctgctt ggtcaccttg ccaaagtcgt gctccagacg gcgggtgagc tcgaacttga 2820
 acatgcggtc ctgcagcggc tgctgggtgt cgaaggtggt gctgttcccg tcgatcacgg 2880
 cgcacatgtt ggtgtttggag gtgacgatca cgggcgtggg gtcgatctgg gccgatgact 2940
 35 tgcacttttg gtccacgcgc accttgcttc cgtccagaat ggccttggcg gactccacga 3000
 ccttggcggt catcttgccc tctcccacc agatcaccat cttgtcgacg caatcgttga 3060
 40 agggaaagt ctcattggtc cagttgacgc agcaagggcg aattc 3105

<210> 22

<211> 3094

<212> DNA

<213> new AAV serotype, clone F1

<400> 22

50 gaattcgccc ttgctgcgtc aactggacca agagaacttt ccttccaacg attgcgtcga 60
 caagatggtg atctggtggg aggagggcaa gatgacggcc aaggctcgtg agtccgccaa 120
 agccattctg ggcggaagca aggtgcgcgt cgacccaaag tgcaagtcct cggcccagat 180
 55 cgatcccacc cccgtgatcg tcacctcaa caccaacatg tgcgccgtga tcgacgggaa 240
 cagcaccacc ttcgagcacc agcagccgtt gcaggaccgg atgttcaaat ttgaactcac 300

5 ccgccgtctg gaacacgact ttggcaaggt gaccaagcag gaagtcaaag agttcttccg 360
 ctgggctagt gatcacgtga ctgagggtgac gcatgagttc tacgtcagaa agggcgggagc 420
 cagcaaaaaga cccgcccccg atgacgcgga tataagcgag cccaagcggg cctgtccctc 480
 agtcacggac ccacgcagct cagacgcgga aggagctccg gtggactttg ccgacaggta 540
 10 ccaaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct gcaaaacgtg 600
 cgagagaatg aatcagaatt tcaacatttg cttcacgcac ggggtcagag actgttttaga 660
 atgtttcccc ggcggtgcag aatctcaacc ggtcgtcaga aaaaagacgt atcggaagct 720
 15 gtgtgcgatt catcatctgc tggggcgggc acccgagatt gcttgctcgg cctgcgacct 780
 ggtcaacgtg gacctggacg actgtgtttc tgagcaataa atgacttaaa ccgggtatgg 840
 ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt 900
 20 ggtgggacct gaaacctgga gccccgaaac ccaaagcaa ccagcaaaag caggacgacg 960
 gccggggtct ggtgcttccg ggctacaagt acctcggacc cttcaacgga ctcgacaagg 1020
 gggagcccggt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc 1080
 25 agctcaaaagc ggggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg 1140
 agcgtctgca agaagatacg tcatttgggg gcaacctcgg gcgagcagtc ttccaggcca 1200
 agaagcgggt tctcgaacct ctcggtctgg ttgagggaagg cgctaagacg gtccttgaa 1260
 30 agaagagacc catagactct ccagactcct ccacgggcat cggcaaaaaa ggccagcagc 1320
 ccgctaaaaa gaagctcaat tttggtcaga ctggcgactc agagtcagtc cccgacctc 1380
 aacctcttgg agaacctcca gcagcgccct ctagtgtggg atctggtaca atggctgcag 1440
 35 gcggtggcgc accaatggca gacaataacg aaggtgccga cggagtgggt aatgcctcag 1500
 gaaattggca ttgcgattcc acatggctgg gcgacagagt catcaccacc agcaccagaa 1560
 cctgggacct cccacacct aacaaccacc tctacaagca aatctccagc agcagctcag 1620
 40 gagccaccaa tgacaaccac tacttcggct acagcaccct ctgggggtat tttgacttta 1680
 acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac aacaactggg 1740
 gattccggcc caagaagctg cggttcaagc tcttcaacat ccaggtcaag gaggtcaciaa 1800
 45 cgaatgacgg cgtcacgacc atcgctaata accttaccag cacgggtcag gtcttctcgg 1860
 actcggaaata ccagctgccg tacgtcctcg gctctgcgca ccagggtgc ctgcctccgt 1920
 tcccggcgga cgtcttcatg attcctcagt acggctacct gactctgaac aacggcagcc 1980
 50 aatcgggtggg ccgttctctc ttctactgcc tggaatatct cccctctcaa atgctgagaa 2040
 cgggcaacaa ctttgagttc agttacagct tcgaggacgt gcctttccac agcagctacg 2100
 cgcacagcca gagcctagac cggctgatga acctctcat cgaccagtac ctgtactacc 2160
 55 tggccccggac ccagagcacc acgggttcca ccagggaact gcaatttcat caagctgggc 2220

EP 1 310 571 B1

ccaatactat ggccgagcag tcaaagaact ggctgcctgg accctgctat aggcaacagg 2280
 5 gactgtcaaa gaacttggac tttacaaca acagcaattt tgcttggaact gctgccacta 2340
 aatatcatct gaatggcaga aactctttga ccaatcctgg cattcccatg gcaaccaaca 2400
 aggatgatga ggaccagttc tttcccatca acggggtact ggtttttggc aagacgggag 2460
 10 ctgccaacaa aactacgctg gaaaacggtc tgatgaccag cgaggaggag atcaagacca 2520
 ctaaccctgt ggctacagaa gaatacggtg tggctctccag caacctgcag ccgtctacag 2580
 ccgggcctca atcacagact atcaacagcc agggagcact gcctggcatg gtctggcaga 2640
 accgggacgt gtatctgcag ggtcccatct gggccaaaat tcctcacacg gatggcaact 2700
 15 ttcacccgtc tcctctgatg ggcggttttg gactcaaaca ccgcctcca cagatcctga 2760
 tcaaaaacac acctgtacct gctaatcctc cgagggtgtt tactcctgcc aagtttgcct 2820
 ccttcattac gcagtacagc accggacaag tcagcgtgga aatcgagtgg gagctgcaga 2880
 20 aagaaaacag caagcgctgg aaccagaaa ttcagtatac ttccaattat gccaagtcta 2940
 ataatgttga atttgctgtg aaccctgatg gtgtttatac tgagcctcgc ccattggca 3000
 25 ctggttacct cccccgtaat ctgtaattgc ttgttaatca ataaaccggt tgattcgttc 3060
 cagttgaact ttggctcttg cgaagggcga attc 3094

30 <210> 23
 <211> 3095
 <212> DNA
 <213> new AAV serotype, clone F3

35 <400> 23

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta | 60 |
| | acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg cttagtataa | 120 |
| 5 | acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac | 180 |
| | tgaatttctg ggttccagcg cttgctgttt tctttctgca gctcccactc gatttccacg | 240 |
| | ctgacctgtc cgggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc | 300 |
| 10 | tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgtttg | 360 |
| | agtccaaaac cgcccatcag aggagacggg tgaaagttag catccgtgtg aggaattttg | 420 |
| | gccagatgg gacctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgtc | 480 |
| 15 | ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag | 540 |
| | accacaccgt attcttctgt agccacaggg ttagtgggtc tgatctctc ctcgctggtc | 600 |
| | atcagaacgt tttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc | 660 |
| 20 | ccgttgatgg gaaagaactg gtcctcatca tccttggttg ttgccatggg aatgccagga | 720 |
| | ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtgca ggcaaaattg | 780 |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

ctgttgttgt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggccaggc 840
 agccagttct ttgactgctc ggccatagta ttgggccag cttgatgaaa ttgcagttcc 900
 5 ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtagtg gtcgatgaga 960
 gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtggaa aggcacgtcc 1020
 10 tcgaagctgt aactgaactc aaagtgtgtt cccgttctca gcatttgaga ggggaaatat 1080
 tccaggcagt agaaggagga acggcccacc gattggctgc cgttgtccag agtcaggtag 1140
 ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca 1200
 15 gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta 1260
 aggttattag cgatggctgt gacgccgtca ttggttgtga cctccttgac ctggatgttg 1320
 aggagcttga accgcagctt cttgggccgg aatccccagt tgttgttgat gagtgcgtgc 1380
 20 cagtcacgtg gtgagaagtg gcagtggaa ctgttaaagt caaaataccc ccagggggtg 1440
 ctgtagccga agtagtggtt gtcattggtg gtcctgagc tgctgctgga gatttgcttg 1500
 tagagggtgt tgtttaggtt ggggagggcc caggttcttg tgctggtggt gatgactctg 1560
 25 tcgcccagcc atgtggaatc gcaatgccaa ttctctgagg cattaccac tccgtcggca 1620
 ccttcgttat tgtctgccat tgggtcgcca ccgcctgcag ccattgtacc agatcccaca 1680
 ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg 1740
 30 ccagtctgac caaaattgag cttcttttta gcgggctgct ggcctttttt gccgatgcc 1800
 gtggaggagt ctggagagcc tatgggtctc ttctttccag gagccgtctt agcgccttcc 1860
 tcaaccagac cgagagggtc gagaaccgc ttcttggcct ggaagactgc tcgcccaggg 1920
 35 ttgccccaa atgacgtatc ttcttgaga cgtcctgaa actcggcgtc ggcgtggtta 1980
 taccgcaggt acggattgtc acccgcttg agctgctggt cgtaggcctt gtcgtgctcg 2040
 agggccgctg cgtccgcgc gttgacgggc tcccccttg caggtccgtt gaagggtccg 2100
 40 aggtacttgt agccaggaag caccagacc cggccgtcgt cctgcttttg ctggttggct 2160
 ttgggtttcg gggctccagg tttcaggctc caccactgc gaatgccctc agagagggtg 2220
 tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag tcatttatgt 2280
 45 ctcaaaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aagcaatctc 2340
 gggtgccgc cccagcagat gatgaatgc acacagctt cgatacgtct tttttctgac 2400
 gaccggttga gattctgaca cgcggggaa acattctaaa cagtctctga ccccgctcgt 2460
 50 gaagcaaatg ttgaaattct gattcattct ctgcacgtt ttgcaggga acagcacctg 2520
 aagcatgccc gcgtgacgag aacatttgtt ttggtacctg tcggcaaagt ccaccggagc 2580
 tccttccgcg tctgacgtcg atgggtccgt gactgagga cgggcccgct tgggtcgtct 2640
 55 tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc 2700

EP 1 310 571 B1

atgcgtcacc tcagtcacgt gatcactagc ccagcgggaag aactctttga ctccctgctt 2760
 5 tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc 2820
 ctgcaacggg tgctgggtgt cgaagggtgt gctgttcccg tcgatcacgg cgcacatggt 2880
 ggtgttggag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg 2940
 10 gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt 3000
 catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga agggaaagtt 3060
 ctcatgggtc cagttgacgc agcaagggcg aattc 3095

15
 <210> 24
 <211> 3095
 <212> DNA
 <213> new AAV serotype, clone F5

20
 <400> 24

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc ttccgagaga ccaaagttca actgaaacga atcaaccggt ttattgatta | 60 |
| | acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctcaagtataa | 120 |
| 5 | acaccatcag gggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac | 180 |
| | tgaatttctg gggtccagcg ctgctgttt tcttctgtca gctccactc gatttccacg | 240 |
| | ctgacttgtc cgggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc | 300 |
| 10 | tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgttcg | 360 |
| | agtccaaaac cgcccatcag aggagacggg tgaaagtgc catccgtgtg aggaattttg | 420 |
| | gcccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgtc | 480 |
| 15 | ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag | 540 |
| | accacaccgt attcttctgt agccacaggg ttagtggctt tgatctcttc ctgctggtc | 600 |
| | atcagaacgt ttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc | 660 |
| 20 | ccgttgatgg gaaagaactg gtctcatca tcttgttggt ttgccatggg aatgccagga | 720 |
| | ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtcca ggcaaaattg | 780 |
| | ctgtgttgtt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggtccaggc | 840 |
| 25 | agccagtctt ttgactgtct ggccatagta ttggggccag cttgatgaaa ttgcagtacc | 900 |
| | ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtagt gtcgatgaga | 960 |
| | gggttcatca gccggtctag gctctggctg tgccgtagc tgctgtggaa aggcacgtcc | 1020 |
| 30 | tcgaagctgt aactgaactc aaagtgttg cccgttctca gcatttgaga ggggaaatat | 1080 |
| | tccaggcagt agaaggagga acggcccacc gattggctgc cgttgttcag agtcaggtag | 1140 |
| | ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca | 1200 |
| 35 | gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta | 1260 |
| | aggttattag cgatggctgt gacgccgtca ttcgttgtga cctccttgac ctggatgttg | 1320 |

40

45

50

55

EP 1 310 571 B1

| | | |
|----|---|------|
| | aagagcttga accgcagctt cttgggcccgg aatccccagt tgttggtgat gagtcgctgc | 1380 |
| | cagtcacgtg gtgagaagtg gcagtggaaat ctgttaaagt caaaataccc ccaggggggtg | 1440 |
| 5 | ctgtagccga agtagtggtt gtcattgggtg gctcctgagc tgctgctgga gatttgcttg | 1500 |
| | tagaggtggt tgttgtaggt ggggagggcc cagggttctgg tgctggtggt gatgactctg | 1560 |
| | tgcgccagcc atgtggaatc gcaatgccaa ttctctgagg cattacccac tccgtcggca | 1620 |
| 10 | ccttcgttat tgtctgccgt tgggtgcgcca ccgctgcag ccattgtacc agatcccaca | 1680 |
| | ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg | 1740 |
| | ccagtctgac caaaattgag cttcttttta gggggctgct ggcctttttt gccgatgcc | 1800 |
| 15 | gtggaggagt ctggagagtc tatgggtctc ttctttccag gagccgtctt agcgccctcc | 1860 |
| | tcaaccagac cgagaggttc gagaaccgcg ttcttggcct ggaagactgc tcgcccgagg | 1920 |
| | ttgccccaa atgacgtatc ttcttgagg cgctcctgaa actcggcgctc ggcgtggtta | 1980 |
| 20 | taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg | 2040 |
| | agggccgctg cgtccgcgcg gttgacgggc tcccccttgt cgagtccgtt gaagggtccg | 2100 |
| | aggtaactgt agccaggaag caccagaccc cgcccgctcg cctgcttttg ctggttggt | 2160 |
| 25 | ttgggtttcg gggctccagg ttccaggtec caccactcgc gaatgccctc agagaggttg | 2220 |
| | tcctcgagcc aatctggaag ataaccatcg gcagccatac ctgggtttaag ccattttattg | 2280 |
| | ctcagaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aggcaatctc | 2340 |
| 30 | gggtgcccgc ccagcagat gatgaatcg acacagcttc cgatacgtct tttttctgac | 2400 |
| | gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgctgct | 2460 |
| | gaagcaaatg ttgaaattct gattcattct ctcgcacgtt ttgcaggga acagcatctg | 2520 |
| 35 | aagcatgccc gcgtggcgag aacatttggt ttggtacctg tcggcaaagt ccaccggagc | 2580 |
| | tccttccgcg tctgacgtcg atgggtccgt gactgagga caggcccgtt tgggctcgct | 2640 |
| | tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc | 2700 |
| 40 | atgcgtcacc tcagtcacgt gatcactagc ccagcggaag aactctttga cttcctgctt | 2760 |
| | tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc | 2820 |
| | ctgcaacggc tgctggtgct cgaagggtgt gctgttcccg tcgatcacgg cgcgcagtgt | 2880 |
| 45 | gggtgttgag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg | 2940 |
| | gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt | 3000 |
| | catcttgccc tcctccacc agatcaccat cttgtcgag caatcggtga agggaaagt | 3060 |
| 50 | ctcattggtc cagttgacgc agcaaggcg aattc | 3095 |

<210> 25

<211> 3142

<212> DNA

<213> new AAV serotype, clone H6

EP 1 310 571 B1

<400> 25

5 aaaacgacgg gccagtgatt gtaatacgac tcactatagg gcgaaattga aattagcggc 60
 cgcgaaattcg cctttcgcag agaccaaagt tcaactgaaa cgaattaaac ggtttattga 120
 ttaacaagca attacagatt acgagtcagg tatctggtgc caatggggcg aggctctgaa 180
 10 tacacaccat tagtggtccac agtaaagtcc acattaacag acttggtgta gttggaagtg 240
 tactgaattt cgggattcca gcgtttgctg ttctccttct gcagctccca ctcgatctcc 300
 acgctgacct gtcccgtgga atactgtgtg atgaaagaag caaacttggc agaactgaag 360
 tttgtgggag gattggctgg aacgggagtg tttttgatca tgatctgagg aggcgggtgt 420
 15 ttgagtccaa aacctcccat cagtggagaa ggatgaaagt gtccatcggg gtgaggaatc 480
 ttggcccaaa tgggtccctg caggtacacg tctcgatcct gccacaccat accaggtaac 540
 gctccttggg gattgacagt tccagtagtt ggaccagtgt ttgagttttg caaattatct 600
 20 gacacagtcc cgtactgctc cgtagccacg ggattggtgg ccctgatttc ttcttcattc 660
 gtaatcatga ctttttccaa atccgcgtcg ttggcatttg ttccttgttt accaaatatt 720
 agggttccat gcatggggaa aaacttttct tcgtcatcct tgtgactggc catagctggg 780
 25 cctggattaa ccaacgagtc ccggccattt agatgatact ttgtagctgc agtcaggga 840
 aagttgctgt tgttgtgtc gtttgccctgt tttgacagac gctgctgtct gtagcaagg 900
 ccaggcagcc agtttttagc ttgaagagac atgttggttg gtccagcttg gctaaacagt 960
 30 agccgagact gctgaagagt tccactattt gtttgtgtct tgttcagata atacaggtag 1020
 tggctgatca gaggattcat cagccgatcc agactctggc tgtgagcgta gctgctgtgg 1080
 aaaggcacgt cttcaaaagt gtagctgaac tgaaagtgtt ttccagtacg cagcatctga 1140
 35 gaaggaaagt actccaggca gtaaaaggaa gagcgtccta ccgcctgact ccggttgttc 1200
 agggtgaggg atccatactg tgggaccatg aagacgtccg ctggaaacgg cgggaggcat 1260
 ccttgatgag ccgagcccag gacgtacggg agctgggtact ccgagtcagt aaacacctga 1320
 40 accgtgctgg taagggtatt ggcaatcgtc gtcgtaccgt cattctgctg gacctctttg 1380
 acttgaatat taaagagctt gaagttgagt cttttggggc ggaatccccg gttgttgttg 1440
 acgagtcttt gccagtcacg tggtgaaaag tggcagtggg atctgttgaa gtcaaaaatac 1500
 45 ccccaggggg tgctgtagcc aaagtagtgg ttgtcgttgc tggctcctga ttggctggag 1560
 atttgcttgt agaggtgggt gttgtatgtg ggcagggccc aggttcgggt gctggtgggtg 1620
 atgactctgt cggccagcca ttgggaatcg caatgccaat ttcctgagga attaccact 1680
 50 ccatcggcac cctcgttatt gtctgccatt ggtgcgccac tgcctgtagc cattgtagta 1740

55

EP 1 310 571 B1

gatcccagac cagagggggc tgctggtggc tgtccgagag gctggggggtc aggtacggag 1800
 tctgcgtctc cagtctgacc aaaatttaat ctttttcttg caggctgctg gcccgcctttt 1860
 5 cgggttcccc aggaggagtc tggctccaca ggagagtgtc ctaccggcct cttttttccc 1920
 ggagccgtct taacaggctc ctcaaccagg cccagagggt caagaaccct ctttttcgcc 1980
 tggaagactg ctctccgag gttgccccca aaagacgtat cttctttaag gdgctcctga 2040
 10 aactctgcgt cggcgtggtt gtacttgagg tacgggttgt ctccgctgtc gagctgccgg 2100
 tcgtaggcct tgtcgtgtc gagggccgcg gcgtctgcct cgttgaccgg ctcccccttg 2160
 tcgagtcctg tgaaggggtc gaggtacttg taccaggaa gcacaagacc cctgctgtcg 2220
 15 tccttatgcc gctctgcggg ctttggtggt ggtgggccag gtttgagctt ccaccactgt 2280
 cttattcctt cagagagagt gtcctcgagc caatctggaa gataaccatc ggcagccata 2340
 cctgatttaa atcatttatt gttcagagat gcagtcattc aaatccacat tgaccagatc 2400
 20 gcaggcagtg caagcgtctg gcacctttcc catgatatga tgaatgtagc acagtttctg 2460
 atacgccttt ttgacgacag aaacgggttg agattctgac acgggaaagc actctaaaca 2520
 gtctttctgt ccgtgagtga agcagatatt tgaattctga ttcatctctt cgcattgtct 2580
 25 gcagggaaac agcatcagat tcatgccac gtgacgagaa ctttggtttt ggtacctgtc 2640
 cgcgtagtgt atcgaagctt ccgcgtctga cgtcgatggc tgcgcaactg actcgcgcgc 2700
 ccgtttgggc tcacttatat ctgcgtcact gggggcgggt cttttcttag ctccaccctt 2760
 30 tttgacgtag aattcatgct ccacctcaac cacgtgatcc tttgccacc ggaaaaagtc 2820
 tttcacttcc tgcttggtga cttttccaaa gtcatgatcc agacggcggg taagtccaaa 2880
 tttgaacatc cggctcttga acggctgctg gtgctcgaag gtcgttgagt tcccgtcaat 2940
 35 cacggcgcac atgttggtgt tggagggtac gatcacggga gtcgggtcta tctgggccga 3000
 ggacttgcat ttctgggtcca cagcacctt gcttcctcca agaattggctt tggccgactc 3060
 cagcaccttg gcggtcatct tcccctctc ccaccagatc accatcttgt cgacgcaatg 3120
 40 gtaaaaggaa agttctcatt gg 3142

<210> 26

<211> 3075

<212> DNA

<213> new AAV serotype, clone H2

<400> 26

50 tgagaacttt cttttcaacg attgcgtcgg acaagatggt gatctggtgg gaggagggga 60
 agatgaccgc caaggctcgtg gagtccggcca aagccattct tggaggaagc aaggtgcgtg 120
 tggaccagaa atgcaagtcc tcggcccaga tagaccgac tcccgtgatc gtcacctcca 180
 55 acaccaacat gtgcgcctg attgacggga actcaacgac cttcgagcac cagcagccgt 240
 tgcaagaccg gatgttcaaa tttgaactta cccgccgtct ggatcatgac tttggaaagg 300

EP 1 310 571 B1

| | | |
|----|--|------|
| | tcaccaagca ggaagtgaaa gactttttcc ggtggggcaaa ggatcacgtg gttgaggtgg | 360 |
| | agcatgaatt ctacgtcaaa aaggggtggag ctaagaaaag acccgccccc agtgacgcag | 420 |
| 5 | atataagtga gccc aaacgg gcgcgcgagt cagttgcgca gccatcaacg tcagacgcgg | 480 |
| | aagcttcgat caactacgcg gacaggtacc aaaaacaaat gttctcgtca cgtgggcatg | 540 |
| | aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc aaatatctgc | 600 |
| 10 | ttcactcacg gacagaaaga ctgttttagag tgctttcccg tgtcagaatc tcaaccggtt | 660 |
| | tctgtcgtca aaaaggcgtg tcagaaactg tgctacattc atcatatcat gggaaaggtg | 720 |
| | ccagacgctt gcactgcctg cgatctggtc aatgtggatt tggatgactg catctctgaa | 780 |
| 15 | caataaatga tttaaatcag gtatggctgc cgatggttat cctccagatt ggctcgagga | 840 |
| | cactctctct gaagggataa gacagtgggt gaagctcaaa cctggccccc caccacccaaa | 900 |
| | gcccgcagag cggcataagg acgacagcag gggctctgtg ctctcctgggt acaagtacct | 960 |
| 20 | cggacccttc aacggactcg acaaggggga gccggtcaac gaggcagacg ccgcgccctt | 1020 |
| | cgagcacgac aaggcctacg accggcagct cgacagcgga gacaaccctg acctcaagta | 1080 |
| | caaccacgcc gacgcagagt ttcaggagcg ccttaaagaa gatacgtctt ttgggggcaa | 1140 |
| 25 | cctcgagcga gcagtcttcc aggcgaaaaa gaggggttctt gaacctctgg gcctggttga | 1200 |
| | ggaacctgtt aagacggctc cgggaaaaaa gagggccggtg gagcactctc ctgtggagcc | 1260 |
| | agactcctcc tcgggaaccg gaaaagcggg ccagcggcct gcaagaaaaa gattaaatct | 1320 |
| 30 | tggtcagact ggagacgcag actccgtacc tgacccccag cctctcggac agccaccagc | 1380 |
| | agccccctct ggtctgggat ctactacaat ggctacaggc agtggcgcac caatggcaga | 1440 |
| | caataacgag ggtgccgatg gagtgggtaa ttcctcagga aattggcatt gcgattccca | 1500 |
| 35 | atggctgggc gacagagtca tcaccaccag caccggaacc tgggacctgc ccacatacaa | 1560 |
| | caaccacctc tacaagcaaa tctccagcca atcaggagcc agcaacgaca accactactt | 1620 |
| | tggctacagc accccctggg ggtattttga cttcaacaga ttccactgcc acttttcacc | 1680 |
| 40 | acgtgactgg caaagactca tcaacaacaa ctggggattc cggcccaaaa gactcaactt | 1740 |
| | caagctcttc aatattcaag tcaaagaggt cacgcagaat gacggtacga cgacgattgc | 1800 |
| | caataacctt accagcacgg ttcagggtgt tactgactcg gagtaccagc tcccgtacgt | 1860 |
| 45 | cctgggctcg gcgcacaaag gatgcctccc gccgtttcca gcggacgtct tcatggctcc | 1920 |
| | acagtatgga tacctcacc tgaacaacgg gagtcaggcg gtaggacgct cttcctttta | 1980 |
| | ctgcctggag tactttcctt ctcatatgct gcgtactgga aacaactttc agttcagcta | 2040 |
| 50 | cacttttgaa gacgtgcctt tccacagcag ctacgctcac agccagagtc tggatcggct | 2100 |
| | gatgaatcct ctgatcgacc agtacctgta ttatctgaac aagacacaaa caaatagtgg | 2160 |
| 55 | aactcttcag cagtctcggc tactgttttag ccaagctgga ccaaccaaca tgtctcttca | 2220 |

EP 1 310 571 B1

| | | |
|----|--|------|
| | agctaaaaac tggctgcctg gaccttgcta cagacagcag cgtctgtcaa aacaggcaaa | 2280 |
| | cgacaacaac aacagcaact ttccctggac tgcagctaca aagtatcatc taaatggccg | 2340 |
| 5 | ggactcgttg gttaatccag gaccagctat ggccagtcac aaggatgacg aagaaaagtt | 2400 |
| | tttccccatg catggaaccc tgatatattgg taaacaagga acaaatgcc aacgacgcgga | 2460 |
| | tttggaaaat ,gtcatgatta cagatgaaga agaaatcagg gccaccaatc ccgtggctac | 2520 |
| 10 | ggagcagtac gggactgtgt caaataattt gcaaaaactca aacactggtc caactactgg | 2580 |
| | aactgtcaat cgccaaggag cgttacctgg tatgggtgtgg caggatcgag acgtgtacct | 2640 |
| | gcagggaccc atttgggcca agattcctca caccgatgga cactttcatc cttctccact | 2700 |
| 15 | gatgggaggt tttggactca aacaccgcc tcctcagatc atgatcaaaa acactcccgt | 2760 |
| | tccagccaat cctcccacaa acttcagttc tgccaagttt gcttctttca tcacacagta | 2820 |
| | ttccacggga caggtcagcg tggagatcga gtgggagctg cagaaggaga acagcaaacg | 2880 |
| 20 | ctggaatccc gaaattcagt acacttccaa ctacaacaag tctgttaatg tggactttac | 2940 |
| | tgtggacact aatgggtgtgt attcagagcc tcgccccatt ggcaccagat acctgactcg | 3000 |
| | taatctgtaa ttgcttggtta atcaataaac cgtttaattc gtttcagttg aactttggtc | 3060 |
| 25 | tctgcgaagg gcgaa | 3075 |

30 <210> 27
 <211> 3128
 <212> DNA
 <213> new AAV serotype, clone 42.8

35 <400> 27

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcttccg | 180 |
| | cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg | 240 |
| | acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg | 300 |
| 10 | aactcaccgg ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcaaagagt | 360 |
| | tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg | 420 |
| | gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct | 480 |
| 15 | gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg | 540 |
| | acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca | 600 |
| | agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact | 660 |
| 20 | gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc | 720 |
| | ggaaactctg tgccattcat catctgctag ggcgggctcc cgagattgct tgctcggcct | 780 |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 ggtatggctg ccgatgggta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
 5 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc 1020
 gacaaggggg agcccgtcaa cggggcggac gcagcggccc tcgagcacga caaggcctac 1080
 10 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 15 cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320
 atcggcaaga caggccagca gccgcgaaa aagagactca actttgggca gactggcgac 1380
 tcagagtcag tgcccgcacc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
 20 ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
 gacggagtgg gtagttctc aggaatttgg cattgcgatt ccacatggct gggcgacaga 1560
 gtcacacca ccagcacccg aacctgggccc ctccccacct acaacaacca cctctacaag 1620
 25 caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
 30 aacatccagg tcaaggaggt cagcgagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtaagt cctcggctct 1920
 gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
 35 tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 40 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 actcagcagt tgctattttc tcaggccggg cctaataaca tgcgggctca ggccaaaaac 2280
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
 45 aacagcaact ttgcttgga cgggtgccacc aagtatcatc tgaatggcag agactctctg 2400
 gtaaatcccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt tttccatcc 2460
 agcggagtct tgatgttttg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 50 gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
 ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 55

EP 1 310 571 B1

| | | |
|----|---|------|
| | atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc | 2760 |
| | tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat | 2820 |
| 5 | cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga | 2880 |
| | caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca | 2940 |
| | gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact | 3000 |
| 10 | gagggtaactt attcagagcc tcgccccatt ggcaccggtt acctcaccg taacctgtaa | 3060 |
| | ttgcctgtta atcaataaac cggctaattc gtttcagttg aactttggtc tctgcgaagg | 3120 |
| | gcgaattc | 3128 |

15

<210> 28

<211> 3128

<212> DNA

20 <213> new AAV serotype, clone 42.15

<400> 28

25

30

35

40

45

50

55

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgatac tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 5 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 ccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgat tg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatt tg 300
 10 aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
 tttcccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtctac gtcagaaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 15 gccccctagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc 540
 acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 agacatgcga gagaatgaat cagaatttca acatttgctt cacgcgcggg accagagact 660
 20 gttcagaatg tttcccgggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc 720
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 25 ggtatggctg ccgatggta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccga aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc 1020
 30 gacaaggggg agcccgtaaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggc ataaccacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcy agcagtcttc 1200
 35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | cctggaaaga agagaccggt agagccatca cccagcggtt ctccagactc ctctacgggc | 1320 |
| | atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac | 1380 |
| 5 | tcagagtcag tgcccagacc tcaaccaatc ggagaacccc ccgcaggccc ctctgggtctg | 1440 |
| | ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc | 1500 |
| | gacggagtgg gtagttcctc aggaatttgg cattgcgatt ccacatggct gggcgacaga | 1560 |
| 10 | gtcatcacca ccagcaccgc aacctggggc ctccccacct acaacaacca cctctacaag | 1620 |
| | caaattctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc | 1680 |
| | acccccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg | 1740 |
| 15 | cagcgactca tcaacaacaa ctgggggattc cggcccaaga gactcaactt caagctcttc | 1800 |
| | aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt | 1860 |
| | accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtagct cctcggctct | 1920 |
| 20 | gcgcaccagg gctgcccgcc tccgttcccc gcggacgtct tcatgattcc tcagtacggg | 1980 |
| | tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag | 2040 |
| | tactttcctt ctcaaatgcg gagaacgggc aacaactttg agttcagcta ccagtttgag | 2100 |
| 25 | gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc | 2160 |
| | ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga | 2220 |
| | actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac | 2280 |
| 30 | tggctaccgc ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac | 2340 |
| | aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg | 2400 |
| | gtaaattccc gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc | 2460 |
| 35 | agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc | 2520 |
| | gttatgctaa ccagttagga agaaatcaaa accaccaacc cagtggccac agaacagtac | 2580 |
| | ggcgtgggtg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac | 2640 |
| 40 | agtcaaggag ccttacctgg catgggtctg cagaaccggg acgtgtacct gcagggtcct | 2700 |
| | atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc | 2760 |
| | tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat | 2820 |
| 45 | cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga | 2880 |
| | caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca | 2940 |
| | gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact | 3000 |
| 50 | gagggtaact attcagagcc tcgccccatt ggcaccggtt acctcaccgc taacctgtaa | 3060 |
| | ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg | 3120 |
| 55 | gcgaattc | 3128 |

EP 1 310 571 B1

<211> 3197
<212> DNA
<213> new AAV serotype. clone 42.5b

5 <400> 29

gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60

10 gcgctcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120

ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcgtccg 180

cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240

15 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300

aactcaccgg ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcaaagagt 360

tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagtcttac gtcagaaagg 420

20 gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480

gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccgggtg gactttgccg 540

acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600

25 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact 660

gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc 720

ggaaactctg tgccattcat catctgctgg ggcgggtcc cgagattgct tgctcggcct 780

30 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840

ggtatggctg ccgatggta tcttcagat tggctcgagg acaacctctc tgagggcatt 900

cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960

35 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020

gacaagggag agccgggtcaa cgaggcagac gcccgggccc tcgagcacga caaggcctac 1080

gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgcagag 1140

40 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200

caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260

cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320

45 atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380

tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440

ggatctggtg caatggctgc aggcgggtgc gctccaatgg cagacaataa cgaaggcgcc 1500

50 gacggagtgg gtagttcttc aggaaattgg cattgcatg ccacatggct gggcgacaga 1560

gtcatcacca ccagcaccgg aacctgggcc ctccccacct acaacaacca cctctacaag 1620

caaatctcca acgggacatc gggagggaag accaacgaca acacctactt cggctacagc 1680

55 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740

EP 1 310 571 B1

5 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
 gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
 10 tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 15 actcagcagt tgctatcttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
 tggtacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaaataac 2340
 aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400
 20 gtaaattccc gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt tttccatcc 2460
 agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagttagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
 25 ggcgtggtgg ccgataacct gcaacagcaa aacgcgcgtc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catgggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 atctgggcca agattcctca cacggacggc aactttcatc cttcgccgt gatgggaggc 2760
 30 tttggactga aacaccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaacca 2940
 35 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
 gagggtaact attcagagcc tcgccccatt ggcaccctt acctacccg taacctgtaa 3060
 ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg 3120
 40 gcgaattcgt ttaaacctgc aggactagtc cctttagtga gggttaattc tgagcttggc 3180
 gtaatcatgg gtcatag 3197

45 <210> 30
 <211> 2501
 <212> DNA
 <213> new AAV serotype, clone 42:1b

50 <400> 30

55 gaattcgccc ttggtgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
 gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggctcgt ggagtcggcc 120
 aaggccattc atcatctgct ggggcgggct cccgagattg cttgctcggc ctgcgatctg 180
 gtcaacgtgg acctggatga ctgtgtttct gagcaataaa tgacttaaac caggtatggc 240

EP 1 310 571 B1

| | | |
|----|--|------|
| | tgccgatggt tatcttccag attggctcga ggacaacctc tctgagggca ttcgcgagtg | 300 |
| | gtgggacttg agacctggag ccccgaaacc caaagccaac cagcaaaagc aggacgacgg | 360 |
| 5 | ccgggggtctg gtgtcttctg gctacaagta cctcggaccc ttcaacggac tcgacaaggg | 420 |
| | agagccggtc aacgaggcag acgccgcggc cctcagcac gacaaggcct acgacaagca | 480 |
| 10 | gctcagacag ggggacaacc cgtacctcaa gtacaaccac gccgacgccg agtttcagga | 540 |
| | gcgtcttcaa gaagatacgt cttttggggg caacctcggg cgagcagtct tccaggccaa | 600 |
| | gaagcgggtt ctcgaacctc tcggtctggt tgaggaaggc gctaagacgg ctcttgga | 660 |
| 15 | gaagagaccc atagaatccc ccgactcctc cacgggcac gccaaagaaag gccagcagcc | 720 |
| | cgctaaaaag agactcaact ttgggcagac tggcgactca gagtcaagtgc ccgacctca | 780 |
| | accaatcgga gaaccccccg caggccccctc tggctctggga tctggcacaa tggctgcagg | 840 |
| 20 | cggtggcgct ccaatggcag acaataacga aggcgcgcag ggagtgggta gttcctcagg | 900 |
| | aaattggcat tgcgattcca catggctggg cgacagagtc atcaccacca gcacccgaac | 960 |
| | ctgggccccctc ccacacctaca acaaccacct ctacaagcaa atctccaacg ggacatcggg | 1020 |
| 25 | aggaagcacc aacgacaaca cctacttcgg ctacagcacc ccctgggggt attttgactt | 1080 |
| | taacagattc cactgccact tctcaccacg tgactggcag cgactcatca acaacaactg | 1140 |
| | gggattccgg cccaagagac tcaacttcaa gctcttcaac atccaggtca aggaggtcac | 1200 |
| 30 | gcagaatgaa ggcaccaaga ccacgcgcaa taaccttacc agcagattc aggtctttac | 1260 |
| | ggactcgga taccagctcc cgtacgtcct cggtcttgcg caccagggct gcctgcctcc | 1320 |
| | gttcccggcg gacgtcttca tgattcctca gtacgggtac ctgactctga acaacggcag | 1380 |
| 35 | tcaggccgtg ggccgttctt ccttctactg cctggagtac tttccttctc aaatgctgag | 1440 |
| | aacgggcaac aactttgagt tcagctacca gtttgaggac gtgccttttc acagcagcta | 1500 |
| | tgcgcacagc caaagcctgg accggctgat gaacccccctc atcgaccagt acctgtacta | 1560 |
| 40 | cctgtctcgg actcagtcca cgggagggtac cgcaggaact cagcagttgc tattttctca | 1620 |
| | ggccggggcct aataacatgt cggtcaggc caaaaactgg ctaccggggc cctgctaccg | 1680 |
| | gcagcaacgc gtctccacga cagtgtcgca aaataacaac agcaactttg cttggaccgg | 1740 |
| 45 | tgccaccaag tatcatctga atggcagaga ctctctggta aatcccgggtg tcgctatggc | 1800 |
| | aacgcacaag ggcgacgaag agcgattttt tccatccagc ggagtcttga tgtttgggaa | 1860 |
| | acagggagct ggaaaagaca acgtagacta tagcagcgtt atgctaacca gtgaggaaga | 1920 |
| 50 | aatcaaaacc accaaccacg tggccacaga acagtacggc gtgggtggccg ataacctgca | 1980 |
| | acagcaaaac gccgctccta ttgtaggggc cgtcaacagt caaggagcct tacctggcat | 2040 |
| | ggctctggcag aaccgggacg tgtacctgca gggctctatc tgggccaaga ttcctcacac | 2100 |
| 55 | ggacggcaac tttcatcctt cgccgctgat gggaggcttt ggactgaaac acccgctctc | 2160 |

EP 1 310 571 B1

5 tcagatcctg attaagaata cacctgttcc cgcggatcct ccaactacct tcagtcaagc 2220
 caagctggcg tcgttcacac cgcagtagac caccggacag gtcagcgtgg aaattgaatg 2280
 ggagctgcag aaagagaaca gcaagcgctg gaaccagag attcagtata cttccaacta 2340
 ctacaaatct acaaattgtg actttgctgt caatactgag ggtacttatt cagagcctcg 2400
 10 cccattggc acccgttacc tcacccgtaa cctgtaattg cctgttaatc aataaaccgg 2460
 ttgattcgtt tcagttgaac tttggtctca agggcgaatt c 2501

15 <210> 31
 <211> 3113
 <212> DNA
 <213> new AAV serotype, clone 42.13

20 <400> 31

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg | 180 |
| | cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg | 240 |
| | acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg | 300 |
| 10 | aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt | 360 |
| | tcttcgctg ggcgcaggat cactgtacgc aggtggcgca tgagttctac gtcagaaagg | 420 |
| | gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggccc | 480 |
| 15 | gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg | 540 |
| | acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca | 600 |
| | agacatgcga gagaatgaat cagaatttca acatttgctt cactcacggg accagagact | 660 |
| 20 | gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc | 720 |
| | ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct | 780 |
| | gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca | 840 |
| 25 | ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt | 900 |
| | cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag | 960 |
| | gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| 30 | gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac | 1080 |
| | gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag | 1140 |
| | tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc | 1200 |
| 35 | caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct | 1260 |
| | cctggaaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc | 1320 |
| 40 | cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc | 1380 |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

5
10
15
20
25
30
35
40
45
50

gaccctcaac caatcggaga acccccccga ggcctctctg gtctgggata tggatcaatg 1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500
tccttcaggaa attggcattg cgattccaca tggtcggcg acagagtcac caccaccagc 1560
accggaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620
acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcaccac ctgggggtat 1680
tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740
aacaactggg gattccggcc caagagactc aacttcaagc tcttcaacat ccagggtcaag 1800
gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag cagcattcag 1860
gtctttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca ccagggtcgc 1920
ctgcctccgt tccggcgga cgtcttcattg attcctcagt acgggtacct gactctgaac 1980
aacggcagtc agggcggtgg cgttctctcc ttctactgcc tggagtactt tccttctcaa 2040
atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100
agcagctatg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac 2160
ctgtactacc tgtctcggac tcagtcacag ggaggtagcg caggaaactca gcagttgcta 2220
ttttctcagg ccgggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc 2280
tgctaccggc agcaacgcgt ctccacgaca gtgtcgcgaaa ataacaacag caactttgct 2340
tggaccggtg ccaccaagta tcattctgaat ggcagagact ctctggtaaa tcccggtgtc 2400
gctatggcaa cgcacaaggc cgacgaagag cgattttttc catccagcgg agtcttgatg 2460
tttgggaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520
gaggaagaaa tcaaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580
aacctgcaac agcaaaacgc cgctcctatt gtaggggccc tcaacagtca aggagcctta 2640
cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700
cctcacacgg acggcaactt tcattccttcg ccgctgatgg gaggttttg actgaaacac 2760
ccgcctcctc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc 2820
agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880
attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940
tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000
gagcctcgcc ccattggcac ccgttacctc acccgtagcc tgtaattgcc tgtaaatcaa 3060
taaaccgggt gattcgtttc agttgaactt tggctctgc gaaggcgaa ttc 3113

<210> 32

<211> 3113

<212> DNA

<213> new AAV serotype, clone 42.3a

<400> 32

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtegacaa gatggatgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 5 cgcgaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 cccagatcga tcccccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
 10 aactcaccgg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
 tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 15 gcccctcagt cgcggatcca tcgacgtcag acgcgggaagg agctccggtg gactttgccc 540
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg cttccctgca 600
 agacatgcga gagaatgaat cagaatttca gcatttgctt cagcacggg accagagact 660
 20 gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc 720
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcgccct 780
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 25 ggtatggctg ccgatggtca tcttcagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 30 gacaaggggg agcccgtaaa cgcggcgagc gcagcggccc tcgagcacga caaggcctac 1080
 gaccagcagc tcaaaagcgg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140
 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
 35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc 1320
 cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc 1380
 40 gacctcaac caatcgaga acccccgca ggccccctct gtctgggatc tggtaaatg 1440
 gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500
 tcctcaggaa attggcattg cgattccaca tagctgggag acagagtcac caccaccagc 1560
 45 acccgaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620
 acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcaccac ctgggggtat 1680
 tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740
 50 aacagctggg gattccggcc caagagactc aacttcaagc tcttcaacat ccaggtcaag 1800
 gaggtcacgc agaataagg caccaagacc atcgccaata acctaccag cagattcag 1860
 gtctttacgg actcggataa ccagctcccg tacgtcctcg gctctgcgca ccagggctgc 1920

55

EP 1 310 571 B1

ctgcctccgt tcccggcgga cgtcttcattg attcctcagt acgggtacct gactctgaac 1980
 aacggcagtc aggcctgtgg cgttcctcc ttctactgcc tggagtactt tccttctcaa 2040
 5 atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100
 agcagctacg cgcacagcca aagcctggac cggctgatga acccctcat cgaccagtac 2160
 ctgtactacc tgtctcggac tcagtccacg ggaggtagcg caggaactca gcagttgcta 2220
 10 ttttctcagg cggggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc 2280
 tgctaccggc agcaacgcgt ctccacgaca ctgtcgcaaa ataacaacag caactttgct 2340
 tggaccggtg ccaccaagta tcctctgaat ggcagagact ctctggtaaa tcccgggtgc 2400
 15 gctatggcaa cgcacaagga cgacgaagag cgattttttc catccagcgg agtcttgatg 2460
 tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520
 gaggaagaaa tcaaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580
 20 aacctgcaac agcaaaacgc cgctcctatt gtaggggccc tcaacagtca aggagcctta 2640
 cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700
 cctcacacgg acggcaactt tcctccttcg ccgctgatgg gaggccttgg actgaaacac 2760
 25 ccgcctcttc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc 2820
 agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880
 attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940
 30 tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000
 gagcctcgcc ccattggcac ccgttacctc acccgtaacc tgtaattgcc tgttaatcaa 3060
 35 taaaccggtt aattcgtttc agttgaactt tggctctctg gaaggcgaa ttc 3113

<210> 33

<211> 2504

<212> DNA

<213> new AAV serotype, clone 42.4

<400> 33

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattcatcat ctgctggggc gggetcccga gattgcttgc tcggcctgcg | 180 |
| | atctggtcaa cgtggacctg gatgactgtg tttctgagca ataatgact taaaccaggt | 240 |
| | atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc | 300 |
| 10 | gagtggggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac | 360 |
| | gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac | 420 |
| | aagggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac | 480 |
| 15 | aagcagctcg agcaggggga caaccctgac ctcaagtaca accacgccga cgccgagttt | 540 |

20

25

30

35

40

45

50

55

EP 1 310 571 B1

caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 600
 gccaaagaagc ggggttctcga acctctcggt ctgggtgagg aaggcgctaa gacggctcct 660
 5 ggaaagaaga gacctataga atcccccgac tctccacgg gcacgggcaa gaaaggccag 720
 cagcccgtc aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgcac 780
 cctcaaccaa tcggagaacc ccccgagggc cctctggtc tgggatctgg tacaatggct 840
 10 gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900
 tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gactcatcac caccagcacc 960
 cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc 1020
 15 ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc 1080
 aacagattcc actgccactt ctcatcacgt gactggcagc gactcatcaa caacaactgg 1140
 ggattccggc ccaagagact caacttcaag ctcttcaaca tccagggtcaa ggaggtcacg 1200
 20 cagaatgaag gcaccaagac catcgccaat aaccttacca gcacgattca ggtctttacg 1260
 gactcggaat accggctccc gtacgtctc ggctctgcgc accagggctg cctgcctccg 1320
 tccccggcgg acgtcttcat gattcctcag tacgggtacc tgactctgaa caacggcagt 1380
 25 caggcgctgg gcggttctc cttctactgc ctggagtact ttccttctca aatgctgaga 1440
 acgggcaaca actttgagtt cagctaccag tttagggacg tgctttttca cagcagctac 1500
 gcgcacagcc aaagcctgga ccggctgatg aacccctca tcgaccagta cctgtactac 1560
 30 ctgtctcggc ctcagtccac gggagggtacc gcaggaactc agcagttgct attttctcag 1620
 gccgggcta ataacatgtc ggctcaggcc aaaaactggc taccggggcc ctgctaccgg 1680
 cagcaacgcg tctccacgac actgtcgcaa aataacaaca gcaactttgc ttggaccggt 1740
 35 gccaccaagt atcatctgaa tggcagagac tctctggtaa atcccggtgt cgctatggca 1800
 acgcacaagg acgacgaaga gcgatttttt ccatccagcg gactcttgat gtttgggaaa 1860
 caggagctg gaaaagacaa cgtggactat agcagcgtta tgctaaccag tgaggaagaa 1920
 40 atcaaaacca ccaacccagt ggccacagaa cagtacggcg tgggtggcga taacctgcaa 1980
 cagcaaaacg ccgctcctat tgtaggggcc gtcaacagtc aaggagcctt acctggcatg 2040
 gtctggcaga accgggacgt gtacctgcag ggtcctatct gggccaagat tcttcacacg 2100
 45 gacggcaact ttcattcttc gccgctgatg ggaggctttg gactgaaaca cccgcctcct 2160
 cagatcctga ttaagaatac acctgttccc gcggatcctc caactacctt cagtcaagcc 2220
 aagccggcgt cgttcatcac gcagtacagc accggacagg tcagcgtgga aattgaatgg 2280
 50 gagctgcaga aagagaacag caagcgtggtg aaccagaga ttcagtatac ttccaactac 2340
 tacaatatcta caaatgtgga ctttgctgtc aatactgagg gtacttattc agagcctcgc 2400
 55 cccattggca ccggttacct caccgtaac ctgtaattgc ctgttaatca ataaaccggt 2460

taattcggtt cagttgaact ttggtctctg cgaagggcga attc

2504

5

<210> 34

<211> 3106

<212> DNA

<213> new AAV serotype, clone 42.5a

10

<400> 34

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|---|------|
| | gaattcgccc ttctacggct gcgtaactg gaccaatgag aactttccct tcaacgattg | 60 |
| | cgctcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc | 120 |
| 5 | cgccaaggcc attctcggcg gcagcaagggt gcgcgtggac caaaagtgc agtcgtccgc | 180 |
| | ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga | 240 |
| | cgggaaacagc accaccttcg agcaccagca gccgttgag gaccggatgt tcaaatttga | 300 |
| 10 | actcaccgc cgtctggagc atgacttttg caaggcgaca aagcaggaag tcaaagagtt | 360 |
| | cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gaggttctac tcagaaaggg | 420 |
| | tggagccaac aagagaccg ccccgatga cgcgataaa agcgagccca agcgggcccc | 480 |
| 15 | cccctcagtc gcggatccat cgacgtcaga cgcggaagga gtcgggtgg actttgccga | 540 |
| | caggtaccaa aacaaatgtt ctctgcacgc gggcatgctt cagatgctgt ttccctgcaa | 600 |
| | aacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga ccagagactg | 660 |
| 20 | ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg | 720 |
| | gaaactctgt gccattcacc atctgctggg gcgggctccc gagattgctt gctcggcctg | 780 |
| | cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag | 840 |
| 25 | gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc | 900 |
| | gcgagtgtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg | 960 |
| | acgacggccg gggctctggtg cttccctggct acaagtacct cggacccttc aacggactcg | 1020 |
| 30 | acaagggaga gccggtcaac gaggcagacg ccgcggccct cgagcacgac aaggcctacg | 1080 |
| | acaagcagct cgagcagggg gacaacccgt acctcaagta caaccacgcc gacgccgagt | 1140 |
| | ttcaggagcg tcttcaagaa gatacgtctt ttgggggcaa cctcgggoga gcagtcttcc | 1200 |
| 35 | gggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc | 1260 |
| | ctggaaagaa gagaccata gaatcccccg actcctccac gggcatcggc aagaaaggcc | 1320 |
| | agcagcccgc taaaaagaag ctcaactttg ggcagactgg cgactcagag tcagtgcccg | 1380 |
| 40 | accccccaacc tctcggagaa cctcccgcg cgccctcagg tctgggatct ggtacaatgg | 1440 |
| | ctgcaggcgg tggcgacca atggcagaca ataacgaagg cgccgacgga gtgggtaatg | 1500 |
| | cctccggaaa ttggcattgc gattccacat ggctgggcca cagagtcac accaccagca | 1560 |
| 45 | cccgacctg ggccctgcc acctacaaca accacctcta caagcagata tcaagtcaga | 1620 |
| | gcggggctac caacgacaac cacttcttcg gctacagcac cccctggggc tattttgact | 1680 |

50

55

EP 1 310 571 B1

5 tcaacagatt ccactgccac ttctcaccac gtgactggca gcgactcatc aacaacaacc 1740
 10 ggggattccg gccacagaaag ctgcggttca agttgttcaa catccaggtc aaggagggtca 1800
 15 cgacgaacga cggcgttacg accatcgcta ataaccttac cagcacgatt cagggtcttct 1860
 20 cggactcgga gtaccaactg ccgtacgtcc tcggctctgc gcaccagggc tgcctccctc 1920
 25 cgttccctgc ggacgtgttc atgattcctc agtacggata tctgactcta aacaacggca 1980
 30 gtcagtctgt gggacgttcc tccttctact gcctggagta ctttccctct cagatgctga 2040
 35 gaacgggcaa taactttgaa ttcagctacc agtttgagga cgtgcccttt cacagcagct 2100
 40 acgcgcacag ccaaagcctg gaccggctga tgaacccct catcgaccag tacctgtact 2160
 45 acctgtctcg gactcagtc acgggaggta ccgcaggaac tcagcagttg ctattttctc 2220
 50 aggcggggcc taataacatg tcggctcagg ccaaaaactg gctaccggg ccctgctacc 2280
 55 ggcagcaacg cgtctccacg acaactgtcg aaaataacaa cagcaacttt gcttggaaccg 2340
 60 gtgccaccaa gtatcatctg aatggcagag actctctggt aaatcccgtg gtcgctatgg 2400
 65 caacgcacaa ggacgacgaa gagcgatttt ttccatccag cggagtcttg atgtttggga 2460
 70 aacagggagc tggaaaagac aacgtggact atagcagcgt tatgctaacc agtgaggaag 2520
 75 aaatcaaaac caccaaccca gtggccacag aacagtacgg cgtggtggc gataacctgc 2580
 80 aacagcaaaa cgccgctcct attgtagggg ccgtcaacag tcaaggagcc ttacctggca 2640
 85 tggcctggca gaaccgggac gtgtacctgc agggctcctat ctgggccaag attcctcaca 2700
 90 cggacggcaa ctttcatcct tcgccgtga tgggaggctt tggactgaaa caccgcctc 2760
 95 ctcagatcct gattaagaat acacctgttc ccgcggatcc tccaactacc ttcagtcaag 2820
 100 ccaagctggc gtcgttcac acgcagtaca gcaccggaca ggtcagcgtg gaaattgaat 2880
 105 gggagctgca gaaagagaac agcaagcgtt ggaaccaga gattcagtat acttccaact 2940
 110 actacaaatc tacaaatgtg gactttgctg tcaatactga gggacttat tcagagcctc 3000
 115 gccccattgg caccggttac ctcaccgta acctgtaatt gcctgttaat caataaaccg 3060
 120 gttaattcgt ttcagttgaa ctttggtctc tgcgaagggc gaattc 3106

<210> 35

<211> 2489

<212> DNA

<213> new AAV serotype, clone 42.10

<400> 35

EP 1 310 571 B1

| | | |
|----|---|-----|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtgaagt | 120 |
| 5 | ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg | 180 |
| | atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt | 240 |
| | atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc | 300 |
| 10 | | |
| 15 | | |
| 20 | | |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360
 gacggccggg gtctggtgct tccttggtac aagtacctcg gacccttcaa cggactcgac 420
 5 aagggagagc cggccaacga ggcagacgcc gcggccctcg agcacgacaa ggccctacgac 480
 aagcagctcg agcaggggga caacccttac ctcaagtaca accacgccga cgccgagttt 540
 caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggagagc agtcttccag 600
 10 gccaaagaagc gggttctcga acctctcggg ctgggtgagg aaggcgctaa gacggctcct 660
 ggaaagaaga gacccataga atcccccgac tcctccacgg gcatcggcag gaaaggccag 720
 cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac 780
 15 cctcaaccaa tcggagaacc ccccgagggc ccctctggtc tgggatctgg tacaatggct 840
 gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900
 tccggaaatt ggcattgcga ttccacatgg ctggggcgaca gagtcatcac caccagcacc 960
 20 cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc 1020
 ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc 1080
 aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg 1140
 25 ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggtaaa ggaggtcacg 1200
 acgaacgacg gcgttacgac catcgccaat aaccttacca gcacgattca ggtcttctcg 1260
 gactcggagt accaactgcc gtacgtcctc ggctctgcgc accagggtcg cctccctccg 1320
 30 ttccctgcgg acgtgttcat gattcctcag tacggatata tgactctaaa caacggcagt 1380
 cagtctgtgg gacgttcctc cttctactgc ctggagtact ttcttctca gatgctgaga 1440
 acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
 35 gcgcacagcc agagcctgga ccggctgatg aatccctca tcgaccagta cctgtactac 1560
 ctggcccggg cccagagcac tacggggtcc acaagggagc tgcaagtcca tcaggctggg 1620
 cccaacacca tggccgagca atcaaaagaa tggctgcccg gaccctgtta tcggcagcag 1680
 40 agactgtcaa aaaacataga cagcaacaac aacagtaact ttgcctggac cggggccact 1740
 aaataccatc tgaatggtag aaattcarta accaaccggg gcgtagccat ggccaccaac 1800
 aaggacgacg aggaccagt ctttcccatc aacggagtgc tggtttttg caaaacgggg 1860
 45 gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
 accaatcccg tggctacaga agaatacggg gtggctctca gcaacctgca atcgtctacg 1980
 gccggacccc agacacagac tgtcaacagc cagggggctc tgcccggcat ggtctggcag 2040
 50 aaccgggacg tgtacctgca gggccccatc tggggcaaaa ttcttcacac ggacggcaac 2100
 tttcacccgt ctccctgat gggcggtttt ggactcaaac acccgctcc tcaaattctc 2160
 atcaaaaaca ccccggtacc tgctaatact ccagaggtgt ttactcctgc caagtttgcc 2220
 55

EP 1 310 571 B1

```

tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccatgggc 2400
accggttacc tcaccgtaa cctgtaattg cctgttaatc aataaacgg ttaattcggt 2460
tcagttgaac ttggtcaag ggcgaattc 2489

```

<210> 36

<211> 2495

<212> DNA

<213> new AAV serotype, clone 42.3b

<400> 36

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc tttctacggc tgcgtcaact agaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgacg tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg | 180 |
| | atctgggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt | 240 |
| | atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc | 300 |
| 10 | gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac | 360 |
| | gacggccggg gtctgggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac | 420 |
| | aagggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac | 480 |
| 15 | aagcagctcg agcaggggga caaccctgac ctcaagtaca accacgccga cgccgagttt | 540 |
| | caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag | 600 |
| | gccaaagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct | 660 |
| 20 | ggaaagaaga gacctataga atccccgac tctccacgg gcacgcgcaa gaaaggccag | 720 |
| | cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac | 780 |
| | cctcaaccaa tcggagaacc ccccgaggc cctctggtc tgggatctgg tacaatggct | 840 |
| 25 | gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc | 900 |
| | tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc | 960 |
| | cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc | 1020 |
| 30 | ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc | 1080 |
| | aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg | 1140 |
| | ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggctcaa ggaggtcacg | 1200 |
| 35 | acgaacgacg gcgttacgac catcgctaata aaccttacca gcacgattca ggtcttctcg | 1260 |
| | gactcggagt accaactgcc gtacgtcctc ggctctgcgc accagggctg cctccctccg | 1320 |
| | ttccctgagg acgtgttcat gattcctcag tacggatata tgactctaaa caacggcagt | 1380 |
| 40 | cagtctgtgg gacgttcctc cttctactgc ctggagtact ttcccttctca gatgctgaga | 1440 |

45

50

55

EP 1 310 571 B1

acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
 gcgcacagcc agagcctgga ccggctgatg aatccctca tcgaccagta cctgtactac 1560
 5 ctggcccggg cccagagcac tacgggggtcc acaagggagc tgcagttcca tcaggctggg 1620
 cccaacacca tggccgagca atcaaagaac tggctgcccg gacctgtta tcggcagcag 1680
 agactgtcaa aaaacataga cagcaacaac accagtaact ttgcctggac cggggccact 1740
 10 aaataccatc tgaatggtag aaattcatta accaaccggg gcgtagccat ggccaccaac 1800
 aaggacgacg aggaccagt ctttcccatc aacggagtgc tggtttttgg caaaacgggg 1860
 gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
 15 accaatcccg tggctacaga acagtacggg gtggtctcca gcaacctgca atcgtctacg 1980
 gccggacccc agacacagac tgtcaacagc cagggggctc tgcccggcat ggtctggcag 2040
 aaccgggacg tgtacctgca ggggtcccatc tgggccaaaa ttctctcacac ggacggcaac 2100
 20 tttcaccctg ctcccctgat gggcggtatt ggactcaaac acccgctctc tcaaattctc 2160
 atcaaaaaca ccccggtacc tgctaactct ccagaggtgt ttactcctgc caagtttgcc 2220
 tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
 25 aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
 aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccatgtgc 2400
 acccgttacc tcaccgtaa cctgtaatg cctgttaatc aataaacggg ttaattcgtt 2460
 30 tcagttgaac tttggtctct gcgaaggcg aattc 2495

<210> 37
 <211> 3098
 35 <212> DNA
 <213> new AAV serotype, clone 42.11

<400> 37

40 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg 180
 45 cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatattg 300
 aactcaccgg ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
 50 tcttccgctg ggcgaggat cacgtgaccg aggtggcgca tgagtctctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 gccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc 540
 55 acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accggagact 660

| | | |
|----|---|------|
| | gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc | 720 |
| | ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct | 780 |
| 5 | gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca | 840 |
| | ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt | 900 |
| | cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag | 960 |
| 10 | gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| | gacaagggag agccggtcaa cgcgggcgac gcagcgggcc tcgagcacga caaggcctac | 1080 |
| | gaccagcagc tcaaagcggg tgacaatccg tacctgctgg ataaccacgc cgacgccgag | 1140 |
| 15 | tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc | 1200 |
| | caggccaaga agcgggttct cgaacctctc ggtctgggtg aggaaggcgc taagacggct | 1260 |
| | cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc | 1320 |
| 20 | cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcct | 1380 |
| | gacctcaac caatcggaga accccccgca ggccctctg gtctgggatc tggtaaatg | 1440 |
| | gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtaat | 1500 |
| 25 | gcctccggaa attggcattg cgattccaca tggctgggcg acagagtcac caccaccagc | 1560 |
| | acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtacg | 1620 |
| | agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac | 1680 |
| 30 | ttcaacagat tccactgcc a tttctacca cgtgactggc agcgactcat caacaacaac | 1740 |
| | tggggattcc ggcccagaaa gctgcgggtc aagttgttca acatccaggt caaggaggtc | 1800 |
| | acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcaggtcttc | 1860 |
| 35 | tcggactcgg agtaccacact gccgtacgtc ctccggctctg cgcaccaggg ctgcctccct | 1920 |
| | ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc | 1980 |
| | agtcagtctg tgggacgttc ctctttctac tgctggagt actttcttc tcagatgctg | 2040 |
| 40 | agaacgggca ataaactttga attcagctac acctttgagg aagtgccttt ccacagcagc | 2100 |
| | tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac | 2160 |
| | tacctggccc ggaccagag cactacgggg tccacaaggg agctgcagtt ccacaggct | 2220 |
| 45 | gggccaaca ccatggccga gcaatcaaag aactggctgc ccggaccctg ttatcggcgg | 2280 |
| | cagagactgt caaaagacat agacagcaac aacaacagta actttgcctg gaccggggcc | 2340 |
| | actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc | 2400 |
| 50 | aacaaggacg acgaggacca gttctttccc atcaacggag tgctgggttt tggcaaaacg | 2460 |
| | ggggctgcc acaagacaac gctggaaaac gtgctaataa ccagcgagga ggagatcaaa | 2520 |
| 55 | accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct | 2580 |

EP 1 310 571 B1

| | | | | | | | |
|----|------------|-------------|-------------|-------------|------------|------------|------|
| | acggccggac | cccagacaca | gactgtcaac | agccaggggg | ctctgcccg | catggtctgg | 2640 |
| | cagaaccggg | acgtgtacct | gcaggggtccc | atctgggcca | aaattcctca | cacggacggc | 2700 |
| 5 | aactttcacc | cgtctccct | gatgggcgga | tttggactca | aacacccgcc | tcctcaaatt | 2760 |
| | ctcatcaaaa | acaccccggt | acctgctaata | cctccagagg | tgtttactcc | tgccaagttt | 2820 |
| | gcctcattta | tcacgcagta | cagcaccggc | caggtcagcg | tggagatcga | gtgggaactg | 2880 |
| 10 | cagaaagaga | acagcaaacg | ctggaatcca | gagattcagt | acacctcaaa | ttatgccaag | 2940 |
| | tctaataatg | tgggaatttgc | tgtcaacaac | gaaggggttt | atactgagcc | tcgccccatt | 3000 |
| | ggcacccggt | acctcaccgg | taacctgtaa | ttacttggtta | atcaataaac | cggttgattc | 3060 |
| 15 | gtttcagttg | aacttttggtc | tctgcgaagg | gcgaattc | | | 3098 |

| | |
|----|-------------------------------------|
| | <210> 38 |
| 20 | <211> 3276 |
| | <212> DNA |
| | <213> new AAV serotype, clone 42.6a |

| | |
|----|----------|
| 25 | <400> 38 |
|----|----------|

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc ttcgcagaga ccaaagtcca actgaaacga attaacgggt ttattgatta | 60 |
| | acaggcaatt acagggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctacgtataa | 120 |
| 5 | accccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgaggtgtac | 180 |
| | tgaatctctg gattccagcg ttgctgttt tctttctgca gtccccactc gatctccacg | 240 |
| | ctgacctggc cgggtgtgta ctgcgtgata aatgaggcaa acttggcagg agtaaacacc | 300 |
| 10 | tctggaggat tagcaggtag cggggtgttt ttgatgagaa tttagaggagg cgggtgtttg | 360 |
| | agtccaaatc cgtccatcag gggagacggg tgaagttgc cgtccgtgtg aggaattttg | 420 |
| | gccagatgg gacctgcag gtacacgtcc cgttctgcc agaccatgcc gggcagagcc | 480 |
| 15 | ccctggctgt tgacagtctg tgtctggggc ccggccgtag acgattgcag gttgctggag | 540 |
| | accacaccgt attcttctgt agccacggga ttggtggttt tgatctctc ctcgctggtc | 600 |
| | attagcacgt ttccagcgt tgtctgtttg gcagccccg ttttgccaaa aaccagcact | 660 |
| 20 | ccgttgatgg gaaagaactg gtcctcgtcg tccttggtgg tggccatggc tacgccggg | 720 |
| | ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta | 780 |
| | ctgttggtgt tgctgtctat gttttctgac agtctctgct gccgataaca ggggtccggc | 840 |
| 25 | agccagttct ttgattgctc ggccatggtg ttgggcccag cctgatggaa ctgcagctcc | 900 |
| | cttgtggacc ccgtagtgtc ctgggtccgg gccaggtagt acaggtagt gtcgatgagg | 960 |
| | ggattcatca gccgggtccag gctctggcta tgcgcatagc tgctgtggaa aggcacttcc | 1020 |
| 30 | tcaaagggtg agctgaattc aaagttattg cccgttctca gcattctgaga aggaaagtac | 1080 |
| | tccaggcagt agaaggagga acgtcccaca gactgactgc cgttgtttag agtcagatat | 1140 |
| 35 | ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca | 1200 |

EP 1 310 571 B1

gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta 1260
 aggttatttag cgatggctcg aacgcgctcg tccgtcgtga cctccttgac ctggatggtg 1320
 5 aacaacttga accgcagctt tctgggcccgg aatccccagt tgttgttgat gagtcgctgc 1380
 cagtcacgtg gtgagaagtg gcagtggaaat ctgttaaagt caaaataccc ccaggggggtg 1440
 ctgtagccga agtaggtgtt gtcgttgggt cttcctcccg atgtcccgtt ggagatttgc 1500
 10 ttgtagaggt ggttgttgta ggtggggagg gccaggttc ggggtgctggg ggtgatgact 1560
 ctgtcgccca gccatgtgga atcgcaatgc caatttcctg aggaactacc cactccgtcg 1620
 gcgccttcgt tattgtctgc cattggagcg ccaccgcctg cagccattgt accagatccc 1680
 15 agaccagagg ggcctgcggg gggttctccg attggttag ggtcgggcac tgactctgag 1740
 tcgccagtct gcccaaagt gagtctcttt ttcgcgggct gctggcctgt cttgccgatg 1800
 cccgtagagg agtctggaga acgctggggg gatggctcta ccggtctctt ctttccagga 1860
 20 gccgtcttag cgccttcctc aaccagaccg agaggttcca gaaccgcctt cttggcctgg 1920
 aagactgctc gcccgagggt gccccaaaa gacgtatctt cttgaagacg ctctgaaac 1980
 tcggcgtcgg cgtggttgta cttgaggtac ggggtgtccc cctgctcgag ctgcttgctg 2040
 25 taggccttgt cgtgctcgag ggccgcggcg tctgcctcgt tgaccggctc tcccttgctg 2100
 agtccgttga agggcccgag gtactttag ccaggaagca ccagaccccg gccgtcgtcc 2160
 tgcttttgct ggttggtttt gggtttcggg gctccaggtt tcaagtccca ccactcgcga 2220
 30 atgccctcag agaggttgct ctcgagccaa tctggaagat aaccatcggc agccatacct 2280
 ggtttaagtc atttattgct cagaaacaca gtcattcagg tccacgttga ccagatcgca 2340
 ggccgagcaa gcaatctcgg gagcccgccc cagcagatga tgaatggcac agagtttccg 2400
 35 atacgtctc tttctgacga ccggttgaga ttctgacacg ccggggaaac attctgaaca 2460
 gtctctgggc ccgtgctgta agcaaatgtt gaaattctga ttcattctct cgcattgctt 2520
 gcagggaaac agcatctgaa gcatgcccgc gtgacgagaa cacttgtttt ggtacctgtc 2580
 40 ggcaaagtcc accggagctc cttccgcgtc tgacgtcgat ggatgcaaaa tgtcgcaaaa 2640
 gcactcacgt gacagctaata acaggaccac tcccctatga cgtgatttac gtcagcgcta 2700
 tgcccgcgtg acgagaacat ttgttttggt acctgtcggc aaagtccacc ggagctcctt 2760
 45 ccgcgtctga cgtcgatgga tccgcgactg aggggcaggc ccgcttgggc tcgcttttat 2820
 ccgcgtcatc gggggcgggt ctcttggttg ctcaccctt tctgacgtag aactcatgcg 2880
 ccacctcggg cactgatcc tgcgcccagc ggaagaactc tttgacttcc tgctttgtca 2940
 50 ccttgccaaa gtcattgctc agacggcggg tgagtcaaaa ttgaaacatc cggtcctgca 3000
 acggctgctg gtgctcgaag gtgggtgctgt tccgctcaat cacggcgcac atgttggtgt 3060
 tggaagtgac gatcacgggg gtgggacga tctgggcgga agacttgac ttttgggtcca 3120
 55

EP 1 310 571 B1

cgcgacacctt gctgccgccc agaattggcct tggcggactc cacgaccttg gccgtcatct 3180
tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga aagttctcat 3240
5 tgggccagtt gacgcagccg tagaaagggc gaattc 3276

<210> 39
10 <211> 3084
<212> DNA
<213> new AAV serotype, clone 43.1

15 <400> 39

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc tttctacggc tgcataaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg | 180 |
| | cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg | 240 |
| | acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg | 300 |
| 10 | aactcaccgg ccgtctggag cagcactttg gcaaggtagc caagcaggaa gtcaaagagt | 360 |
| | tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagtcttac gtcagaaagg | 420 |
| | gcggagccag caaaagaccc gcccccgatg acgcggatat aagcgagccc aagcgggcct | 480 |
| 15 | gccccctagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg | 540 |
| | acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca | 600 |
| | aaacgtgcga gaaaatgaat cagaatttca acatttgctt cagcacggg gtcagagact | 660 |
| 20 | gctcagaatg tttccccggg gcatcagaat ctcaaccggg cgtcagaaaa aaaacgtatc | 720 |
| | agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct | 780 |
| | gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca | 840 |
| 25 | ggtatggctg ccgatgggta tcttcagat tggcttgagg acaacctctc tgagggcatt | 900 |
| | cgcgagtggg gggacctgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag | 960 |
| | gacgacggcc ggggtctggt gcttctctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| 30 | gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac | 1080 |
| | gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag | 1140 |
| | tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc | 1200 |
| 35 | caggccaaga agcgggttct cgaacctctc ggtctggtg aggaaggcgc taagacggct | 1260 |
| | cctggaaaga agagaccggg agagccatca cctcagcgtt ccccgactc ctccacgggc | 1320 |
| | atcggcaaga aaggccacca gccgcgaga aagagactga actttgggca gactggcgac | 1380 |
| 40 | tcggagttag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctgggtctg | 1440 |
| | ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc | 1500 |
| | gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga | 1560 |

gtcatcacca ccagcaccgc aacctggggc ctgccacct acaacaacca tctctacaag 1620
 caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc 1680
 5 accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg 1740
 cagcgactca tcaacaataa ctggggatcc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggagggt cagcgagaat gaaggcacca agaccatcgc caataaccctt 1860
 10 accagcacga ttcagggtgtt tacggactcg gaataccagc tcccgtacgt ccccggtctct 1920
 gcgcaccagg gctgcctccc tccgttcccc gcggactgct tcatgattcc tcagtacggg 1980
 tatctgaccc taaacaatgg cagtcagggt gtggggcgtt cctccttcta ctgcctggaa 2040
 15 tacttccctt ctcaaagtct gaggacgggc aacaactttg aattcagcta caccttcgag 2100
 gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaaccct 2160
 ctcatcgacc agtacctgta ttacttatec agaactcagt ccacaggagg aactcaagggt 2220
 20 actcagcaat tgtrattttc tcaagccggg cccgcaaaca tgtcggctca ggccaagaac 2280
 tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac 2340
 aacagcaatt ttgcttgga cggtgccacc aagtatcacc tgaatggcag agactccctg 2400
 25 gttaatcccc gcgttgccat ggctaccac aaggacgacg aggagcgctt cttcccgta 2460
 agcggagtcc taatgtttgg caagcagggg gctggaaaag acaatgtgga ctacagcagc 2520
 gtgatgctca ccagcgaaga agaaattaaa actactaacc cagtggctac agagcagtat 2580
 30 ggtgtggtgg cagacaacct gcagcagacc aacggagctc ccattgtggg aactgtcaac 2640
 agccaggggg ccttacctgg tatggtctgg caaaaccggg acgtgtacct gcagggcccc 2700
 atctgggcca aaattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
 35 tttggactga aacaccgcc tctcagatc ctggtgaaaa acactcctgt tcttcgggat 2820
 cctccgacca ccttcagcca ggccaagctg gcttctttta tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaatcga atgggagctg cagaaagaaa acagcaagcg ctggaaccca 2940
 40 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
 gagggactct attcagagcc tcgcccatt ggcactcgtt atctcaccgc taatctgtaa 3060
 45 ttgcttggtta atcaataaac cggt 3084

<210> 40

<211> 2370

<212> DNA

<213> new AAV serotype, clone 43.5

<400> 40

EP 1 310 571 B1

| | | |
|---|---|-----|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg | 180 |

10

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|---|------|
| | cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg | 240 |
| | acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg | 300 |
| 5 | aactcaccgg cgtcttgagg cactgactttg gcaagggtgac caagcaggaa gtcaaagagt | 360 |
| | tcttccgctg ggcgaggat cactgacccg aggtggcgca tgagtcttac gtcagaaagg | 420 |
| | gcgagaccag caaaagaccc gccccgatg acgcgatat aagcgagccc aagcgggcct | 480 |
| 10 | gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccgggtg gactttgccg | 540 |
| | acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagacgctg tttccctgca | 600 |
| | aaacgtgcga gagaatgaat cagaatttca acatttgctt cactcacggg gtcagagact | 660 |
| 15 | gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc | 720 |
| | agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct | 780 |
| | gcgatctggg caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca | 840 |
| 20 | ggtatggctg ccgatgggta tcttcagat tggtctgagg acaacctctc tgagggcatt | 900 |
| | cgcgagtggt gggacctgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag | 960 |
| | gacgacggcc ggggtctggg gcttcctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| 25 | gacaaggggg agcccgtcaa cgcggcgagc gcagcgcccc tcgagcacga caaggcctac | 1080 |
| | gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag | 1140 |
| | tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc | 1200 |
| 30 | caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct | 1260 |
| | cctggaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc | 1320 |
| | atcggcaaga aaggccacca gcccgcgaga aagagactga actttgggca gactggcgac | 1380 |
| 35 | tcggagttag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctggtctg | 1440 |
| | ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc | 1500 |
| | gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga | 1560 |
| 40 | gtcatcacca ccagcaccgg aacctggggc ctgcccacct acaacaacca tctctacaag | 1620 |
| | caaattctca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc | 1680 |
| | acccccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg | 1740 |
| 45 | cagcgactca tcaacaataa ctggggatcc cggcccaaga gactcaactt caagctcttc | 1800 |
| | aacatccagg tcaaggaggt cactcagaat gaaggcacca agaccatcgc caataacctt | 1860 |
| | accagcacga ttcagggtgt tacggactcg gaataccagc tcccgtacgt cctcggctct | 1920 |
| 50 | gcgcaccagg gctgcctccc tccgttcccg gcggacgtct tcatgattcc tcagtacggg | 1980 |
| | tatctgaccc taaacaatgg cagtacggct gtgggcccgt cctccttcta ctgcctggaa | 2040 |
| 55 | tacttccctt ctcaaatgct gaggacgggc aacaactttg aattcagcta caccttcgag | 2100 |

EP 1 310 571 B1

5 gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaaccct 2160
 ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaaggt 2220
 actcagcaat tgttatatttc tcaagccggg cccgcaaaca tgytggctca ggccaagaac 2280
 tggctacctg gaccgtgcta ccgtcagcaa cgagtttcca cgacactgtc gcaaaaacaac 2340
 10 aacagcaatt ttgctggacc ggtgccacca 2370

<210> 41

<211> 3123

15 <212> DNA

<213> new AAV serotype, clone 43.12

<400> 41

20

25

30

35

40

45

50

55

EP 1 310 571 B1

gaattcgccc ttggtgcgt caactggacc aatgagaact tcccttcaa cgattgcgtc 60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc 120
5 aaggccattc tcggcggcag caagggtgcgc gtggacaaa agtgcaagtc gtccgccag 180
atcgacccca ccccgatgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
aacagcacca ccttcgagca ccagcagccg, ttgcaggacc ggatgttcaa gttcgaactc 300
10 accgcccgtc tggagcacga ctttggcaag gtgaccaagc aggaagtcaa agagttcttc 360
cgctggggcg aggatcacgt gaccgaggtg gcgcataagt tctacgtcag aaaggcgga 420
gccagcaaaa gaccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc 480
15 tcagtccggy atccatcgac gtcagacgcg gaaggagctc cgggtggactt tgccgacagg 540
taccaaaaca aatgttctcg tcacgcgggc atgtccaga tegtgtttcc ctgcaaacg 600
tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acggggtcag agactgctca 660
20 gaatgtttcc ccggtgcac agaattctcaa ccggtcgtca gaaaaaaaaac gtatcagaaa 720
ctgtgtgcca ttcacatct gctggggcgg gcacccgaga ttgcttgctc ggcctgcat 780
ctggtcaacg tggacctgga cgactgtgtt tctgagcaat aaatgactta aaccaggat 840
25 ggctgccgat ggttatcttc cagattggct tgaggacaac ctctctgagg gcattcgcga 900
gtggtgggac ctgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960
cggccgggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020
30 gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cagacaagg cctacgacca 1080
gcagctcaa ggggtgaca atccgtacct gcggtataac cagcgcgacg ccgagtttca 1140
ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc 1200
35 caagaagcgg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcttg 1260
aaagaagaga ccggtagagc catcacctca gcgttcccc gactcctcca cgggcatcgg 1320
caagaaaggc caccagcccg cgagaaagag actgaacttt gggcagactg gcgactcgga 1380
40 gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc 1440

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | tggtacaatg gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg | 1500 |
| | agtgggtagt tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac | 1560 |
| 5 | caccaccagc acccgaacct gggccctgcc cacctacaac aaccatctct acaagcaaat | 1620 |
| | ctccaacggg acatcgggag gaagcactaa cgacaacacc tactttggct acagcacccc | 1680 |
| | ctgggggtat ttgacttca acagattcca ctgccacttc tcaccacgtg actggcagcg | 1740 |
| 10 | actcatcaac aataactggg gattccggcc caagagactc aacttcaagc tcttcaacat | 1800 |
| | ccagggtcaag gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag | 1860 |
| | cacgattcag gtgtttacgg actcgggaata ccagctcccg tacgtcctcg gctctgcgca | 1920 |
| 15 | ccagggtcgc ctccctccgt tccggcgga cgtcttcacg attcctcagt acgggtatct | 1980 |
| | gaccctaaac aatggcagtc aggtgtggg cgttccctcc ttctactgcc tggataactt | 2040 |
| | cccttctcaa atgctgagga cgggcaacaa ctttgaattc agctacacct tcgaggacgt | 2100 |
| 20 | gcctttccac agcagctacg cgcacagcca gagcctggac cggctgatga accctctcat | 2160 |
| | cgaccagtac ctgtattact tatccagaac tcagtccaca ggaggaactc aaggtaactca | 2220 |
| | gcaattgtta ttttctcaag cggggcccg c aaacatgtcg gctcaggcca agaactggct | 2280 |
| 25 | acctggaccg tgttaccgtc agcaacgagt ttccacgaca ctgtcgcaaa acaacaacag | 2340 |
| | caattttgct tggaccgggtg ccaccaagta tcacctgaat ggcagagact ccctggttaa | 2400 |
| | tcccgcgctt gccatggcta cccacaagga cgacgaggag cgcttcttcc cgtcaagcgg | 2460 |
| 30 | agtttcaatg ttgggcaagc agggggctgg aaaagacaat gtggactaca gcagcgtgat | 2520 |
| | gctcaccagc gaagaagaaa ttaaaactac taaccagtg gctacagagc agtatggtgt | 2580 |
| | ggtggcagac aacctgcagc agaccaacgg agtccccatt gtgggaactg tcaacagcca | 2640 |
| 35 | gggggcctta cctggtatgg tctggcaaaa cggggacgtg tacctgcagg gccccatctg | 2700 |
| | ggcaaaaatt cctcacacgg acggcaactt tcacctctcg ccgctgatgg gaggetttgg | 2760 |
| | actgaaacac ccgcctctc agatcctggg gaaaaaact cctgttcctg cggatcctcc | 2820 |
| 40 | gaccaccttc agccaggcca agctggcttc ttttatcacg cagtacagca ccggacaggt | 2880 |
| | cagcgtggaa atcgaatggg agctgcagaa agaaaacagc aagcgtgga acccagagat | 2940 |
| | tcagtatact tccaaactact acaaatctac aaatgtggac ttgctgtca atactgaggg | 3000 |
| 45 | tacttatcca gagcctcgcc ccattggcac tcgttatctc acccgtaac tgtaattgct | 3060 |
| | tgtaaatcaa taaaccgggt aattcgtttc agttgaactt tggctctgc gaaggcgaa | 3120 |
| 50 | ttc | 3123 |

<210> 42

<211> 3122

<212> DNA

55 <213> new AAV serotype, clone 43.20

<400> 42

EP 1 310 571 B1

gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgata tggtagggagg agggcaagat gacggccaag gtcgtggagt 120
 5 cgcgaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180
 cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag cgccaccttc gagcaccagc agcgtgtgca ggaccggatg ttcaaatttg 300
 10 aactcaccgg ccgtctggag catgactttg gcaaggtagc gaagcaggaa gtcaaagagt 360
 tcttcgcgtg ggcgcaggat cacgtgaccg aggtggcgca tgagtccac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct 480
 15 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccgggtg gactttgccg 540
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg ttccctgca 600
 agacatgcga gagaatgaat cagaatttca acatttgett cagcacggg accagagact 660
 20 gttcagaatg ttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc 720
 ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
 gcgatctggg caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 25 ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggg gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 30 gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaagcctac 1080
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataatcacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
 35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagactggg agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320
 ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380
 40 gagtcagtcc ccgaccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440
 cctaatacaa tggttcagg cggtaggcgt ccaatggcag acaataacga aggcgccgac 1500
 ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc 1560
 45 atcaccacca gcaccgaac ctgggccttg cccacctaca acaaccacct ctacaagcaa 1620
 atctccaacg gcacctcggg aggaagcacc aacgacaaca cctatttttg ctacagcacc 1680
 ccctgggggt attttgactt caacagattc cactgtcact ttccaccacg tgactggcaa 1740
 50 cgactcatca acaacaattg gggattccgg ccaaaaagac tcaacttcaa gctgttcaac 1800
 atccaggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc 1860
 agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct 1920

55

EP 1 310 571 B1

5
10
15
20
25
30
35

caccagggat gtctgcctcc gttcccggcg gacgttttca cggttctctca gtacggctat 1980
 ttaacttttaa acaatggaag ccaagccctg ggacgttctt ccttctactg tctggagtat 2040
 tteccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcagaggac 2100
 gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatccctc 2160
 atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag 2220
 actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg 2280
 cccggacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc 2340
 aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat 2400
 ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg 2460
 gtctctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgcgtg 2520
 attacagatg aggaagaaat caaggctacc aaccccgtag ccacagaaga atatggagca 2580
 gtggccatca acaaccaggc cgccaatacg caggcgcaga ccggactcgt gcacaaccag 2640
 ggggtgatcc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg 2700
 gccaaaattc ctacacagga cggcaacttt caccgcgtct cctgatggg cggctttgga 2760
 ctgaagcacc cgcctctca aattctcatc aagaacacac cggttccagc ggaccgccg 2820
 cttaccttca accaggccaa gctgaactct ttcattcacgc agtacagcac cggacaggctc 2880
 agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt 2940
 caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggaagga 3000
 gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat 3060
 gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
 tc 3122

<210> 43

<211> 3117

<212> DNA

<213> new AAV serotype, clone 43.21

<400> 43

45
50
55

gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
 gacaagatgg tgatctgggt ggaggagggc aagatgacgg ccaaggctgt ggagtccgcc 120
 aaggccattc tcggcggcag caaggctgct gtggaccaa agtgcaagtc ttccgccag 180
 atcgatccca ccccgctgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
 aacagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa atttgaactc 300
 accgcgcgtc tggagcatga ctttggcaag gtgacgaagc aggaagtcaa agagtcttcc 360
 cgctgggcgc aggatcacgt gaccgagggt gcgcatgagt tccacgtcag aaagggtgga 420

5 gccaacaaga gacccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc 480
 tcagtcgchg atccatcgac gtcagacgcg gaaggagctc cggaggactt tgccgacagg 540
 10 taccaaaaca aatgttctcg tcacgchggc atgcttcaga tgctgtttcc ctgcaagaca 600
 tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggaccag agactgttca 660
 gaatgtttcc ccggcggtgc agaattctca cgggtcgta gaaaggagac gtatcggaaa 720
 15 ctctgtgcga ttcattctct gctggggcgg gctcccgaga ttgcttgctc ggcctgcat 780
 ctgggtcaacg tggacctgga tgactgtgtt tctgagcaat aaatgactta aaccaggat 840
 ggctgccgat ggttatcttc cagattggct cgaggacaac ctctctgagg gcattcgca 900
 20 gtgggtgggac ttgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960
 cggccggggt ctgggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020
 gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cagacaaaag cctacgacca 1080
 25 gcagctcaaa gcgggtgaca atccgtacct gcggtataat cagccgacg ccgagtttca 1140
 ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttcaggc 1200
 caagaagcgg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcctgg 1260
 aaagaagaga ccggtagagc agtcgccaca agagccagac tcctcctcgg gcacgggcaa 1320
 gacaggccag cagcccgcta aaaagagact caattttggt cagactggcg actcagagtc 1380
 30 agtccccgac ccacaacctc tcggagaacc tcagcagcc ccctcaggtc tgggacctaa 1440
 tacaatggct tcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt 1500
 gggtaattcc tcgggaaatt ggcattgcga ttccacatgg ctgggggaca gagtcatcac 1560
 35 caccagcacc cgaacctggg ccctgcccac ctacaacaac cacctctaca agcaaatctc 1620
 caacggcacc tcgggaggaa gcaccaacga caaacctat tttggctaca gcacccctg 1680
 ggggtatatt gacttcaaca gattccactg tcacttttca ccacgtgact ggcaacgact 1740
 40 catcaacaac aattggggat tccggcccaa aagactcaac ttcaagctgt tcaacatcca 1800
 ggtcaaggaa gtcacgacga acgaaggcac caagaccatc gccataatc tcaccagcac 1860
 cgtgcgggtc tttacggact cggagtacca gttaccgtac tgctaggat ccgtcacca 1920
 45 gggatgtctg cctccgttcc cggcgagcgt ctcatggtt cctcagtacg gctatttaac 1980
 tttaaacaat ggaagccaag ccctgggacg ttcctcctc tactgtctgg agtatttccc 2040
 atcgagatg ctgagaaccg gcaacaactt tcagttcagc tacaccttcg aggacgtgcc 2100
 50 tttccacagc agctacgcgc acagccagag cctggacagg ctgatgaatc ccctcatcga 2160
 ccagtacctg tactacctgg tcagaacgca aacgactgga actggaggga cgcagactct 2220
 ggcattcagc caagcgggtc ctagctcaat ggccaaccag gctagaaatt ggggtgcccg 2280
 55 acctgtctac cggcagcagc gcgtctccac gacaaccaac cagagcaaca acagcaactt 2340

EP 1 310 571 B1

| | | |
|----|---|------|
| | tgccctggacg ggagctgcc a gttttaagct gaacggccga gactctctaa tgaatccggg | 2400 |
| | cgtggcaatg gcttcccaca aggatgacga cgaccgcttc ttcccttcga gcgggggtcct | 2460 |
| 5 | gattttttggc aagcaaggag ccgggaacga tggagtggat tacagccaag tgctgattac | 2520 |
| | agatgaggaa gaaatcaagg ctaccaaccc cgtggccaca gaagaatatg gagcagtggc | 2580 |
| 10 | catcaacaac caggccgcc a tacgcaggc gcagaccgga ctctgcaca accaggggggt | 2640 |
| | gattcccggc atggtgtggc agaatagaga cgtgtacctg caggggtccca tctgggccaa | 2700 |
| | aattcctcac acggacggca actttcaccc gtctccctg atgggcggct ttggactgaa | 2760 |
| 15 | gcacccgcct cctcaaattc tcatcaagaa cacaccggtt ccagcggacc cgccgcttac | 2820 |
| | cttcaaccag gccaaagtga actctttcat cagcagtagc agcaccggac aggtcagcgt | 2880 |
| | ggaaatcgag tgggagctgc agaaagaaaa cagcaaacgc tggaatccag agattcaata | 2940 |
| 20 | cacttccaac tactacaaat ctacaaatgt ggactttgct gtcaacacgg aaggagttaa | 3000 |
| | tagcgagcct cgccccattg gcaccggtta cctcaccgc aacctgtaat tacatgttaa | 3060 |
| | tcaataaacc ggtaattcg tttcagttga actttgggtct ctgcgaaggc cgaattc | 3117 |

<210> 44
 <211> 3121
 <212> DNA
 <213> new AAV serotype, clone 43.23
 <400> 44

EP 1 310 571 B1

| | | |
|----|--|-----|
| | gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg | 60 |
| | cgctcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc | 120 |
| 5 | cgccaaggcc attctcggcg gcagcaagggt gcgtgtggac caaaagtgc agtcttccgc | 180 |
| | ccagatcgat cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga | 240 |
| | cggaacagc accaccttcg agcaccagca gccgttgacg gaccggatgt tcaaatttga | 300 |
| 10 | actcaccgc cgctctggagc atgacttttg caaggtgacg aagcaggaag tcaaagagtt | 360 |
| | cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttccacg tcagaaaggg | 420 |
| | tggcgccaac aagagaccgc ccccgatga cgcggatata agtcgagcca agcgggcctg | 480 |
| 15 | cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga | 540 |
| | caggtaccaa aacaaatggt ctcgctcacgc gggcatgctt cagatgctgt ttccctgcaa | 600 |
| | gacatgcgag agaatgaatc agaatttcaa catttgcttc acgcacggga ccagagactg | 660 |
| 20 | ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg | 720 |
| | gaaactctgt gcgattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg | 780 |
| | cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag | 840 |
| 25 | gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc | 900 |
| | gcgagtgggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg | 960 |

30

35

40

45

50

55

EP 1 310 571 B1

acgacggccg gggctctggtg cttcctggct acaagtacct cggacccttc aacggactcg 1020
acaaggggga gcccgtaac gcggcggacg cagcggccct cgagcacgac aaagcctacg 1080
5 accagcagct caaagcgggt gacaatccgt acctgcggtg taatcacgcc gacgccgagt 1140
ttcaggagcg tctgcaagaa gatacgtcct ttgggggcaa cctcgggcga gcagtcttcc 1200
aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 1260
10 ctggaaagaa gagaccggta gagcagtcgc cacaagagcc agactcctcc tcgggcacgc 1320
gcaagcacag ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 1380
agtacgtccc cgaccacaa cctctcggag aacctccagc agccccctca ggtctgggac 1440
15 ctaatacaat ggcttcaggc ggtggcgctc caatggcaga caataacgaa ggcgccgacg 1500
gagtgggtaa ttcctcggga aattggcatt gcgattccac atggctgggg gacagagtca 1560
tcaccaccag caccgaacc tgggccctgc ccacctacaa caaccacctc tacaagcaaa 1620
20 tctccaacgg cacctcggga ggaagcacca acgacaacac ctattttggc tacagcacc 1680
cctgggggta ttttgacttc aacagattcc actgtcaactt ttcaccagct gactggcaac 1740
gactcatcaa caacaattgg ggattccggc ccaaagact caacttcaag ctgttcaaca 1800
25 tccagggtcaa ggaagtcacg acgaacgaag gcaccaagac catcgccaat aatctcacca 1860
gcaccgtgca ggtctttacg gacttggagt accagttacc gtacgtgcta ggatccgctc 1920
accagggatg tctgcctccg ttcccgccgg acgtcttcat ggttcctcag tacggctatt 1980
30 taactttaaa caatggaagc caagccctgg gacgttcctc cttctactgt ctggagtatt 2040
tcccatcgca gatgcgaga accggcaaca actttcagtt cagctacacc ttcgaggacg 2100
tgcctttcca cagcagctac gcgcacagcc agagcctgga caggctgatg aatccccctca 2160
35 tcgaccagta cctgtactac ctggtcagaa cgcaaacgac tggaactgga gggacgcaga 2220
ctctggcatt cagccaagcg ggtcctagct caatggccaa ccaggctaga aattgggtgc 2280
ccggaccctg ctaccggcag cagcgcgtct ccacgacaac caaccagaac aacaacagca 2340
40 actttgcctg gacgggagct gccaaagtta agctgaacgg ccgagactct ctaatgaatc 2400
cgggcgtggc aatggcttcc cacaaggatg acgacgaccg cttcttccct tcgagcgggg 2460
tcctgatttt tggcaagcaa ggagccggga acgatggagt ggattacagc caagtgcctga 2520
45 ttacagatga ggaagaaatc aaggctacca acccgtggc cacagaagaa tatggagcag 2580
tggccatcaa caaccaggcc gccaatacgc aggcgcagac cggactcgtg cacaaccagg 2640
gggtgattcc cggcatggtg tggcagaata gagacgtgta cctgcagggc cccatctggg 2700
50 ccaaaattcc tcacacggac ggcaactttc acccgctctc cctgatgggc ggctttggac 2760
tgaagcacc gcctcctcaa attctcatca agaacacacc ggttccagcg gaccgcgcgc 2820
55 ttaccttcaa ccaggccaag ctgaactctt tcacacgca gtacagcacc ggacagggtca 2880

EP 1 310 571 B1

5 gcgtggaaat cgagtgggag ctgcagaaag aaaacagcaa acgctggaat ccagagattc 2940
 aatacacttc caactactac aaatctacaa atgtggactt tgctgtcaac acggaaggag 3000
 tttatagcga gcctcgcccc attggcaccg gttacctcac ccgcaacctg taattacatg 3060
 ttaatcaata aaccggttaa ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120
 c 3121
 10 <210> 45
 <211> 3122
 <212> DNA
 <213> new AAV serotype, clone 43.25
 15 <400> 45
 gaattcgccc tttctacggc tgggtcaact ggaccaatga gaactttccc ttcaacgatt 60
 20 gcgtcgacaa gatggtgac tgggtgggag agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180
 cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
 25 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg 300
 aactcaccgc ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagggt 360
 tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtccac gtgcgagccc 420
 30 aagcgggccc gccctcagt cgcggatcca tcgacgtcag accagaaagg gtggagccaa 480
 caagagaccc gcccccgatg acgcggatat aagcgaagg agctccggtg gactttgccg 540
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 35 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact 660
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
 ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcgccct 780
 40 gcgatctggt caactggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
 ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 45 gacgacggcc ggggtctggt gcttcttggc tacaagtacc tcggaccctt caacggactc 1020
 gacaaggggg agcccgtaaa cgcggcgagc gcagcggccc tcgagcacga caaagcctac 1080
 gaccagcagc tcaaagcggg tgacaatccg tacctgctgt ataatcacgc cgacgccgag 1140
 50 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcctc 1200
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagaccggg agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320
 55 ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380
 gagtcagtcc ccgaccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440

EP 1 310 571 B1

| | | |
|----|--|------|
| | cctaatacaa tggcttcagg cgggtggcgt ccaatggcag acaataacga aggcgccgac | 1500 |
| | ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc | 1560 |
| 5 | atcaccacca gcacccgaac ctggggcctg cccacctaca acaaccacct ctacaagcaa | 1620 |
| | atctccaacg gcacctcggg aggaagcacc aacgacaaca cctattttgg ctacagcacc | 1680 |
| 10 | ccctgggggt attttgactt caacagattc cactgtcact tttcaccacg tgactggcaa | 1740 |
| | cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac | 1800 |
| | atccagggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc | 1860 |
| 15 | agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct | 1920 |
| | caccagggat gtctgcctcc gttcccggcg gacgtcttca tggttcctca gtacggctat | 1980 |
| | ttaactttaa acaatggaag ccaagccctg ggacgttctt ccttctactg tctggagtat | 2040 |
| 20 | ttcccatcgc agatgttgag aaccggcaac aactttcagt tcagctaac cttcgaggac | 2100 |
| | gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatccccct | 2160 |
| | atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag | 2220 |
| 25 | actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg | 2280 |
| | cccggaacct gctaccggca gcagcgctc tccacgacaa ccaaccagaa caacaacagc | 2340 |
| | aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat | 2400 |
| 30 | ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg | 2460 |
| | gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgtg | 2520 |
| | attacagatg aggaagaaat caaggctacc aaccccgctg ccacagaaga atatggagca | 2580 |
| 35 | gtggccatca acaaccaggc cgccaatacg caggcgaga ccggactcgt gcacaaccag | 2640 |
| | ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg | 2700 |
| | gccaaaattc ctcacacgga cggcaacttt caccgcctc ccctgatggg cggttttggg | 2760 |
| 40 | ctgaagcacc cgcctctca aattctcatc aagaacacac cggttccagc ggacccgccg | 2820 |
| | cttaccttca accaggccaa gctgaactct ttcatacgc agtacagcac cggacaggtc | 2880 |
| | agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt | 2940 |
| 45 | caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggagggg | 3000 |
| | gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat | 3060 |
| | gttaatcaat aaaccggtta attcgttca gttgaacttt ggtctctgcg aagggcgaat | 3120 |
| 50 | tc | 3122 |

<210> 46

<211> 3128

<212> DNA

<213> new AAV serotype, clone 44.1

<400> 46

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatgttgatc tgggtgggagg agggcaagat gatggccaag gtcgtggagt 120
 5 ccgccaaggc cattctcggc ggcagcaaa gtcgctgga ccaaaagtgc aagccgtccg 180
 ccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgcg ggaccggatg ttcaagtctg 300
 10 aactcaccgg ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcagagagt 360
 tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
 gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
 15 gcccctcagt cgcggtatcca tcgacgtcag acgcgggaagg agctccgggtg gactttgccg 540
 acaggtacca aaacaaatgt tctcgtcacg. cgggcatgct tcagatgctg tttccctgca 600
 aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
 20 gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaaa aagacgtatc 720
 ggaaactctg tgcgattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct 780
 gcgatctggg caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca 840
 25 ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt 900
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
 gacgacggcc ggggtctggg gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
 30 gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200
 35 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
 cctggaaaga agagaccggg agagccatca cccagcgtt ctccagactc ctctacgggc 1320
 atcggaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
 40 tcagagttag tgcccagccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
 ggatctggta caatggctgc aggcgtggc gctccaatgg cagacaataa cgaaggcgcc 1500
 gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
 45 gtcatcacca ccagcaccgg aacctggggc ctccccacct acaacaacca cctctacaag 1620
 caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggtacagc 1680
 accccctggg ggtatcttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
 50 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
 aacatccagg tcaaggaggg cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
 accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtagct cctcggctct 1920
 55

EP 1 310 571 B1

5
10
15
20
25
30
35

gcgcaccagg gctgcctgcc tccgttcccc ggggacgtct tcatgattcc tcagtacggg 1980
 tacctgactc tgaacaatgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040
 tacttttcett ctcaaagtct gagaacgggc aacaactttg agttcagcta ccagttctgag 2100
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
 ctcacgcacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
 actcagcagt tgctattttc tcaggccggg cctaataaca tgcgggtca ggccaaaac 2280
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
 aacagcaact gtaaatcccc gtgtcgctat ggcaaccac aaggacgacg aagagcgatt 2400
 ttgcctggac cggtgccacc aagtatcatc tgaatggcag agactctctg tttccgtcc 2460
 agcggagtct taatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagttagga agaaattaaa accaccaacc cagtggccac ggaacagtac 2580
 ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggc 2760
 tttggactga aacaccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 cctccaacta ccttcagtca agctaagctg gcgtcggtca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccca 2940
 gagattcaat acacttccaa ctactacaaa tctacaaatg tggacttcgc tgtaacaca 3000
 gatggcactt attctgagcc tcgccccatt ggcaccggtt acctcaccgc taatctgtaa 3060
 ttgctcgta atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg 3120
 gcgaattc 3128

<210> 47

<211> 3128

<212> DNA

<213> new AAV serotype, clone 44.5

<400> 47

45
50
55

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
 gcgtcgacaa gatggtgac tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaaa tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 cccagatcga ccccaacccc gtgacgtcga cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtctg 300
 aactcaccgc ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcagagagt 360
 tcttcgctg ggcgcaggat cagctgaccg aggtggcgca cgagttctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcagagcc aagcgggcct 480

EP 1 310 571 B1

| | | |
|----|---|------|
| | gccccctcagt cgcggtatcca tcgacgtcag acgcggaagg agctccggtg gactttgccc | 540 |
| | acagggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca | 600 |
| 5 | aaacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact | 660 |
| | gttcagaatg tttccccggc gtgtcagaat ctcaaccggt tgtcagaaaa aagacgtatc | 720 |
| 10 | ggaaactctg tgcgattcat catctgctgg ggccggcacc cgagattgct tgctcggcct | 780 |
| | gcgatctggt caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca | 840 |
| | ggatattgctg ccgatgggta tcttccagat tggtctgagg acaacctctc tgagggcatt | 900 |
| 15 | cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaagcag | 960 |
| | gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| | gacaaggggg agcccgtaaa cgccggcgac gcagcggccc tcgagcacga caaggcctac | 1080 |
| 20 | gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag | 1140 |
| | tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc | 1200 |
| | caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct | 1260 |
| 25 | cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc | 1320 |
| | atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac | 1380 |
| | tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg | 1440 |
| 30 | ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc | 1500 |
| | gacggagtgg gtagttcctc aggaatttg cattgcgatt ccacatggct gggcgacaga | 1560 |
| | gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag | 1620 |
| 35 | caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggctacagc | 1680 |
| | acccctcggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg | 1740 |
| | cagcgactca tcaacaacaa ctggggattc cggcccaaga gacccaactt caagctcttc | 1800 |
| 40 | aacatccagg tcaaggaggc cagcgagaat gaaggcacca agaccatcgc caataacctt | 1860 |
| | accagcacga ttcagggtctt tacggactcg gaataccagc tcccgtagct cctcggctct | 1920 |
| | gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg | 1980 |
| 45 | tacctgactc tgaacaatgg cagtcaggcc gtggggcgtt cctccttcta ctgcctggag | 2040 |
| | tactttcctt ctcaaagtgt gagaacgggc aacaactttg agttcagcta ccagtttgag | 2100 |
| | gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc | 2160 |
| 50 | ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga | 2220 |
| | actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac | 2280 |
| | tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac | 2340 |
| 55 | aacagcaact ttgcctggac cgggtgccacc aagtatcatc tgaatggcag agactctctg | 2400 |

EP 1 310 571 B1

gtaaatcccg gtgtcgctat ggcaaccac aaggacgacg aagagcgatt tttccgtcc 2460
 agcggagtct taatgtttgg gaaacagggg gctggaaaag acaacgtgga ctatagcagc 2520
 gttatgctaa ccagtgagga agaaattaaa accaccaacc cagtggccac agaacagtac 2580
 ggcggtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
 atctggggca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggg 2760
 tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
 cctccaacta ccttcagtca agctaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
 caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccga 2940
 gagattcaat acacttccaa ctactacaaa tctacaaatg tggactttgc tgttaacaca 3000
 gatggcactt attctgagcc tcgccccatt ggcaccggtt acctcaccgg taatctgtaa 3060
 ttgcttggtta atcaataaac cggttgattc gtttcagttg aactttgggc tctgcgaagg 3120
 gcgaattc 3128

<210> 48
 <211> 1933
 <212> DNA
 <213> new AAV serotype, clone 223.10
 <220>
 <221> misc_feature
 <222> (1302)..(1302)
 <223> can be a, c, g or t
 <400> 48

EP 1 310 571 B1

| | | |
|----|---|-----|
| | caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc | 60 |
| | cgacgccgag ttccaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg | 120 |
| 5 | agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc | 180 |
| | taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcacatcg | 240 |
| | caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga | 300 |
| 10 | gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc | 360 |
| | tgggtacaatg gctgcaggcg gtggcgccacc aatggctgac aataacgagg gcgccgacgg | 420 |
| | agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac | 480 |
| 15 | caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat | 540 |
| | ctccagtcat tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg | 600 |
| | ggggtatctt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact | 660 |
| 20 | tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca | 720 |
| | ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac | 780 |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

5 gggttcagggtc ttttcggact cggaatatca actgccgtac gtccctcgget ccgcgcacca 840
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gataacctgac 900
 10 tctgaacaat ggcagccaat cggtaggccg ttccctccttc tactgcctgg agtacctttcc 960
 ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020
 tttccacagc agctacggc acagccagag tctggaccgg ctgatgaatc cctccatcga 1080
 15 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
 ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
 gcccggacct tgcttcggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 20 caactttgcc tggactgggtg ccacaaaata ccatttaaatt gnaagaaatt cattgggttaa 1320
 tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
 agtcttaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 25 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
 aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
 30 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gcttttgact 1680
 gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
 agtgtttact cctgccaaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
 35 ttactctgag cct 1933

<210> 49

<211> 1933

<212> DNA

<213> new AAV serotype, clone 223.2

<400> 49

EP 1 310 571 B1

| | | |
|----|---|-----|
| | caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggc ataaccacgc | 60 |
| | cgacgccgag tttcaggagt gtcttcaaga agatacgtct tttgggggca acctcgggcg | 120 |
| 5 | agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc | 180 |
| | taagacggca cctggaaaga agcgaccggt agactcgca gactccacct cgggcatcgg | 240 |
| | caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga | 300 |
| 10 | gtcagtcccc gacctcaac caatcgga accaccagca ggccccctct gtctgggac | 360 |
| | tgggtacaatg gttgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg | 420 |
| | agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac | 480 |
| 15 | caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat | 540 |

20

25

30

35

40

45

50

55

EP 1 310 571 B1

ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg 600
 5 ggggtatatt gacttcaaca gattccattg ccactttctca ccacgtgact ggcagcgaact 660
 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
 ggtcaaggag gtcacgacga atgacgggtg cacaaccatc gctaataacc ttaccagcac 780
 10 ggttcagggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
 tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
 15 ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020
 tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagtg ctggcaatcg 1140
 20 ggaactgcag ttttatcagg gcgacccac caccatggcc gaacaagcaa agaactggct 1200
 gcccggaact tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 caactttgcc tggactgggtg ccacaaaata ccatttaaatt ggaagaaatt cattggttaa 1320
 25 tccccggtgct gccatggcaa cccacaagga cgacgaggaa cgcttctccc cttcgagcgg 1380
 agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
 30 aagcagcaac ttgcaggcgg ctgacccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaagggtc ccatttgggc 1620
 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 35 gaaacacccg cctccccaga tcctgatcaa aaacacgccg gtacctgcta atcctccaga 1740
 agtggttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 40 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccaggggtg 1920
 ttactctgag cct 1933

<210> 50

<211> 1933

<212> DNA

<213> new AAV serotype, clone 223.4

<400> 50

EP 1 310 571 B1

| | | |
|----|--|------|
| | caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc | 60 |
| | cgacgccgag ttccaggagc gtcttcaaga agatacgtct ttgggggca acctcgggcg | 120 |
| 5 | agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc | 180 |
| | taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg | 240 |
| | caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga | 300 |
| 10 | | |
| | gccagtcccc gacctcaac caatcggaga accaccagca ggccccctctg gtctgggatac | 360 |
| | tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg | 420 |
| 15 | agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac | 480 |
| | caccaccagc acccgaacct .gggccccgcc cacctacaac aaccacctct acaagcaaat | 540 |
| | ctccagtacg tcagcaggga gcaccaacga taacgtctat ttgggtaca gcacccccctg | 600 |
| 20 | gggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact | 660 |
| | tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca | 720 |
| | ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac | 780 |
| 25 | ggttcaggte ttttcggact cggaatatca actgccgtac gtccctggct ccgcgcacca | 840 |
| | gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac | 900 |
| | tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc | 960 |
| 30 | ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc | 1020 |
| | ttccacagc agctacgcg acagccagag tctgggccgg ctgatgaatc ccctcatcga | 1080 |
| | ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagct ctggcaatcg | 1140 |
| 35 | ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct | 1200 |
| | gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag | 1260 |
| | caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattgggttaa | 1320 |
| 40 | tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg | 1380 |
| | agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat | 1440 |
| | gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt | 1500 |
| 45 | aagcagcaac ttgcaggcg ctagcaccgc agcccagaca caagttgtta acaaccaggg | 1560 |
| | agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaaggte ccatttgggc | 1620 |
| | caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact | 1680 |
| 50 | gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga | 1740 |
| | agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag | 1800 |
| | cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca | 1860 |
| 55 | gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccaggggtg | 1920 |
| | ttactctgag cct | 1933 |

EP 1 310 571 B1

<210> 51
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.5

5

<400> 51

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc` 60

10

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctegggcg | 120 |
| | agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc | 180 |
| 5 | taagacggca cctggaaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg | 240 |
| | caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga | 300 |
| | gccagtcccc gacctcaac caatcggaga accaccagca ggccccctctg gtctgggatc | 360 |
| 10 | tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg | 420 |
| | agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac | 480 |
| | caccaccagc acccgaacct gggccccgcc cacctacaac aaccacctct acaagcaaat | 540 |
| 15 | ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccccctg | 600 |
| | gggggtatttt gacttcaaca gattccattg ccactttctc ccacgtgact ggcagcgact | 660 |
| | tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca | 720 |
| 20 | ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac | 780 |
| | ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca | 840 |
| | gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac | 900 |
| 25 | tctgaacaat ggcagccaat cggtaggccg ttccctccttc tactgcctgg agtactttcc | 960 |
| | ttctcagatg ctgagaacgg gcaacaactt cacccttagc tacaccttcg aggacgtgcc | 1020 |
| | tttccacagc agctacgcgc acagccagag tctgggccgg ctgatgaatc cctcatcga | 1080 |
| 30 | ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagtg ctggcaatcg | 1140 |
| | ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct | 1200 |
| | gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag | 1260 |
| 35 | caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt catttggttaa | 1320 |
| | tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg | 1380 |
| | agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat | 1440 |
| 40 | gacaaatgaa gaagaaattc gtctaccacaa cccggtagct accgaggaat acgggattgt | 1500 |
| | aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg | 1560 |
| | agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc | 1620 |
| 45 | caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact | 1680 |
| | gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga | 1740 |
| | agtgtttact cctgccaagt ttgcttctt catcacgcag tacagcaccg ggcaagtcag | 1800 |
| 50 | cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca | 1860 |
| | gtacacctcc aactttgaca aacagactgg agtggacttt gctggtgaca gccagggtgt | 1920 |
| 55 | ttactctgag cct | 1933 |

<210> 52

EP 1 310 571 B1

<211> 1933

<212> DNA

<213> new AAV serotype, clone 223.6

<400> 52

| | | |
|----|---|------|
| 5 | caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc | 60 |
| 10 | cgacgccgag ttccaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg | 120 |
| | agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgcagc | 180 |
| | taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg | 240 |
| 15 | caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga | 300 |
| | gtcagtcccc gacctcaac caatcggaga accaccagca gggccctctg gtctgggac | 360 |
| | tggtacaatg gctgcaggcg gtggcgaccc aatggctgac aatagcgagg gcgccgacgg | 420 |
| 20 | agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac | 480 |
| | caccaccagc acccgaacct gggccctgcc cacttacaac aaccacctct acaagcaaat | 540 |
| | ctccagttag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg | 600 |
| 25 | gggggtatatt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact | 660 |
| | tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca | 720 |
| | ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac | 780 |
| 30 | ggttcaggtc ttttcggact cggaatatca actgccgtac gtccctcggct ccgcgcacca | 840 |
| | gggtgccttg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac | 900 |
| | tctgaacaat ggcagccaat cggtaggcgg ttcctccttc tactgcctgg agtactttcc | 960 |
| 35 | ttctcagatg ctgagaacgg gcaacaactt cacttttagc tacaccttcg aggacgtgcc | 1020 |
| | tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga | 1080 |
| | ccagtacctg tactacttgg ccagaacaca gagcaacgca ggagggtactg ctggcaatcg | 1140 |
| 40 | ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct | 1200 |
| | gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag | 1260 |
| | caactttgcc tggactggtg ccacaaaata ccatttaaatt ggaagaaatt cattgggttaa | 1320 |
| 45 | tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg | 1380 |
| | agtctctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat | 1440 |
| | gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt | 1500 |
| 50 | aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg | 1560 |
| | agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc | 1620 |
| | caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact | 1680 |
| 55 | gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga | 1740 |

EP 1 310 571 B1

agtgtttact cctgccaagc ttgcttcctt catcacgcag tacagcaccc ggcaagtcag 1800
 cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 5 gtaçacctcc aacttttgaca aacagactgg agtggaacttt gctgttgaca gccaggggtgt 1920
 ttactctgag cct 1933

<210> 53
 <211> 1933
 <212> DNA
 <213> new AAV serotype, clone 223.7

<400> 53

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc 60
 cgacgccgag tttcaggagc gtcttcaaga agatacgtct ttggggggca acctcgggcg 120
 20 agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctgggtg agacgccagc 180
 taagacggca cctggaaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
 caagaaaggc cagcagcccc cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
 25 gtcagtcccc gacctcaac caatcggaga accaccagca ggccccctctg gtctgggagc 360
 tgggtacaatg gctgcaggcg gtggcgaccc aatggctgac aataacgagg gcgccgacgg 420
 agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac 480
 30 caccaccagc acccgaacct gggccccctg caccctacaac aaccacctct acaagcaaata 540
 ctccagtcag tcagcagggg gcaccaacga taacgtctat ttgggtaca gcacccccctg 600
 ggggtatttt gacttcaaca gattccattg ccactttctca ccacgtgact ggcagcgact 660
 35 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
 ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
 ggttcaggtc ttttcggacc cggaatatca actgccgtac gtccctcggct ccgcgcacca 840
 40 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
 tctgaacaat ggcagccaat cggtaggccc ttccctcttc tactgcctgg agtactttcc 960
 ttctcagatg ctgagaacgg gcaacaactt caccctttagc tacaccttcg aggacgtgcc 1020
 45 tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc cctcatcga 1080
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtagct ctggcaatcg 1140
 ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
 50 gcccggaact tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
 caactttgcc tggactgggt ccacaaaata ccatttaaat ggaagaaatt cattgggttaa 1320
 tcccgggtgc gccatggcaa ccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
 55 agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500

EP 1 310 571 B1

aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
 agccttacct ggcattggctt ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
 5 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
 gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
 agtgtttact cctgccaaaga ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
 10 cgttgagatc gagggtggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
 gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
 ttactctgag cct 1933

<210> 54

<211> 3123

<212> DNA

<213> new AAV serotype, clone A3.4

<400> 54

gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60
 25 gcgtcgacaa gatggtgac tgggtgggagg agggaaagat gaccgccaag gtcgtggaat 120
 ctgccaaagc cattctgggtt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180
 cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240
 30 acggaaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatctg 300
 aacttacccg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaaagact 360
 ttttccgggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420
 35 gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggagc 480
 gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcgggca 540
 ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac 600
 40 aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660
 tggaatgctt tcccggtgca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga 720
 aactttgtta cattcatcat atcatgggaa aagaaccaga cgctgcact gcctgcgacc 780
 45 tggtaaatgt ggacttggat gactgtatct ctgagcaata aatgacttaa atcaggatag 840
 gctgtgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900
 tgggtggaag tcaaacctgg cccaccaccg ccgaaacctc accaacaaca ccgggacgac 960
 50 agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa 1020
 ggagagccgg tcaacgaggg agacgccgag gccctcgagc acgacaaaag ctacgaccac 1080
 cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggagc tgaatttcag 1140
 55 gagcgtcttc aagaagatag gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200
 aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260

EP 1 310 571 B1

| | | |
|----|--|------|
| | aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcgaa | 1320 |
| | tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca | 1380 |
| 5 | gtccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatcta | 1440 |
| | acaatggctt caggcggtgg ggcaccaatg gcagacgata acgaaggcgc cgacggagt | 1500 |
| | ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc | 1560 |
| 10 | accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc | 1620 |
| | agcgaatcgg gagccacca cgaacaaccac tacttcgggt acagcaccac ctgggggtat | 1680 |
| | tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac | 1740 |
| 15 | aacaactggg gatthagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag | 1800 |
| | gaggtcacgc agaattgatg aaccacgacc atcgccaata accttaccag cagggtgcag | 1860 |
| | gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggctca ccagggtgc | 1920 |
| 20 | cttcgcgctg tcccagcaga cgtcttcattg attcctcagt acggctactt gactctgaac | 1980 |
| | aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag | 2040 |
| | atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac | 2100 |
| 25 | agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac | 2160 |
| | ctgtattacc tgagcaaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag | 2220 |
| | ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc | 2280 |
| 30 | agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct | 2340 |
| | tggactgcag ccaccaata ttacctgaat ggaagaaatt ctctggtcaa tcccgggccc | 2400 |
| | ccaatggcca gtcacaagga cgatgaggaa aagtattttc ccatgcacgg aaatctcatc | 2460 |
| 35 | tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtc tattacagac | 2520 |
| | gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca gggtgccacc | 2580 |
| | aaccatcaga gtcaggacac cacagcttcc tatggaagtg tggacagcca gggaatctta | 2640 |
| 40 | cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact | 2700 |
| | cctcacacgg acggacactt tcattcctct ccgctcatgg gaggttttg actgaaacac | 2760 |
| | cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc | 2820 |
| 45 | actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa | 2880 |
| | atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc | 2940 |
| | tccaactaca acaagtcggt gaatgtggag ttaccgtgg acgcaaacgg tgtttattct | 3000 |
| 50 | gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgtaaatgaa | 3060 |
| | taaaccgatt tatgcgttcc agttgaactt tggctctctg gaagggcgaa ttcgcggccg | 3120 |
| 55 | cta | 3123 |

<210> 55

<211> 3113

EP 1 310 571 B1

<212> DNA

<213> new AAV serotype, clone A3.5

<400> 55

5

```

gaattcgccc ttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt    60
gcgctcgacaa gatggtgata tgggtgggagg agggaaagat gaccgccaag gtcgtggaat    120
ctgccaaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg    180
cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg    240
acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatctg    300
aacttaccgg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaaagact    360
ttttccgggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg    420
gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggcgc    480
gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca    540
ggtacaaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac    600
aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt    660
tggaatgctt tcccgtgtca gaatctcaac ccgttcctgt cgtcagaaaa acgtatcaga    720
aactttgtta cattcatcat atcatgggaa aagtaccaga cgctgcact gcctgcgacc    780
tggtaaatgt ggacttggat gactgtatct ctgagcaata aatgacttaa atcaggtatg    840
gctgtcgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag    900
tgggtggaagc taaaacctgg cccaccaccg ccgaaacctt accaacaaca ccgggacgac    960
agttaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa   1020
ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac   1080
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggaagc tgaatttcag   1140
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc   1200
aaaaagaggg tactcgagcc tcttgggtctg gttgaggaag ctgttaagac ggctcctgga   1260
aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcgacaaa   1320
tcaggccagc agcccgtctaa gaaaagactc aatttttggtc agactggcga cacagagtca   1380
gtcccagacc ctcaaccaat cggagaacct cccgcagccc cctctggtgt gggatctaata   1440
acaatggctt caggcgggtg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg   1500
ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc   1560
accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc   1620
agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcaccac ctgggggtat   1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaat   1740

```

55

EP 1 310 571 B1

5 aacaactggg gatcttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
 gaggtcacgc agaattgatgg aaccacgacc atcgccaata accttaccag cacggtgcag 1860
 gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggetca ccagggctgc 1920
 cttccgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
 10 aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
 atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
 agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
 ctgtattacc tgagcaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag 2220
 15 ttcaaccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
 agtaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
 tggactgcag ccaccaaata ttaccggaat ggaagaaatt ctctggctca tcccgggccc 2400
 20 ccaatggcca gtcacaagga cgtatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
 tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtt tattacagac 2520
 gaagaagaaa tcagaacgac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
 25 aaccgtcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
 cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
 cctcacacgg acggacactt tcatccttct ccgctcatgg gaggttttg actgaaacac 2760
 30 cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc 2820
 actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
 atagagtggg agctgcagaa agaaaacagc aaacgctgga acccggaat tcagtacacc 2940
 35 tccaactaca acaagtcggt gaatgtggag tttaccgtg acgcaaacgg tgtttattct 3000
 gaacccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgттаatgaa 3060
 40 taaaccgatt tatgcgttcc agttgaactt tggctctgc gaaggcgaa ttc 3113

<210> 56

<211> 3122

<212> DNA

<213> new AAV serotype, clone A3.7

<400> 56

EP 1 310 571 B1

| | | |
|----|--|-----|
| | agcggccgcg aattcgccct ttctacggct gcgtcaactg gaccaatgaa aactttccct | 60 |
| | tcaacgattg cgtcgacaag atggtgatct ggtgggagga gggaaagatg accgccagg | 120 |
| 5 | tcgtggaatc tgccaaagcc attctgggtg gaagcaaggt tcgtgtggac cagaaatgca | 180 |
| | ggtcttcggc ccagatcgac ccgactccgg tgattgtcac ctctaaccacc aacatgtgcg | 240 |
| | ccgtgattga cggaaaactcg accaccttcg agcaccagca gccgttgcaa gaccggatgt | 300 |
| 10 | tcaaatttga acttaccgcg cgtttggatc atgactttgg gaaggtcacc aagcaggaag | 360 |
| 15 | | |
| 20 | | |
| 25 | | |
| 30 | | |
| 35 | | |
| 40 | | |
| 45 | | |
| 50 | | |
| 55 | | |

EP 1 310 571 B1

| | | |
|----|---|------|
| | tcaaagactt tttccggtgg gctcaagatc acgtgactga ggtggagcat gagttctacg | 420 |
| | tcaaaaaggg tggagccaag aaaaggcccc ccccgatga tgtatatata aatgagccca | 480 |
| 5 | agcgggcgcg cgaagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgataaaact | 540 |
| | acgcggacag gtacccaaaac aaatgttctc gtcacgtggg catgaatctg atgctgtttc | 600 |
| 10 | cctgtcgaca atgcgaaaga atgaatcaga attcacaatct ctgcttcaca cacgggcaaa | 660 |
| | aagactgttt ggaatgcttt cccgtgtcag aatctcaacc cgtttctgtc gtcagaaaaa | 720 |
| | cgtatcagaa accttgttac attcatcata tcatgggaaa agtaccagac gcctgcactg | 780 |
| 15 | cctgcgacct ggtaaatgtg gacttggatg actgtatttc tgagcaataa atgacttaaa | 840 |
| | tcaggatagg ctgctgacgg ttatcttcca gattggctcg aggacactct ctctgaagga | 900 |
| | atcagacagt ggtggaagct caaacctggc ccaccaccgc cgaaacctaa ccaacaacac | 960 |
| 20 | cgggacgaca gtaggggtct tgtgcttcct gggtaacaagt acctcggacc cttcaacgga | 1020 |
| | ctcgacaaag gagagccggt caacgaggca gacgcgcgcg ccctcgagca cgacaaagcc | 1080 |
| | tacgaccacc agctcaagca aggggacaac ccgtacctca aatacaacca cgcgagcgtc | 1140 |
| 25 | gaatttcagg agcgtcttca agaagatacg tctttcgggg gcaacctcgg gcgagcagtc | 1200 |
| | ttccaggcca aaaagagggc actcagacct cttggtctgg ttgaggaagc tgttaagacg | 1260 |
| | gctcctggaa aaaagagacc tatagagcag tctcctgcag aaccggactc ttctcgggc | 1320 |
| 30 | atcggcaaat caggccagca gcccgctaag aaaagactca attttggta gactggcgac | 1380 |
| | acagagtcag tccagaccc tcaaccaatc ggagaacccc ccgcagcccc ctctggtgtg | 1440 |
| | ggatctaata caatggcttc aggcgggtgg gcaccaatgg cagacaataa cgaaggcgcc | 1500 |
| 35 | gacggagtgg gtaattctc gggaaattgg cattgcgatt ccacatggat gggcgacaga | 1560 |
| | gttatcacca ccagcacaa gacctgggccc ctccccacct acaataatcg cctctacaag | 1620 |
| | caaattctcca gcgaatcggg agccaccaac gacaaccact acttcggcta cagcaccccc | 1680 |
| 40 | tgggggtatt ttgactttaa cagattccac tgtcacttct caccacgtga ctggcagcga | 1740 |
| | ctcatcaaca acaactgggg atttagaccc aagaaactca atttcaagct cttcaacatc | 1800 |
| | caagtcaagg aggtcacgca gaatgatgga accacgacca tcgccaataa ccttaccagc | 1860 |
| 45 | acgggtgcagg tcttcacaga ctctgagtac cagctgccct acgtcctcgg ttcggtcac | 1920 |
| | cagggctgcc ttccgccgtt ccagcagac gtcttcatga ttctcagta cggctacttg | 1980 |
| | actctgaaca atggcagcca agcggtagga cgttcttcat tctactgtct agagtatttt | 2040 |
| 50 | ccctctcaga tgctgaggac gggaaacaac ttacacctca gctacacttt tgaagacgtg | 2100 |
| | cctttccaca gcagctacgc gcacagccag agtctggatc ggctgatgaa tcctctcatt | 2160 |
| | gaccagtacc tgtattacct gagcaaaact caggggtacaa gtggaacaac gcagcaatcg | 2220 |
| 55 | agactgcagt tcagccaagc tgggcctagc tccatggctc agcaggccaa aaactggcta | 2280 |

EP 1 310 571 B1

5 cccgggaccca gctaccgaca gcagcgaatg tctaagacgg ctaatgacaa caacaacagt 2340
 gaatttgctt ggactgcagc caccaaatat tacctgaatg gaagaaattc tctggtcaat 2400
 cccggggcccc caatggccag tcacaaggac gatgaggaaa agtatttccc catgcacgga 2460
 aatctcatct ttggaaaaca aggcacagga actaccaatg tggacattga atcagtgcctt 2520
 attacagacg aagaagaaat cagaacaact aatcctgtgg ctacagaaca atacggacag 2580
 10 gttgccacca accatcagag tcagaacacc acagcttcct atggaagtgt ggacagccag 2640
 ggaatcttac ctggaatggt gtggcaggac cgcgatgctt atcttcaagg tcccatttgg 2700
 gccaaaactc ctcacacgga cggacacttt catccttctc cgctcatggg aggcctttgga 2760
 15 ctgaaacacc ctctcccca gatcctgac aaaaacacac ctgtgccagc gaatcccgcg 2820
 accactttca ctctggaaa gtttgcttcg ttcattacc agtattccac cggacaggtc 2880
 agcgtggaaa tagagtggga gctgcagaaa gaaaacagca aacgctggaa cccagaaatt 2940
 20 cagtacacct ccaactacaa caagtcggtg aatgtggagt ttaccgtgga cgcaaacggt 3000
 gtttattctg aaccccgccc tattggcact cgttacctta cccggaactt gtaatttcct 3060
 gttaatgaat aaaccgattt atgcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
 25 tc 3122

30 <210> 57
 <211> 3123
 <212> DNA
 <213> new AAV serotype, clone A3.3
 35 <400> 57

40

45

50

55

EP 1 310 571 B1

| | | |
|----|---|-----|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggatgatc tgggtgggagg agggaaagat gaccgccaag gtcgtggaat | 120 |
| 5 | ctgccaaagc cattctgggt ggaggcaagg ttcgtgtgga ccagaaatgc aagtcttcgg | 180 |
| | cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg | 240 |
| | acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg | 300 |
| 10 | aacttaccgg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaagact | 360 |
| | ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg | 420 |
| | gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggagc | 480 |
| 15 | gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca | 540 |
| | ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac | 600 |
| | aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt | 660 |
| 20 | tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga | 720 |
| | aactttgtta cattcatcat atcatgggaa aagtaccaga cgctgcact gcctgcgacc | 780 |
| 25 | tggtaaagt gtgacttggat gactgtattt ctgagcaata aatgacttaa atcaggtatg | 840 |

25

30

35

40

45

50

55

gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900
 tgggtggaagc tcaaacctgg cccaccaccg ccgaaacctc accaacaaca ccgggacgac 960
 5 agtagggggtc ttgtgcttcc tgggtacaag tacctcgac ccttcaacgg actcgacaaa 1020
 ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080
 cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcgggacgc tgaatttcag 1140
 10 gagcgtcttc aagaagatac gtcttctggg ggcaacctcg ggcgagcagt cttccaggcc 1200
 aaaaagaggg tactcgagcc tcttggctcg gttgaggaag ctgttaagac ggctcctgga 1260
 aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa 1320
 15 tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380
 gtcccaggcc ctcaaccaat cggagaacct cccgcagccc cctctggtgt gggatctaata 1440
 acaatggctt caggcgggtg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg 1500
 20 ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcac 1560
 accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaattctc 1620
 agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagaccccc ctgggggtat 1680
 25 tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac 1740
 aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
 gaggtcacgc agaatgatgg aaccacgacc atcgccaata accttaccag cgcggtgcag 1860
 30 gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggctca ccagggtgc 1920
 cttccgccgt tcccagcaga cgtcttcagt attcctcagt acggctactt gactctgaac 1980
 aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
 35 atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
 agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
 ctgtattacc tgagcaaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag 2220
 40 ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
 agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
 tggactgcag ccaccaata ttacctgaat ggaagaaatt ctctgggtcaa tcccgggccc 2400
 45 ccagtgccca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
 tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgct tattacagac 2520
 gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
 50 aaccatcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaaattta 2640
 cctggaatgg tgtggcagga ccgcatgtc tatcttcaag gtcccatttg ggccaaaact 2700
 55 cctcacacgg acggacactt tcataccttct ccgctcatgg gaggctttgg actgaaacac 2760

EP 1 310 571 B1

```

cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca cctgacaggt cagcgtggaa 2880
5 atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgттаатgaa 3060
10 taagccgatt tatgcgtttc agttgaactt tggctctctg gaagggcgaa ttcgттtааа 3120
cct 3123

```

```

15 <210> 58
    <211> 2969
    <212> DNA
    <213> new AAV serotype, clone 42.12

```

```

20 <400> 58

```

EP 1 310 571 B1

| | | |
|----|--|------|
| | gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt | 60 |
| | gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt | 120 |
| 5 | ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg | 180 |
| | cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg | 240 |
| | acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg | 300 |
| 10 | aactcacccg ccgtctggag cagcactttg gcaaggtgac aaagcaggaa gtcaaagagt | 360 |
| | tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagttctac gtcagaaagg | 420 |
| | gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct | 480 |
| 15 | gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg | 540 |
| | acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgtctg tttccctgca | 600 |
| | agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact | 660 |
| 20 | gttcagaatg tttccccggc gtgtcagaat ctcaaccggg cgtcagaaag aggacgtatc | 720 |
| | ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct | 780 |
| | gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca | 840 |
| 25 | ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatc | 900 |
| | cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag | 960 |
| | gacgacggcc ggggtctggt gcttccctggc tacaagtacc tcggaccctt caacggactc | 1020 |
| 30 | gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac | 1080 |
| | gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag | 1140 |
| | tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc | 1200 |
| 35 | caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct | 1260 |
| | cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc | 1320 |

40

45

50

55

EP 1 310 571 B1

| | | |
|----|--|------|
| | atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac | 1380 |
| | tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc cgcaggccc ctctggtctg | 1440 |
| 5 | ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc | 1500 |
| | gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga | 1560 |
| 10 | gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag | 1620 |
| | caaattctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc | 1680 |
| | acccctctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg | 1740 |
| 15 | cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc | 1800 |
| | aacatccagg tcaaggaggt cagcgagaat gaaggcacca agaccatcgc caataacctt | 1860 |
| | accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggtctt | 1920 |
| 20 | gcgcaccagg gctgcctgcc tccgttcccc gcggaagctt tcatgattcc tcagtacggg | 1980 |
| | tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag | 2040 |
| | tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag | 2100 |
| 25 | gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gacgaacccc | 2160 |
| | ctcatcgacc agtacctgta ctacctggcc cggaccacga gcactacggg gtccacaagg | 2220 |
| | gggctgcagt tccatcaggc tgggcccac accatggccg agcaatcaaa gaactggctg | 2280 |
| 30 | cccgacccct gttatcgga gcagagactg tcaaaaaaca tagacagcaa caacaacagt | 2340 |
| | aactttgcct ggaccggggc cactaaatac catctgaatg gtagaaattc attaaccaac | 2400 |
| | ccgggcgtag ccatggccac caacaaggac gacgaggacc agttctttcc catcaacgga | 2460 |
| 35 | gtgctggttt ttggcaaaac gggggctgcc aacaagacaa cgctggaaaa cgtgctaattg | 2520 |
| | accagcgagg aggagatcaa aaccaccaat cccgtggcta cagaagaata cgggtgtggtc | 2580 |
| | tccagcaacc tgcaatcgtc tacggccgga cccagacac agactgtcaa cagccagggg | 2640 |
| 40 | gctctgcccg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc catctgggcc | 2700 |
| | aaaattcctc acacggacgg caactttcac ccgtctcccc tgatgggcgg atttggactc | 2760 |
| | aaacacccgc ctctcaaat tctcatcaag tatacttcca actactacaa atctacaaat | 2820 |
| 45 | gtggactttg ctgtcaatac tgagggtact tattcagagc ctgccccat tggcaccctg | 2880 |
| | tacctacccc gtaacctgta attgcctgtt aatcaataaa ccggttaatt cgtttcagtt | 2940 |
| | gaactttggt ctctgcgaag ggcgaattc | 2969 |
| 50 | <210> 59 | |
| | <211> 3129 | |
| | <212> DNA | |
| | <213> new AAV serotype, clone 44.2 | |
| 55 | <400> 59 | |

EP 1 310 571 B1

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60

5

10

15

20

25

30

35

40

45

50

55

gcgtcgacaa gatggtgatac tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
 ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagtcgtccg 180
 5 cccagatcga cccaccccc gtgacgtca cctccaacac caacatgtgc gccgtgattg 240
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300
 aactcaccgg ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcagagagt 360
 10 tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
 15 acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
 aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaaa aagacgtatc 720
 20 ggaaactctg tgcgattcat catctgctgg gggcgggcac ccgagattgc ttgctcggcc 780
 tgcgatctgg tcaacgtgga cctagatgac tgtgtttctg agcaataaat gacttaaac 840
 aggtatggct gccgatggtt atcttccaga ttggctcgag gacaacctct ctgagggcat 900
 25 tcgcgagtgg tgggacttga aacctggagc ccgaaaacc aaagccaacc agcaaaagca 960
 ggacgacggc cggggtctgg tgcttcttgg ctacaagtac ctcggacctt tcaacggact 1020
 cgacaagggg gagcccgta acgcggcgga cgcagcgcc ctcgagcacg acaaggccta 1080
 30 cgaccagcag ctcaaagcgg gtgacaatcc gtacctcgg tataaccacg ccgacgccga 1140
 gtttcaggag cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt 1200
 ccaggccaag aagcgggttc tcgaacctct cggctcgggtt gaggaaggcg ctaagacggc 1260
 35 tcctggaaaag aagagaccgg tagagccatc acccagcgt tctccagact cctctacggg 1320
 catcggcaag aaaggccagc agcccgcgaa aaagagactc aactttgggc agactggcga 1380
 ctcagagtca gtgcccagc ctcaaccaat cggagaacct ccgcaggcc cctctggtct 1440
 40 gggatctggt acaatggctg caggcgggtg cgtccaatg gcagacaata acgaaggcgc 1500
 cgacggagtg ggtagttcct caggaaattg gcattgcgat tccacatggc tgggcgacag 1560
 agtcattacc accagcacc gaacctgggc cttccccacc tacaacaacc acctctaaa 1620
 45 gcaaatctcc aacgggactt cgggaggaag caccaacgac aacacctact tcggctacag 1680
 cccccctgg gggatatttg actttaacag attccactgc cactttctac cacgtgactg 1740
 gcagcgactc atcaacaaca actggggatt ccggcccaag agactcaact tcaagctctt 1800
 50 caacatccag gtcaaggagg tcacgcagaa tgaaggcacc aagaccatcg ccaataacct 1860
 taccagcacg attcaggtct ttacggactc ggaataccag ctcccgtacg tcttcggctc 1920
 55 tgcgcaccag ggctgcctgc ctccgttccc ggcggacgtc ttcattgattc cttagtacgg 1980

EP 1 310 571 B1

gtacctgact ctgaacaatg gcagtcaggc cgtggggcgt tcctccttct actgcctgga 2040
gtactttcct tctcaaatgc tgagaacggg caacaacttt gagttcagct accagtttga 2100
5 ggacgtgcct tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaaccc 2160
cctcatcgac cagtacctgt actacctgtc tcggactcag tccacgggag gtaccgcagg 2220
aactcagcag ttgctatttt ctcaggccgg gcctaataac atgtcggctc aggccaaaaa 2280
10 ctggctaccc gggccctgct accggcagca acgcgtctcc acgacactgt cgcaaaataa 2340
caacagcaac tttgcctgga ccggtgccac caagtatcat ctgaatggca gagactctct 2400
ggtaaatccc ggtgtcgcta tggcaaccca caaggacgac gaagagcgat tttttccgtc 2460
15 cagcggagtc ttaatgtttg ggaaacaggg agctggaaaa gacaacgtgg actatagcag 2520
cgttatgcta accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta 2580
cggcgtggtg gccgataacc tgcaacagca aaacgccgt cctattgtag gggccgtcaa 2640
20 cagtcaagga gccttacctg gcatgggtctg gcagaaccgg gacgtgtacc tgcaggggtcc 2700
tatctgggcc aagattcctc acacggacgg aaactttcat ccctcgccgc tgatgggagg 2760
ctttggactg aaacacccgc ctcctcagat cctgattaag aatacacctg tccccgcgga 2820
25 tcctccaact accttcagtc aagctaagct ggcgtcgttc atcacgcagt acagcaccgg 2880
acaggtcagc gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaaccc 2940
agagattcaa tacacttcca actactacaa atctacaaat gtggactttg ctgttaacac 3000
30 agatggcact tattctgagc ctgcgcccat cggcaccggt tacctcaccg gtaatctgta 3060
attgcttggt aatcaataaa ccggttgatt cgtttcagtt gaactttggt ctctgcgaag 3120
35 ggcgaattc 3129

<210> 60

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C1VP1

<400> 60

EP 1310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

10 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

15 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

20 Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
165 170 175

25 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
180 185 190

30 Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

35 Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

40 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

45 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

50 Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

55

EP 1 310 571 B1

5 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335
 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 10 Leu Ser Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365
 Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380
 15 Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
 385 390 395 400
 20 Asn Phe Glu Met Ala Tyr Asn Phe Gly Lys Val Pro Phe His Ser Met
 405 410 415
 Tyr Ala Tyr Ser Gln Ser Pro Asp Arg Leu Met Asn Pro Leu Leu Asp
 420 425 430
 25 Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
 435 440 445
 30 Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
 450 455 460
 Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
 465 470 475 480
 35 Arg Leu Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
 485 490 495
 40 Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
 500 505 510
 Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
 515 520 525
 45 Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
 530 535 540
 50 Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
 545 550 555 560
 55 Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
 565 570 575

EP 1 310 571 B1

5

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

10

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

15

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

20

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

25

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

30

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

35

<210> 61

<211> 733

<212> PRT

40

<213> capsid protein of AAV serotype, clone C2VP1

<400> 61

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Leu
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe His Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20

25

30

35

40

45

50

55

5

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

10

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

15

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

20

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
165 170 175

25

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
195 200 205

30

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

35

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
245 250 255

40

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

45

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
290 295 300

50

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

55

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

EP 1 310 571 B1

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 5
 Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365
 10
 Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380
 Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
 385 390 395 400
 15
 Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
 405 410 415
 Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp
 420 425 430
 20
 Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
 435 440 445
 25
 Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
 450 455 460
 Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
 465 470 475 480
 30
 Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
 485 490 495
 35
 Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
 500 505 510
 Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
 515 520 525
 40
 Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
 530 535 540
 45
 Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
 545 550 555 560
 Gly Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
 565 570 575
 50
 Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
 580 585 590
 55

EP 1 310 571 B1

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Arg Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

<210> 62

<211> 733

<212> PRT

<213> capsid protein, of AAV serotype, clone C5VP1@2

<400> 62

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Glu Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

25

30

35

40

45

50

55

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
 145 150 155 160
 15
 Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
 165 170 175
 20
 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
 180 185 190
 Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
 195 200 205
 25
 Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220
 30
 Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240
 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
 245 250 255
 35
 Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270
 40
 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285
 Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
 290 295 300
 45
 Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320
 50
 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335
 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 55

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
 385 390 395 400

Asn Phe Glu Thr Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
 405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Gly Leu Met Asn Pro Leu Leu Asp
 420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
 435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
 450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
 465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
 485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
 500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
 515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
 530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
 545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
 565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
 580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605

EP 1 310 571 B1

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
 610 615 620
 5 His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Tyr Pro Ala
 645 650 655
 10 Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
 675 680 685
 15 Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Cys Gly Asn
 690 695 700
 20 Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
 705 710 715 720
 25 Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
 725 730

<210> 63

<211> 734

<212> PRT

<213> capsid protein of AAV serotype, clone AAV4VP1

<400> 63

EP 1 310 571 B1

Met Thr Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser Glu
1 5 10 15

Gly Val Arg Glu Trp Trp Ala Leu Gln Pro Gly Ala Pro Lys Pro Lys
20 25 30

Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro Val
50 55 60

Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp Gln
65 70 75 80

Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

Ala Glu Phe Gln Gln Arg Leu Gln Gly Asp Thr Ser Phe Gly Gly Asn
100 105 110

EP 1 310 571 B1

5 Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Leu
 115 120 125
 Gly Leu Val Glu Gln Ala Gly Glu Thr Ala Pro Gly Lys Lys Arg Pro
 130 135 140
 10 Leu Ile Glu Ser Pro Gln Gln Pro Asp Ser Ser Thr Gly Ile Gly Lys
 145 150 155 160
 Lys Gly Lys Gln Pro Ala Lys Lys Lys Leu Val Phe Glu Asp Glu Thr
 165 170 175
 15 Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Thr Ser Gly Ala Met Ser
 180 185 190
 20 Asp Asp Ser Glu Met Arg Ala Ala Ala Gly Gly Ala Ala Val Glu Gly
 195 200 205
 Gly Gln Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220
 25 Asp Ser Thr Trp Ser Glu Gly His Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240
 Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Arg Leu Gly Glu
 245 250 255
 30 Ser Leu Gln Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270
 35 Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285
 Arg Leu Ile Asn Asn Asn Trp Gly Met Arg Pro Lys Ala Met Arg Val
 290 295 300
 40 Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320
 45 Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335
 50 Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350
 Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365

55

EP 1 310 571 B1

Cys Gly Leu Val Thr Gly Asn Thr Ser Gln Gln Gln Thr Asp Arg Asn
 370 375 380
 5
 Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly
 385 390 395 400
 10
 Asn Asn Phe Glu Ile Thr Tyr Ser Phe Glu Lys Val Pro Phe His Ser
 405 410 415
 Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile
 420 425 430
 15
 Asp Gln Tyr Leu Trp Gly Leu Gln Ser Thr Thr Thr Gly Thr Thr Leu
 435 440 445
 20
 Asn Ala Gly Thr Ala Thr Thr Asn Phe Thr Lys Leu Arg Pro Thr Asn
 450 455 460
 Phe Ser Asn Phe Lys Lys Asn Trp Leu Pro Gly Pro Ser Ile Lys Gln
 465 470 475 480
 25
 Gln Gly Phe Ser Lys Thr Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr
 485 490 495
 30
 Gly Ser Asp Ser Leu Ile Lys Tyr Glu Thr His Ser Thr Leu Asp Gly
 500 505 510
 Arg Trp Ser Ala Leu Thr Pro Gly Pro Pro Met Ala Thr Ala Gly Pro
 515 520 525
 35
 Ala Asp Ser Lys Phe Ser Asn Ser Gln Leu Ile Phe Ala Gly Pro Lys
 530 535 540
 40
 Gln Asn Gly Asn Thr Ala Thr Val Pro Gly Thr Leu Ile Phe Thr Ser
 545 550 555 560
 Glu Glu Glu Leu Ala Ala Thr Asn Ala Thr Asp Thr Asp Met Trp Gly
 565 570 575
 45
 Asn Leu Pro Gly Gly Asp Gln Ser Asn Ser Asn Leu Pro Thr Val Asp
 580 585 590
 50
 Arg Leu Thr Ala Leu Gly Ala Val Pro Gly Met Val Trp Gln Asn Arg
 595 600 605
 Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp
 610 615 620
 55

Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His
625 630 635 640

Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro
645 650 655

Ala Thr Thr Phe Ser Ser Thr Pro Val Asn Ser Phe Ile Thr Gln Tyr
660 665 670

Ser Thr Gly Gln Val Ser Val Gln Ile Asp Trp Glu Ile Gln Lys Glu
675 680 685

Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly
690 695 700

Gln Gln Asn Ser Leu Leu Trp Ala Pro Asp Ala Ala Gly Lys Tyr Thr
705 710 715 720

Glu Pro Arg Ala Ile Gly Thr Arg Tyr Leu Thr His His Leu
725 730

<210> 64

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV1

<400> 64

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

EP 1 310 571 B1

5 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 10 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 15 Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
 195 200 205
 20 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 210 215 220
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 25 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 30 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
 260 265 270
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 275 280 285
 35 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 290 295 300
 40 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
 305 310 315 320
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 325 330 335
 45 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 340 345 350
 50 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 355 360 365
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 370 375 380
 55

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 385 390 395 400
 5
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 405 410 415
 Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 420 425 430
 10
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
 435 440 445
 15
 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
 450 455 460
 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
 465 470 475 480
 20
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
 485 490 495
 25
 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
 500 505 510
 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
 515 520 525
 30
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
 530 535 540
 35
 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
 545 550 555 560
 40
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
 565 570 575
 Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala
 580 585 590
 45
 Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 50
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 55

EP 1 310 571 B1

5 Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
 660 665 670
 10 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
 690 695 700
 15 Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
 705 710 715 720
 20 Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
 725 730 735

<210> 65

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV6VP1

<400> 65

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30 Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

35

40

45

50

55

EP 1 310 571 B1

5 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

10 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

15 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

20 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

25 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

30 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

35 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

40 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
340 345 350

45 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
355 360 365

50 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
370 375 380

55 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
385 390 395 400

EP 1 310 571 B1

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 405 410 415
 5
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 420 425 430
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
 435 440 445
 10
 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
 450 455 460
 15
 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
 465 470 475 480
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
 485 490 495
 20
 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
 500 505 510
 25
 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
 515 520 525
 Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
 530 535 540
 30
 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
 545 550 555 560
 35
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
 565 570 575
 Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala
 580 585 590
 40
 Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605
 45
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 50
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 55

EP 1 310 571 B1

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 66

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.3

<400> 66

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5
Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

10
Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15
Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20
His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30
Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

35

40

45

50

55

EP 1 310 571 B1

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

5 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

10 Gly Asp Thr Glu Ser Val Pro Gly Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

15 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

20 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

25 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

30 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

35 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

40 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

45 Thr Ser Ala Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

50 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

55 Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

5 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415
 Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
 420 425 430
 10 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
 435 440 445
 Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460
 15 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480
 20 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495
 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
 500 505 510
 25 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Val Ala Ser His Lys Asp
 515 520 525
 30 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540
 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560
 35 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575
 40 Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
 580 585 590
 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605
 45 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620
 50 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640
 55 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

EP 1 310 571 B1

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 67

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.7

<400> 67

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
 225 230 235 240
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn Arg Leu
 245 250 255
 Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
 260 265 270
 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
 275 280 285
 Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
 290 295 300
 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
 305 310 315 320
 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
 325 330 335
 Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
 340 345 350
 Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
 355 360 365
 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
 370 375 380
 Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
 385 390 395 400
 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415

EP 1 310 571 B1

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
 420 425 430
 5
 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
 435 440 445
 10
 Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460
 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480
 15
 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495
 20
 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
 500 505 510
 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
 515 520 525
 25
 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540
 30
 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560
 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575
 35
 Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
 580 585 590
 40
 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620
 45
 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640
 50
 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655
 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670
 55

EP 1 310 571 B1

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685
 5
 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700
 10
 Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
 705 710 715 720
 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735
 15
 <210> 68
 <211> 735
 <212> PRT
 <213> capsid protein of AAV serotype, clone A3.4
 20
 <400> 68
 25
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
 20 25 30
 30
 Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 35
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 40
 His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 45
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 50
 Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 55
 Glu Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 180 185 190

5

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205

10

Ala Pro Met Ala Asp Asp Asn Glu Gly Ala Asp Gly Val Gly Asn Ser.
 210 215 220

15

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255

20

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
 260 265 270

25

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
 275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
 290 295 300

30

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
 305 310 315 320

35

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
 325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
 340 345 350

40

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
 355 360 365

45

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
 370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
 385 390 395 400

50

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
 405 410 415

55

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
 420 425 430

5 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460

10 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 485 490 495

15 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
 500 505 510

20 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
 515 520 525

25 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560

30 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asp Thr Thr Ala Ser Tyr
 580 585 590

35 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605

40 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620

45 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

50 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670

55 Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685

EP 1 310 571 B1

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

5

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

10

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 69

<211> 735

15

<212> PRT

<213> capsid protein of AAV serotype, clone A3.5

<400> 69

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

35 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

40

45

50

55

5

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

10

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

15

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

20

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

25

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

30

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

35

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

40

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

45

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

50

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

55

EP 1 310 571 B1

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Asn Gln.
 450 455 460
 5
 Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
 465 470 475 480
 Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
 10 485 490 495
 Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Pro Asn Gly
 500 505 510
 15
 Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
 515 520 525
 Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
 20 530 535 540
 Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
 545 550 555 560
 25
 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575
 Gly Gln Val Ala Thr Asn Arg Gln Ser Gln Asn Thr Thr Ala Ser Tyr
 30 580 585 590
 Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
 595 600 605
 35
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
 610 615 620
 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 40 625 630 635 640
 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655
 45
 Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670
 Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 50 675 680 685
 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700

55

EP 1 310 571 B1

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
 705 710 715 720
 5
 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735
 10
 <210> 70
 <211> 735
 <212> PRT
 <213> capsid protein of AAV serotype, clone AAV2
 15
 <400> 70
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
 1 5 10 15
 20
 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
 20 25 30
 Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro
 25 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 30
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 35 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 40
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg
 45 130 135 140
 Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly
 145 150 155 160
 50
 Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro
 55 180 185 190

EP 1 310 571 B1

Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr
435 440 445

Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln
 450 455 460

5

Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly
 465 470 475 480

10

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn
 485 490 495

15

Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly
 500 505 510

20

Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp
 515 520 525

25

Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys
 530 535 540

30

Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr
 545 550 555 560

35

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
 565 570 575

40

Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr
 580 585 590

45

Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp
 595 600 605

50

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
 610 615 620

55

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
 645 650 655

Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
 690 695 700

EP 1 310 571 B1

Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr
705 710 715 720

5 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 71

10 <211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV3

<400> 71

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro
20 25 30

10 Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro
115 120 125

30 Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Gly
130 135 140

Ala Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly
145 150 155 160

35 Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

40 Ala Ala Pro Thr Ser Leu Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

45

50

55

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Ser Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Arg Gly Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg Thr
435 440 445

Gln Gly Thr Thr Ser Gly Thr Thr Asn Gln Ser Arg Leu Leu Phe Ser
450 455 460

5 Gln Ala Gly Pro Gln Ser Met Ser Leu Gln Ala Arg Asn Trp Leu Pro
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Thr Ala Asn Asp Asn
 485 490 495

10 Asn Asn Ser Asn Phe Pro Trp Thr Ala Ala Ser Lys Tyr His Leu Asn
 500 505 510

Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys
 515 520 525

15 Asp Asp Glu Glu Lys Phe Phe Pro Met His Gly Asn Leu Ile Phe Gly
 530 535 540

20 Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile
 545 550 555 560

25 Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln
 565 570 575

Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr
 580 585 590

30 Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 595 600 605

35 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

40 Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

45 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

50 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

55 Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val
 705 710 715 720

EP 1 310 571 B1

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

5

<210> 72

<211> 737

<212> PRT

<213> capsid protein of AAV, serotype, clone 3.3bVP1

10

<400> 72

15

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

20

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

25

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

30

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Asn Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

35

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

40

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

45

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

50

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

55

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
 210 215 220
 5
 Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Glu Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
 260 265 270
 15
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 20
 Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
 305 310 315 320
 25
 Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
 340 345 350
 30
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 35
 Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 40
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
 405 410 415
 45
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
 435 440 445
 50
 Arg Thr Gln Ser Asp Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
 450 455 460
 55

EP 1 310 571 B1

Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
 465 470 475 480
 5
 Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
 485 490 495
 10
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15
 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
 530 535 540
 20
 Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
 545 550 555 560
 Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
 565 570 575
 25
 Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
 580 585 590
 30
 Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
 595 600 605
 Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
 610 615 620
 35
 His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
 625 630 635 640
 40
 Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
 645 650 655
 Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
 660 665 670
 45
 Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
 675 680 685
 50
 Gln Lys Glu Asn Ser Lys Arg Trp Asp Pro Glu Ile Gln Tyr Thr Ser
 690 695 700
 55
 Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
 705 710 715 720

EP 1 310 571 B1

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
725 730 735

Leu

<210> 73
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223-4

<400> 73

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 210 215 220

5

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
 225 230 235 240

10

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 260 265 270

15

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 275 280 285

20

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 305 310 315 320

25

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 325 330 335

30

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
 355 360 365

35

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
 370 375 380

40

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

45

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

50

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

55

EP 1 310 571 B1

5
 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

10
 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

15
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

20
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575

25
 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590

30
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620

35
 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640

40
 Tyr Ser Glu Pro

<210> 74

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.5

<400> 74

EP 1 310 571 B1

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15

5 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30

10 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45

15

20

25

30

35

40

45

50

55

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
 225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 290 295 300

EP 1 310 571 B1

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

EP 1 310 571 B1

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575
 5 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590
 10 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620
 15 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640
 Tyr Ser Glu Pro
 20
 <210> 75
 <211> 644
 <212> PRT
 25 <213> capsid protein of AAV serotype, clone 223.10
 <220>
 <221> MISC_FEATURE
 <222> (434)..(434)
 30 <223> can be any amino acid
 <400> 75
 35 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15
 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30
 40 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 45 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 50 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 55 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110

EP 1 310 571 B1

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

5 Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

10 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

15 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

Asn Xaa Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

20 Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

25 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

30 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

35 Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

40 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560

45 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
 580 585 590

50 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605

55 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640

Tyr Ser Glu Pro

<210> 76

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.2

<400> 76

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Cys Leu Gln Glu Asp Thr
 20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Val Ala Gly Gly Gly
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 195 200 205

EP 1 310 571 B1

5 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

10 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

15 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

20 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

25 Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

30 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

35 Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

40 Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

45 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

50 Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

55 Lys Asp Asp Glu Glu Arg Phe Ser Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

EP 1 310 571 B1

5 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

10 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

15 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

20 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

25 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

30 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

35 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

40 Tyr Ser Glu Pro

<210> 77
<211> 644
45 <212> PRT
<213> capsid protein of AAV serotype, clone 223.7

<400> 77

50 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

55 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 5
 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 10
 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 15
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110
 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
 115 120 125
 20
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 130 135 140
 25
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 145 150 155 160
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 165 170 175
 30
 Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
 180 185 190
 35
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 195 200 205
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 210 215 220
 40
 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
 225 230 235 240
 45
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 245 250 255
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Pro Glu Tyr Gln Leu Pro
 260 265 270
 50
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 275 280 285
 55

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

EP 1 310 571 B1

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560
 5 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575
 10 Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Ile Ala Ser Phe Ile Thr
 580 585 590
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605
 15 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620
 20 Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640
 Tyr Ser Glu Pro
 25 <210> 78
 <211> 644
 <212> PRT
 <213> capsid protein of AAV serotype, clone 223.6
 30 <400> 78
 Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
 1 5 10 15
 35 Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
 20 25 30
 40 Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
 35 40 45
 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
 50 55 60
 45 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
 65 70 75 80
 50 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 85 90 95
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
 100 105 110
 55 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
 115 120 125

EP 1 310 571 B1

Ala Pro Met Ala Asp Asn Ser Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

5 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

10 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

15 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

20 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

25 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

30 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

35 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

40 Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

45 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

50 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

EP 1 310 571 B1

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
 385 390 395 400

5 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
 405 410 415

10 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
 435 440 445

15 Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
 450 455 460

20 Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
 485 490 495

25 Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
 500 505 510

30 Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 530 535 540

35 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 545 550 555 560

40 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Leu Ala Ser Phe Ile Thr
 580 585 590

45 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 595 600 605

50 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
 625 630 635 640

Tyr Ser Glu Pro

5

<210> 79

<211> 738

<212> PRT

10 <213> capsid protein of AAV serotype, clone 44.1

<400> 79

15 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

25 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
30 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

35 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
40 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

45 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
50 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

55 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 5
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 15
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320
 25
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365
 35
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 45
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 55

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

5
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

10
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

15
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

20
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

25
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

30
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

35
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

40
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

45
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

50
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

55

EP 1 310 571 B1

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

5

Asn Leu

10

<210> 80

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 44.5

15

<400> 80

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 5
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 15
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Pro Asn Phe Lys Leu Phe Asn
 305 310 315 320
 25
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365
 35
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 45
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 55
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

EP 1 310 571 B1

5 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 25 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 30 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 35 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 40 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 45 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 50 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

55

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735

5

Asn Leu

10

<210> 81

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 44.2

15

<400> 81

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

EP 1 310 571 B1

5 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

10 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

15 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

20 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

25 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

30 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

35 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

40 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

45 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

50 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

EP 1 310 571 B1

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 5
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 10
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 15
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 25
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 30
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 35
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 40
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 45
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 50
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720
 55

EP 1 310 571 B1

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

5

Asn Leu

10

<210> 82

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 29.3VP1

15

<400> 82

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Thr Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45

50

55

5 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 10 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 15 260 265 270
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 20 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 25 305 310 315 320
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335
 30 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 Leu Pro Tyr Val Leu Gly Ser Ala Arg Gln Gly Cys Leu Pro Pro Phe
 35 355 360 365
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 40 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 45 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 50 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 55 450 455 460

5 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

10 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

20 Phe Gly Lys Gln Gly Ala Gly Lys Gly Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

30 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

35 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

40 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

45 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

50 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

55 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

EP 1 310 571 B1

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 83
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 29.5VP1

<400> 83

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

5 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met. Ala Ala Gly Gly
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220

10 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Gly Val
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

15 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

20 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

25 Asn Asn Trp Gly Phe Arg Pro Lys Ser Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

30 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

35 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

40 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

45 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

50 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

55

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asp Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

EP 1 310 571 B1

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

5

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

10

Asn Leu

<210> 84

<211> 738

<212> PRT

15

<213> capsid protein of AAV serotype, clone 42.15

<400> 84

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205
 5
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 10 225 230 235 240
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 15
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 20 275 280 285
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 25
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 30 325 330 335
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350
 35
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Pro Pro Pro Phe
 355 360 365
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 40 370 375 380
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 45
 Phe Pro Ser Gln Met Arg Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 50 420 425 430
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

55

EP 1 310 571 B1

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 5
 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 10
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 15
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 20
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 25
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 30
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 35
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 40
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 45
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 50
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

55

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 85

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 42.8

<400> 85

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
 180 185 190

5 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205

10 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240

15 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

20 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

25 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

30 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

35 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

40 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

45 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

50 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

55

5 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460
 10 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495
 15 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510
 20 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 25 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 30 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590
 35 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 40 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 45 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 50 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 55 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

EP 1 310 571 B1

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

5

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

10

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

15

<210> 86

<211> 733

<212> PRT

20

<213> amino acid of AAV serotype, clone 42.13

<400> 86

25

30

35

40

45

50

55

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175

EP 1 310 571 B1

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
 180 185 190
 5
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
 210 215 220
 10
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 15
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 20
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 25
 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
 290 295 300
 30
 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 35
 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 40
 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 45
 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 50
 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 55

EP 1 310 571 B1

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
 435 440 445
 5
 Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
 450 455 460
 10
 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
 465 470 475 480
 Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
 485 490 495
 15
 Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
 500 505 510
 Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
 515 520 525
 20
 Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
 530 535 540
 25
 Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
 545 550 555 560
 Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
 565 570 575
 30
 Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
 580 585 590
 35
 Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605
 Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
 610 615 620
 40
 Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 45
 Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
 645 650 655
 Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 50
 Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
 675 680 685
 55

EP 1 310 571 B1

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Ser Leu
725 730

<210> 87

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.3A

<400> 87

EP 1 310 571 B1

Met Ala Ala Asp Gly His Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 5
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
 210 215 220
 10
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 15
 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 20
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Ser Trp Gly Phe
 290 295 300
 25
 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 30
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 35
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 40
 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 45
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 50
 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
 435 440 445
 55

EP 1 310 571 B1

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
 450 455 460
 5
 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
 465 470 475 480
 10
 Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser
 485 490 495
 Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
 500 505 510
 15
 Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu
 515 520 525
 Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
 530 535 540
 20
 Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
 545 550 555 560
 25
 Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
 565 570 575
 Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
 580 585 590
 30
 Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605
 35
 Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
 610 615 620
 Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640
 40
 Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
 645 650 655
 45
 Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
 660 665 670
 Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
 675 680 685
 50
 Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
 690 695 700
 55

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

5

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

10

<210> 88

<211> 731

<212> PRT

<213> capsid protein of AAV serotype, clone 42.4

15

<400> 88

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

20

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

25

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

30

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

35

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

40

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

45

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

50

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

55

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

EP 1 310 571 B1

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 5
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 10
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 15
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 20
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 Ser Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300
 25
 Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320
 30
 Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 Gln Val Phe Thr Asp Ser Glu Tyr Arg Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 35
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 40
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly
 370 375 380
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 45
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
 405 410 415
 50
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
 435 440 445
 55

5 Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
 450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
 465 470 475 480

10 Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
 485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
 500 505 510

15 Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
 515 520 525

20 Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
 530 535 540

25 Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
 545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
 565 570 575

30 Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
 580 585 590

35 Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr
 595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
 610 615 620

40 His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
 625 630 635 640

45 Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
 645 650 655

Phe Ser Gln Ala Lys Pro Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
 660 665 670

50 Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
 675 680 685

55 Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
 690 695 700

EP 1 310 571 B1

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
705 710 715 720

5

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

10

<210> 89

<211> 731

<212> PRT

<213> capsid protein of AAV serotype, clone 42.5A

15

<400> 89

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Arg Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

EP 1 310 571 B1

5 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 10 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 15 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 20 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Arg Gly Phe Arg Pro
 290 295 300
 25 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 30 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 35 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 40 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
 405 410 415
 45 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 50 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
 435 440 445
 Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
 450 455 460
 55

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
 465 470 475 480

5

Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
 485 490 495

10

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
 500 505 510

Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
 515 520 525

15

Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
 530 535 540

20

Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
 545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
 565 570 575

25

Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
 580 585 590

30

Ser Gln Gly Ala Leu Pro Gly Met Ala Trp Gln Asn Arg Asp Val Tyr
 595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
 610 615 620

35

His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
 625 630 635 640

40

Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
 645 650 655

Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
 660 665 670

45

Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
 675 680 685

50

Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
 690 695 700

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
 705 710 715 720

55

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 90

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.1B

<400> 90

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Arg Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
210 215 220

EP 1 310 571 B1

5 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 10 Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
 260 265 270
 Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
 275 280 285
 15 Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
 290 295 300
 20 Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
 305 310 315 320
 Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
 325 330 335
 25 Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
 340 345 350
 Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
 355 360 365
 30 Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
 370 375 380
 35 Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
 385 390 395 400
 Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
 405 410 415
 40 Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
 420 425 430
 45 Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
 435 440 445
 Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
 450 455 460
 50 Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
 465 470 475 480

55

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
485 490 495

5

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
500 505 510

10

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
530 535 540

15

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
545 550 555 560

20

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
580 585 590

25

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

30

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

35

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
645 650 655

40

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
675 680 685

45

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

50

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

55

<210> 91

EP 1 310 571 B1

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 42.5B

5 <400> 91

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1      5      10      15
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
10      20      25      30
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
      35      40      45
Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
15      50      55      60
Val Asn Glu Ala Asp Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65      70      75      80
Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
20      85      90      95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
25      100      105      110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
      115      120      125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
30      130      135      140
Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
35      145      150      155      160
Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
      165      170      175
Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
40      180      185      190
Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
45      195      200      205
Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
      210      215      220
Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
50      225      230      235      240
Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
55      245      250      255

```

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

5 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

5 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540

10 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575

15 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
 580 585 590

20 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620

25 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640

30 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

35 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

40 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720

45 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735

Asn Leu

50 <210> 92
 <211> 738
 <212> PRT
 <213> capsid protein of AAV serotype, clone 43.1

55 <400> 92

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

50 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

55

5 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Pro Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

55 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 93

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 43.12

<400> 93

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

40 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

50 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

55

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

5 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

10 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

15 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

20 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

25 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

30 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

35 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

40 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
 450 455 460

45 Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

50 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

55

EP 1 310 571 B1

5 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
 515 520 525
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
 530 535 540
 10 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
 545 550 555 560
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 15 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
 580 585 590
 Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 20 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 25 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
 645 650 655
 30 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670
 35 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 40 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720
 45 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735
 50 Asn Leu

<210> 94

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 43.5

<400> 94

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
 450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
 500 505 510

EP 1 310 571 B1

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 95

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone AAV8

<400> 95

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Gln Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

35 Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

40 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly
195 200 205

45 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

50 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

55

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

5
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp
 260 265 270

10
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

15
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn
 305 310 315 320

20
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

25
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

30
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

35
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr
 405 410 415

40
 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445

45
 Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly
 450 455 460

50
 Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp
 465 470 475 480

55
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly
 485 490 495

EP 1 310 571 B1

5 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His
 500 505 510
 10 Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr
 515 520 525
 15 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile
 530 535 540
 20 Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val
 545 550 555 560
 25 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
 565 570 575
 30 Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala
 580 585 590
 35 Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
 595 600 605
 40 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
 610 615 620
 45 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
 625 630 635 640
 50 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
 645 650 655
 55 Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe
 660 665 670
 60 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685
 65 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700
 70 Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu
 705 710 715 720
 75 Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735
 80 Asn Leu

<210> 96
 <211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone 43.21

<400> 96

5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

10

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

15

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

20

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

25

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

30

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125

35

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160

40

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175

45

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205

50

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220

55

EP 1 310 571 B1

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 5
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 10
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 15
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 20
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 25
 Asn Leu Thr Ser Thr Val Arg Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 30
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 35
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 40
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 45
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 50
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480
 55

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Ser
 485 490 495

5 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510

10 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540

15 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560

20 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590

25 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605

30 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

35 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

40 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

45 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

50 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

55

<210> 97

<211> 736

EP 1 310 571 B1

<212> PRT

<213> capsid protein of AAV serotype, clone 43.25

<400> 97

5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

10

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

15

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

20

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

25

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

30

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

35

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

40

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

45

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

50

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

55

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255
 5
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 10
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 15
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 20
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 25
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 30
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 35
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 40
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 45
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 50
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
 485 490 495
 55

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510
 5
 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525
 10
 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540
 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560
 15
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575
 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590
 20
 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605
 25
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 30
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 35
 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 40
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700
 45
 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735
 50

<210> 98

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone 43.23

<400> 98

5 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 35 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 40 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 50 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 55

5 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270

10 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300

15 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Leu Glu Tyr Gln Leu
 340 345 350

25 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365

30 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400

35 Pro Ser Gln Met Pro Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415

40 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445

45 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460

50 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480

55 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
 485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510
 5
 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525
 10
 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540
 Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560
 15
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575
 20
 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590
 Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605
 25
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620
 30
 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655
 35
 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670
 40
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700
 45
 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720
 50
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 99

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone 43.20

<400> 99

5 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 30 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Leu Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160
 35 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175
 40 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
 195 200 205
 45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
 210 215 220
 50 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240
 55

EP 1 310 571 B1

5 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

10 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

15 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

20 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

25 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

30 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

35 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

40 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

45 Ala Asp Val Phe Thr Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

50 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

55 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

EP 1 310 571 B1

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

5 Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

10 Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

15 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

20 Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

25 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

30 Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

35 Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

40 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

45 Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

50 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 100

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV9

400> 100

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

10 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

20 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

25 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

30 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

35 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

40 Glu Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

45 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

50 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
 260 265 270
 5
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
 275 280 285
 10
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
 305 310 315 320
 15
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
 325 330 335
 20
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
 340 345 350
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365
 25
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380
 30
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
 405 410 415
 35
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430
 40
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
 435 440 445
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
 450 455 460
 45
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
 465 470 475 480
 50
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
 485 490 495
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
 500 505 510
 55

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
 515 520 525

Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 101

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 24.1

<400> 101

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5

10

15

20

25

30

35

40

45

50

55

5

10

15

20

25

30

35

40

45

50

55

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 5
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300
 10
 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 15
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 20
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 25
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 30
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415
 His Ser Ser Tyr Val His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 35
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445
 40
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480
 45
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
 485 490 495
 50
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525
 55

EP 1 310 571 B1

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Cys Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 102

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 42.2REAL

<400> 102

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

EP 1 310 571 B1

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 5
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 10
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 15
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 20
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 25
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 30
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 35
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 40
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 45
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 50
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 55

EP 1 310 571 B1

5 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

10 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

15 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

20 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

25 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

30 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

35 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

40 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

45 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

50 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

55

EP 1 310 571 B1

5
Pro Ile Asn Gly Val Leu Val Phe Gly Glu Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

10 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

15 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

20 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

25 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

30 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

35 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

40 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 103

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 7.2VP1

<400> 103

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Gly Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

5

10

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45
 5
 Gly Tyr Arg Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 10
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 15
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 20
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 25
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Asn Gly Gln
 145 150 155 160
 30
 Pro Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 35
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 40
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 45
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 50
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 55
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
 305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400

Thr Gly Asp Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
 485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
 530 535 540

EP 1 310 571 B1

5 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560
 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575
 10 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590
 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605
 15 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620
 20 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640
 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655
 25 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670
 30 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685
 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700
 35 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720
 40 Thr Arg Tyr Leu Thr Arg Asn Leu
 725
 45 <210> 104
 <211> 728
 <212> PRT
 <213> capsid protein of AAV serotype, clone 27.3VP1
 50 <400> 104
 55 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Ser Gly Lys Lys Arg
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285

EP 1 310 571 B1

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Cys Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Val
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Leu
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

EP 1 310 571 B1

5 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

10 Gln Ser Ser Thr Ala Gly Pro Arg Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

15 Pro Ile Trp Ala Glu Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

20 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

25 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

30 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

35 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

40 Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 105

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 16.3VP1

<400> 105

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

5 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

10 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

15 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

20 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

25 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

30 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

35 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

40 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

45 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

50 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

55

EP 1 310 571 B1

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

5 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

10 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

15 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Met Gly
370 375 380

20 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

25 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

30 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

35 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

40 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

45 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Gly Gln Phe Phe
515 520 525

50 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

55

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575
 5
 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590
 10
 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605
 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620
 15
 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640
 20
 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Gly Val Phe Thr Pro
 645 650 655
 Ala Leu Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670
 25
 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685
 30
 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700
 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720
 35
 Thr Arg Tyr Leu Thr Arg Asn Leu
 725
 40
 <210> 106
 <211> 728
 <212> PRT
 <213> capsid protein of AAV serotype, clone 42.10
 45
 <400> 106
 50
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30
 55
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

EP 1 310 571 B1

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60
 5
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80
 10
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 15
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 20
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Arg Lys Gly Gln
 145 150 155 160
 25
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 30
 Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
 180 185 190
 Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 35
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 40
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 45
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
 260 265 270
 50
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
 275 280 285
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
 290 295 300

55

EP 1 310 571 B1

5 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

10 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

15 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

20 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

25 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

30 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

35 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

40 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

45 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

50 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

55

EP 1 310 571 B1

5 Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575
 10 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590
 15 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605
 20 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620
 25 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640
 30 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655
 35 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670
 40 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685
 45 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700
 50 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720
 55 Thr Arg Tyr Leu Thr Arg Asn Leu
 725
 60 <210> 107
 <211> 728
 <212> PRT
 <213> capsid protein of AAV serotype, clone 42.3B
 65 <400> 107
 70
 75

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15

20

25

30

35

40

45

50

55

EP 1 310 571 B1

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65. 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
 325 330 335
 5
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
 340 345 350
 10
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
 355 360 365
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
 370 375 380
 15
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
 385 390 395 400
 20
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
 405 410 415
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
 420 425 430
 25
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
 435 440 445
 30
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
 450 455 460
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
 465 470 475 480
 35
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Thr Ser Asn Phe Ala Trp
 485 490 495
 40
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
 500 505 510
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
 515 520 525
 45
 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
 530 535 540
 50
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
 545 550 555 560
 55
 Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ser Ser Asn Leu
 565 570 575

EP 1 310 571 B1

5 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

10 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

15 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

20 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

25 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

30 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

35

<210> 108
<211> 728
<212> PRT
40 <213> capsid protein of AAV serotype, clone 42.11

<400> 108

45 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

50 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

55 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

EP 1 310 571 B1

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

EP 1 310 571 B1

5
10
15
20
25
30
35
40
45
50
55

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Arg Gln
465 470 475 480

Arg Leu Ser Lys Asp Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

5 Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
 580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
 595 600 605

10 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
 610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
 625 630 635 640

15 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
 645 650 655

20 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
 660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
 675 680 685

25 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
 690 695 700

30 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
 705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
 725

35

<210> 109
 <211> 729
 <212> PRT
 40 <213> capsid protein of AAV serotype, clone F1VP1

<400> 109

45 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

50 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

55 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

EP 1 310 571 B1

5 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 10 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 15 Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 20 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 25 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 30 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 35 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 40 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 45 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 50 Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 55 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335

EP 1 310 571 B1

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
340 345 350

5 Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

10 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

15 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

20 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

25 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

30 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

Gln Gly Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

35 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

40 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

45 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

50 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

Leu Gln Pro Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

55

EP 1 310 571 B1

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Pro Arg Asn Leu
725

<210> 110

<211> 729

<212> PRT

<213> capsid protein of AAV serotype, clone F5VP1@3

<400> 110

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

5 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

10 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

15 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

20 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

25

30

35

40

45

50

55

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 15
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 20
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Thr Ala
 195 200 205
 25
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 30
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 35
 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 40
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 45
 Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 50
 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335
 Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
 340 345 350
 55

5

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

10

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
370 375 380

15

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

20

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

25

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

30

Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

35

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

40

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

45

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

50

Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

55

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

EP 1.310.571 B1

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Glu His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 111
<211> 729
<212> PRT
<213> capsid protein of AAV serotype, clone F3VP1

<400> 111

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

EP 1 310 571 B1

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110
 5
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 10
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 Pro Ile Gly Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
 145 150 155 160
 15
 Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
 165 170 175
 20
 Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
 180 185 190
 Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
 195 200 205
 25
 Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
 210 215 220
 30
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
 225 230 235 240
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
 245 250 255
 35
 Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
 260 265 270
 40
 Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
 275 280 285
 Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
 290 295 300
 45
 Pro Lys Lys Leu Arg Phe Lys Leu Leu Asn Ile Gln Val Lys Glu Val
 305 310 315 320
 50
 Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
 325 330 335
 Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
 340 345 350
 55

EP 1 310 571 B1

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
 355 360 365
 5
 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asp Asn Gly Ser Gln Ser Val
 370 375 380
 10
 Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
 385 390 395 400
 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
 405 410 415
 15
 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
 420 425 430
 20
 Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
 435 440 445
 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
 450 455 460
 25
 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
 465 470 475 480
 30
 Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
 485 490 495
 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
 500 505 510
 35
 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
 515 520 525
 40
 Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
 530 535 540
 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
 545 550 555 560
 45
 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
 565 570 575
 50
 Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
 580 585 590
 Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
 595 600 605
 55

EP 1 310 571 B1

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
 610 615 620
 Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
 625 630 635 640
 Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
 645 650 655
 Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
 660 665 670
 Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
 675 680 685
 Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
 690 695 700
 Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
 705 710 715 720
 Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725

<210> 112
 <211> 735
 <212> PRT
 <213> capsid protein of AAV serotype, clone 42.6B

<400> 112

EP 1 310 571 B1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

EP 1 310 571 B1

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125
 5
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140
 10
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
 145 150 155 160
 Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
 165 170 175
 15
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
 180 185 190
 20
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
 195 200 205
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
 210 215 220
 25
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240
 30
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255
 Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270
 35
 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285
 40
 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300
 Asn Asn Trp Gly Phe Arg Pro Arg Lys Leu Arg Phe Lys Leu Phe Asn
 305 310 315 320
 45
 Ile Gln Val Lys Glu Val Thr Thr Asp Asp Gly Val Thr Thr Ile Ala
 325 330 335
 50
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln
 340 345 350
 55
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

EP 1 310 571 B1

5 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 Asn Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 10 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 15 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 20 Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Glu Leu Gln Phe His
 450 455 460
 Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
 465 470 475 480
 25 Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
 485 490 495
 30 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
 500 505 510
 Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
 515 520 525
 35 Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
 530 535 540
 40 Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
 545 550 555 560
 Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
 565 570 575
 45 Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
 580 585 590
 50 Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
 595 600 605
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
 610 615 620
 55

EP 1 310 571 B1

Asp Gly Asn Phe His Pro Ser Pro Leu Met Asp Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Ala Lys Ser Asn Asn Val Glu Phe Ala Val Asn Asn Glu Gly Val Tyr
705 710 715 720

Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 113

<211> 685

<212> PRT

<213> capsid protein of AAV serotype, clone 42.12

<400> 113

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

EP 1 310 571 B1

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

5 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

10 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

15 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

20 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

25 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

30 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

35 Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

40 Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

45 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

50 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

55

EP 1 310 571 B1

5 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400
 10 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430
 15 Leu Asp Arg Leu Thr Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
 435 440 445
 Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Gly Leu Gln Phe His
 450 455 460
 Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
 465 470 475 480
 25 Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
 485 490 495
 30 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
 500 505 510
 Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
 515 520 525
 35 Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
 530 535 540
 40 Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
 545 550 555 560
 Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
 565 570 575
 45 Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
 580 585 590
 50 Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
 595 600 605
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
 610 615 620
 55

EP 1 310 571 B1

Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

5 His Pro Pro Pro Gln Ile Leu Ile Lys Tyr Thr Ser Asn Tyr Tyr Lys
645 650 655

10 Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
660 665 670

15 Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
675 680 685

<210> 114

<211> 724

<212> PRT

20 <213> capsid protein of AAV serotype, clone AAV5CAP

<400> 114

25

30

35

40

45

50

55

EP 1 310 571 B1

Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Glu Val Gly Glu
1 5 10 15

5 Gly Leu Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys
20 25 30

Pro Asn Gln Gln His Gln Asp Gln Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

10 Tyr Asn Tyr Leu Gly Pro Gly Asn Gly Leu Asp Arg Gly Glu Pro Val
50 55 60

15 Asn Arg Ala Asp Glu Val Ala Arg Glu His Asp Ile Ser Tyr Asn Glu
65 70 75 80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

20 Ala Glu Phe Gln Glu Lys Leu Ala Asp Asp Thr Ser Phe Gly Gly Asn
100 105 110

25 Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Phe
115 120 125

Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Thr Gly Lys Arg Ile
130 135 140

30 Asp Asp His Phe Pro Lys Arg Lys Lys Ala Arg Thr Glu Glu Asp Ser
145 150 155 160

35 Lys Pro Ser Thr Ser Ser Asp Ala Glu Ala Gly Pro Ser Gly Ser Gln
165 170 175

40

45

50

55

EP 1 310 571 B1

Gln Leu Gln Ile Pro Ala Gln Pro Ala Ser Ser Leu Gly Ala Asp Thr
180 185 190

Met Ser Ala Gly Gly Gly Gly Pro Leu Gly Asp Asn Asn Gln Gly Ala
195 200 205

Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp
210 215 220

Met Gly Asp Arg Val Val Thr Lys Ser Thr Arg Thr Trp Val Leu Pro
225 230 235 240

Ser Tyr Asn Asn His Gln Tyr Arg Glu Ile Lys Ser Gly Ser Val Asp
245 250 255

Gly Ser Asn Ala Asn Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Ser His Trp Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Tyr Trp Gly Phe Arg Pro Arg Ser Leu Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Ser Thr
305 310 315 320

Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp
325 330 335

Asp Asp Tyr Gln Leu Pro Tyr Val Val Gly Asn Gly Thr Glu Gly Cys
340 345 350

Leu Pro Ala Phe Pro Pro Gln Val Phe Thr Leu Pro Gln Tyr Gly Tyr
355 360 365

Ala Thr Leu Asn Arg Asp Asn Thr Glu Asn Pro Thr Glu Arg Ser Ser
370 375 380

Phe Phe Cys Leu Glu Tyr Phe Pro Ser Lys Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Phe Thr Tyr Asn Phe Glu Glu Val Pro Phe His Ser Ser
405 410 415

Phe Ala Pro Ser Gln Asn Leu Phe Lys Leu Ala Asn Pro Leu Val Asp
420 425 430

EP 1 310 571 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

Gln Tyr Leu Tyr Arg Phe Val Ser Thr Asn Asn Thr Gly Gly Val Gln
 435 440 445

Phe Asn Lys Asn Leu Ala Gly Arg Tyr Ala Asn Thr Tyr Lys Asn Trp
 450 455 460

Phe Pro Gly Pro Met Gly Arg Thr Gln Gly Trp Asn Leu Gly Ser Gly
 465 470 475 480

Val Asn Arg Ala Ser Val Ser Ala Phe Ala Thr Thr Asn Arg Met Glu
 485 490 495

Leu Glu Gly Ala Ser Tyr Gln Val Pro Pro Gln Pro Asn Gly Met Thr
 500 505 510

Asn Asn Leu Gln Gly Ser Asn Thr Tyr Ala Leu Glu Asn Thr Met Ile
 515 520 525

Phe Asn Ser Gln Pro Ala Asn Pro Gly Thr Thr Ala Thr Tyr Leu Glu
 530 535 540

Gly Asn Met Leu Ile Thr Ser Glu Ser Glu Thr Gln Pro Val Asn Arg
 545 550 555 560

Val Ala Tyr Asn Val Gly Gly Gln Met Ala Thr Asn Asn Gln Ser Ser
 565 570 575

Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn Leu Gln Glu Ile Val Pro
 580 585 590

Gly Ser Val Trp Met Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp
 595 600 605

Ala Lys Ile Pro Glu Thr Gly Ala His Phe His Pro Ser Pro Ala Met
 610 615 620

Gly Gly Phe Gly Leu Lys His Pro Pro Pro Met Met Leu Ile Lys Asn
 625 630 635 640

Thr Pro Val Pro Gly Asn Ile Thr Ser Phe Ser Asp Val Pro Val Ser
 645 650 655

Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Thr Val Glu Met Glu
 660 665 670

Trp Glu Leu Lys Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln
 675 680 685

EP 1 310 571 B1

Tyr Thr Asn Asn Tyr Asn Asp Pro Gln Phe Val Asp Phe Ala Pro Asp
690 695 700

Ser Thr Gly Glu Tyr Arg Thr Thr Arg Pro Ile Gly Thr Arg Tyr Leu
705 710 715 720

Thr Arg Pro Leu

<210> 115

<211> 9

<212> DNA

<213> DraIII restriction enzyme site

<400> 115

caccacgtc

9

<210> 116

<211> 28

<212> DNA

<213> AV2cas

<400> 116

cgcagagacc aaagttcaac tgaaacga

28

<210> 117

<211> 255

<212> DNA

<213> adeno-associated virus serotype 10

<400> 117

ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgacag agtcattcacc 60

accagcaccc gaacctgggt cctgcccacc tacaacaacc acatctacaa gcaaatctcc 120

agcgagacag gagccaccaa cgacaaccac tacttgggct acagcacccc ctgggggtat 180

tttgacttta acagattcca ctgccacttt tcaccacgtg actggcagcg actcatcaac 240

aacaactggg gattc 255

<210> 118

<211> 258

<212> DNA

<213> adeno-associated virus serotype 11

EP 1 310 571 B1

<400> 118

5 ggtaattcct ccggaattg gcattgcat tccacatggc tgggcgacag agtcattacc 60
accagcacc cgaacctgggc cctgcccaacc tacaacaacc acctctacaa acaaattctc 120
agcgcttcaa cggggggccag caacgacaac cactactttg gctacagcac cccctggggg 180
10 tatattgact ttaacagatt ccactgccac ttctcaccac gtgactggca gcgactcacc 240
aacaacaact ggggattc 258

15 <210> 119
<211> 255
<212> DNA
<213> adeno-associated virus serotype 12

20 <400> 119

ggtaattcct ccggaattg gcattgcat tccacatggc tgggcgaccg agtcattacc 60
25 accagcacc cgaacctgggc cctgcccaacc tacaacaacc acctctacaa gcaaattctc 120
agccaatcgg gtgccaccaa cgacaaccac tacttcgggt acagcacc cctgggggtat 180
tttgatttca acagattcca ctgccatttc tcaccacgtg actggcagcg actcatcaac 240
30 aacaactggg gattc 255

<210> 120
<211> 2205
<212> DNA
35 <213> adeno-associated virus serotype, clone A3.1vp1

<400> 120

40

45

50

55

EP 1 310 571 B1

atggctgccg atgggttatct tccagattgg ctcgaggaca ctctctctga aggaatcaga 60
 cagtgggtgga agctcaaacc tggcccacca ccgccgaaac ctaaccaaca acaccgggac 120
 5 gacagtaggg gtcttggtct tcctgggtac aagtacctcg gacccttcaa cggactcgcac 180
 aaaggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa agcctacgac 240
 caccagctca agcaagggga caaccctgac ctcaaataca accacgcgga cgctgaattt 300
 10 caggagcgtc ttcaagaaga tacgtctttc gggggcaacc tcgggcgagc agtcttccag 360
 gccaaaaaga gggtaactga gcctcttggc ctggttgagg aagctgttaa gacggctcct 420
 ggaaaaaaga gacctataga gcagtctcct gcagaaccgg actcttctc gggcatcggc 480
 15 aaatcaggcc agcagcccg taagaaaaga ctcaattttg gtcagactgg cgacacagag 540
 tcagtcccag accctcaacc aatcggagaa cccccgcag cccctcttg tgtgggatct 600
 aatacaatgg cttcaggcgg tggggcacca atggcagaca ataacgaagg cgccgacgga 660
 20 gtgggtaatt cctcgggaaa ttggcattgc gattccacat ggatgggcga cagagttatc 720
 accaccagca caagaacctg ggccctcccc acctacaata atcacctcta caagcaaata 780
 tccagcgaat cgggagccac caacgacaac cactacttcg gctacagcac cccctggggg 840
 25 tattttgact ttaacagatt ccaactgtcac ttctcaccac gtgactggca gcgactcatc 900
 aacaacaact ggggatttag acccaagaaa ctcaatttca agctcttcaa catccaagtc 960
 aaggaggtca cgcagaatga tggaaccacg accatcgcca ataaccttac cagcacggtg 1020
 30
 35
 40
 45
 50
 55

5 cagggtcttca cagactctga gtaccagctg ccctacgtcc tcggttcggc tcaccagggc 1080
 tgcccttcgc cggtccagc agacgtcttc atgattcttc agtacggcta cttgactctg 1140
 aacaatggca gccaaagcgt aggacgttct tcattctact gtctagagta ttttccctct 1200
 cagatgctga ggacgggaaa caacttcacc ttcagctaca cttttgaaga cgtgcctttc 1260
 10 cacagcagct acgcgcacag ccagagtctg gatcggctga tgaatcctct cattgaccag 1320
 tacctgtatt acctgagcaa aactcagggt acaagtggaa caacgcagca atcgagactg 1380
 cagttcagcc aagctgggccc tagctccatg gctcagcagg ccaaaaactg gctaccggga 1440
 15 cccagctacc gacagcagcg aatgtctaag acggctaata acaacaacaa cagtgaattt 1500
 gcttggactg cagccaccaa atattacctg aatggaagaa attctctggt caatcccggg 1560
 ccccaaatgg ccagtcacaa ggacgatgag gaaaagtatt tccccatgca cggaaatctc 1620
 20 atctttggaa aacaaggcac aggaactacc aatgtggaca ttgaatcagt gcttattaca 1680
 gacgaagaag aaatcagaac aactaatcct gtggctacag aacaatacgg acaggttgcc 1740
 accaaccatc agagtcagaa caccacagct tctatggaa gtgtggacag ccagggaaac 1800
 25 ttacctggaa tgggtgtggca ggaccgcgat gtctatcttc aagggtccat ttggggccaaa 1860
 actcctcaca cggacggaca ctttcatcct tctccgctca tgggaggctt tggactgaaa 1920
 caccctctc cccagatcct gatcaaaaac acacctgtgc cagcgaatcc cgcgaccact 1980
 30 ttcactcctg gaaagtttgc ttcgttcatt acccagtatt ccaccggaca ggtcagcgtg 2040
 gaaatagagt gggagctgca gaaagaaaac agcaaacgct ggaaccaga aattcagtc 2100
 acctccaact acaacaagtc ggtgaatgtg gagtttaccg tggacgcaaa cgggtgtttat 2160
 35 tctgaacccc gccctattgg cactcgttac cttaccgga acttg 2205

40 Claims

1. A method of identifying unknown adeno-associated virus (AAV) sequences in a sample suspected of containing AAV from a latent infection, said method comprising the steps of:

- 45 (a) subjecting the sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers which specifically amplify a first AAV region comprising at least 250 bp of AAV capsid nucleic acid sequences, said first region having a variable sequence flanked by at least 18 base pairs of highly conserved sequence at its 5' end and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;
- 50 (b) optionally subjecting the DNA to further amplification using a second set of primers which specifically amplify a second region which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;
- 55 (c) optionally subjecting the DNA to further amplification using a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained,

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6; and each of the sets of primers consisting of a 5' primer and a 3' primer; the presence of amplified sequences indicating the presence of an AAV in the sample, and a comparison of differences between the amplified sequences and the sequences of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6 indicating the presence of an unknown AAV.

2. A method according to claim 1, wherein the comparison comprises the step of comparing restriction enzyme patterns for the amplified sequences to restriction enzyme patterns of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6.
3. A method according to claim 1 or claim 2, wherein step (a) amplifies the full-length capsid gene.
4. A method according to any of claims 1 to 3, wherein the amplified sequences comprise the AAV capsid gene and the AAV rep gene.
5. A method according to any of claims 1 to 4, wherein the DNA has been extracted from cells, cell culture, tissue, tissue culture or biological fluids.
6. A method according to any of claims 1 to 5, wherein the first region is highly conserved over at least about 25 base pairs at the 5' end of the region, the 3' end of the region or both.
7. A method according to claim 6, wherein the first region is highly conserved over at least about 30 base pairs at the 5' end of the region, the 3' end of the region or both.
8. A method according to any of claims 1 to 7, wherein the highly conserved sequences of the first region have at least 80% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.
9. A method according to claim 8, wherein the highly conserved sequences of the first region have at least 90% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.
10. A method according to any of claims 1 to 9, wherein the variable sequences in the middle of the first region have less than 70% identity among the aligned AAVs.
11. A method according to any of claims 1 to 10, wherein the first region spans about bp 2800 to about 3200 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.
12. A method according to claim 11, wherein the first region is 257 bp spanning bp 2886 to about 3143 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.
13. A method according to any of claims 1 to 5, wherein the primers are AV1ns, having the sequence of nucleotides 1398 to 1423 of SEQ ID NO:6, and AV2cas, having the sequence of SEQ ID NO:7.
14. A method according to claim 1 or claim 2, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample, the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.
15. A method according to any of claims 1 to 14, wherein the sample comprises AAV integrated into the chromosome.
16. A method according to any of claims 1 to 15, wherein the sample comprises human tissue.
17. A method according to any of claims 1 to 16, wherein the sample contains proviral AAV sequences.
18. A method according to any of claims 1 to 17, wherein the first region is a signature region.

19. A method according to any of claims 1 to 18, wherein the base pairs of the highly conserved sequences are highly conserved relative to an alignment of AAVs 1,2,3,4,5 and 6 and AAVs isolated from geese and ducks.

20. A method according to any of claims 1 to 19, wherein the variable sequence is a hypervariable sequence.

21. A method according to any of claims 1 to 20, wherein the first region comprises up to 10 kilobasepairs in length.

22. A method according to claim 21, wherein the first region comprises a 3-1 kilobase pair fragment comprising the full-length cap sequence.

23. A kit for detecting the presence of an unknown adeno-associated virus (AAV) in a sample from cellular DNA suspected of containing a latent AAV infection, said kit comprising:

(a) a first set of primers which specifically amplify a first region comprising 250 bp of AAV capsid nucleic acid sequences, said first region having at least 18 base pairs of highly conserved sequence at its 5' end, a variable sequence, and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;

(b) optionally a second set of primers specific for a second region of the AAV nucleic acid sequences which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;

(c) optionally a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained;

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;

each of the sets of primers consisting of a 5' primer and a 3' primer, each of said primers comprising at least 15 nucleotides complementary to its respective highly conserved sequence and having exact identity with its respective highly conserved sequence over at least 5 base pairs in its 3' end.

24. A kit according to claim 23, wherein the 5' primer and/or the 3' primer comprises at least 18 nucleotides.

25. A kit according to claim 24, wherein the 5' primer and/or the 3' primer comprises 25 nucleotides.

26. A kit according to any of claims 23 to 25, wherein the 5' primer and/or the 3' primer comprises at least 9 base pairs of exact identity at its 3' end.

27. A kit according to claim 26, wherein the 5' primer and/or the 3' primer comprises at least 18 base pairs of exact identity at its 3' end.

28. A kit according to any of claims 23 to 27, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample, the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region of AAV, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.

29. A kit according to claim 23, wherein the 5' primer has a sequence comprising GCTGCGTCAACTGGACCAATGA-GAAC, which corresponds to nt 1398 to 1423 of SEQ ID NO:6.

30. A kit according to claim 23, wherein the 3' primer has a sequence comprising CGCAGAGACCAAAGTTCAACT-GAAACGA, which corresponds to the nucleotides complementary to 4462-4435 of SEQ ID NO:7.

31. A kit according to any of claims 23 to 30, wherein the sample comprises AAV integrated into the chromosome.

Patentansprüche

1. Verfahren zur Identifizierung unbekannter Sequenzen von adeno-assoziiertem Virus (AAV) in einer Probe, von der man annimmt, daß sie von einer latenten Infektion herrührendes AAV enthält, wobei man in den folgenden Verfahrensschritten

(a) die DNA-haltige Probe einer Amplifikation über eine Polymerasekettenreaktion (PCR) unter Verwendung eines ersten Primersatzes, mit dem spezifisch ein mindestens 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich eine an ihrem 5'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz und an ihrem 3'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz flankierte variable Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind, aussetzt,

(b) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines zweiten Primersatzes, mit dem spezifisch ein zweiter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

(c) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines dritten Primersatzes, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen und

die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen, das Vorhandensein amplifizierter Sequenzen das Vorhandensein eines AAV in der Probe anzeigt, und ein Vergleich der Unterschiede zwischen den amplifizierten Sequenzen und den Sequenzen von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 das Vorhandensein eines unbekannten AAV anzeigt.

2. Verfahren nach Anspruch 1, wobei der Vergleich den Schritt des Vergleichens von Restriktionsenzymmustern für die amplifizierten Sequenzen mit Restriktionsenzymmustern von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 umfaßt.
3. Verfahren nach Anspruch 1 oder 2, wobei in Schritt (a) das Capsid-Gen in voller Länge amplifiziert wird.
4. Verfahren nach einem der Ansprüche 1 bis 3, wobei die amplifizierten Sequenzen das AAV-Capsid-Gen und das AAV-rep-Gen umfassen.
5. Verfahren nach einem der Ansprüche 1 bis 4, wobei die DNA aus Zellen, Zellkultur, Gewebe, Gewebekultur oder biologischen Flüssigkeiten extrahiert wurde.
6. Verfahren nach einem der Ansprüche 1 bis 5, wobei der erste Bereich über mindestens etwa 25 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.
7. Verfahren nach Anspruch 6, wobei der erste Bereich über mindestens etwa 30 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.
8. Verfahren nach einem der Ansprüche 1 bis 7, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von mindestens 80% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.
9. Verfahren nach Anspruch 8, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend

angeordneten AAVs eine Identität von mindestens 90% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.

10. Verfahren nach einem der Ansprüche 1 bis 9, wobei die variablen Sequenzen in der Mitte des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von weniger als 70% aufweisen.

11. Verfahren nach einem der Ansprüche 1 bis 10, wobei der erste Bereich von etwa Bp 2800 bis etwa 3200 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reicht.

12. Verfahren nach Anspruch 11, wobei es sich bei dem ersten Bereich um 257 Bp handelt, die von Bp 2886 bis etwa 3143 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reichen.

13. Verfahren nach einem der Ansprüche 1 bis 5, wobei es sich bei den Primern um AV1ns mit der Sequenz der Nukleotide 1398 bis 1423 der SEQ ID NO:6 sowie um AV2cas mit der Sequenz der SEQ ID NO:7 handelt.

14. Verfahren nach Anspruch 1 oder Anspruch 2, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet, wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 3'-Primer umfaßt.

15. Verfahren nach einem der Ansprüche 1 bis 14, wobei die Probe in das Chromosom integriertes AAV umfaßt.

16. Verfahren nach einem der Ansprüche 1 bis 15, wobei die Probe menschliches Gewebe umfaßt.

17. Verfahren nach einem der Ansprüche 1 bis 16, wobei die Probe provirale AAV-Sequenzen enthält.

18. Verfahren nach einem der Ansprüche 1 bis 17, wobei es sich bei dem ersten Bereich um einen Signaturbereich handelt.

19. Verfahren nach einem der Ansprüche 1 bis 18, wobei die Basenpaare der hochkonservierten Sequenzen relativ zu einer vergleichenden Anordnung von AAV 1, 2, 3, 4, 5 und 6 und aus Gans und Ente isolierten AAV hochkonserviert sind.

20. Verfahren nach einem der Ansprüche 1 bis 19, wobei es sich bei der variablen Sequenz um eine hypervariable Sequenz handelt.

21. Verfahren nach einem der Ansprüche 1 bis 20, wobei der erste Bereich eine Länge von bis zu 10 Kilobasenpaaren umfaßt.

22. Verfahren nach Anspruch 21, wobei der erste Bereich ein die cap-Sequenz in voller Länge umfassendes Fragment von 3,1 Kilobasenpaaren umfaßt.

23. Kit zum Nachweis des Vorhandenseins eines unbekannten adeno-assoziierten Virus (AAV) in einer Probe aus zellulärer DNA, von der man annimmt, daß sie eine latente AAV-Infektion enthält, wobei der Kit umfaßt:

(a) einen ersten Primersatz, mit dem spezifisch ein 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich an seinem 5'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz, eine variable Sequenz und an seinem 3'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind,

(b) gegebenenfalls einen für einen zweiten Bereich der AAV-Nukleinsäuresequenzen, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, spezifischen zweiten Primersatz, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

(c) gegebenenfalls einen dritten Primersatz, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten

Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen, die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen, wobei jeder Primer mindestens 15 zur hochkonservierten Sequenz des jeweils anderen Primers komplementäre Nukleotide umfaßt und an seinem 3'-Ende über mindestens 5 Basenpaare eine genaue Identität mit der hochkonservierten Sequenz des jeweils anderen Primers aufweist.

24. Kit nach Anspruch 23, wobei der 5'-Primer und/oder der 3'-Primer mindestens 18 Nukleotide umfaßt.

25. Kit nach Anspruch 24, wobei der 5'-Primer und/oder der 3'-Primer mindestens 25 Nukleotide umfaßt.

26. Kit nach einem der Ansprüche 23 bis 25, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 9 Basenpaare genauer Identität umfaßt.

27. Kit nach Anspruch 26, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 18 Basenpaare genauer Identität umfaßt.

28. Kit nach einem der Ansprüche 23 bis 27, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet, wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer umfaßt.

29. Kit nach Anspruch 23, wobei der 5'-Primer eine GCTGCGTCAACTGGACCAATGAGAAC umfassende Sequenz aufweist, die Nt 1398 bis 1423 der SEQ ID NO:6 entspricht.

30. Kit nach Anspruch 23, wobei der 3'-Primer eine CGCAGAGACCAAAGTTCAACTGAAACGA umfassende Sequenz aufweist, die den zu 4462-4435 der SEQ ID NO:7 komplementären Nukleotiden entspricht.

31. Kit nach einem der Ansprüche 23 bis 30, wobei die Probe in das Chromosom integriertes AAV umfaßt.

Revendications

1. Procédé pour identifier des séquences de virus associés à l'adénovirus (VAA) inconnus dans un échantillon dont on suspecte qu'il contient des VAA provenant d'une infection latente, ledit procédé comprenant les étapes :

(a) de soumission de l'échantillon contenant l'ADN à une amplification via une réaction de polymérase en chaîne (PCR) en utilisant une première série d'amorces qui amplifient spécifiquement une première région de VAA comprenant au moins 250 pb des séquences d'acides nucléiques de capsid de VAA, ladite première région présentant une séquence variable adjacente à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5' et à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

(b) éventuellement de soumission de l'ADN à une autre amplification en utilisant une deuxième série d'amorces qui amplifient spécifiquement une deuxième région qui comprend la première région de séquences des VAA et des séquences qui sont côté 5' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 5' de VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;

(c) éventuellement de soumission de l'ADN à une autre amplification utilisant une troisième série d'amorces qui amplifient spécifiquement une troisième région qui comprend la première région de séquences de VAA et

les séquences qui sont situées côté 3' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces pour la première région,

- 5
10
15
20
25
30
35
40
45
50
55
- chacune desdites deuxième et troisième régions étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', des séquences éventuellement variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6; et
- chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3';
- la présence de séquences amplifiées indiquant la présence d'un VAA dans l'échantillon et
- une comparaison des différences entre les séquences amplifiées et les séquences des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6 indiquant la présence d'un VAA inconnu.
2. Procédé selon la revendication 1, dans lequel la comparaison comprend l'étape de comparaison de modèles d'enzymes de restriction pour les séquences amplifiées à des modèles d'enzymes de restriction des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6.
3. Procédé selon la revendication 1 ou 2, dans lequel l'étape (a) amplifie toute la longueur du gène cap.
4. Procédé selon l'une quelconque des revendications 1 à 3, dans lequel les séquences amplifiées comprennent le gène cap du VAA et le gène rep du VAA.
5. Procédé selon l'une quelconque des revendications 1 à 4, dans lequel l'ADN a été extrait de cellules, d'une culture cellulaire, de tissu, d'une culture de tissu ou de fluides biologiques.
6. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel la première région est hautement conservée sur au moins 25 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.
7. Procédé selon la revendication 6, dans lequel la première région est hautement conservée sur au moins 30 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.
8. Procédé selon l'une quelconque des revendications 1 à 7, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 80% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.
9. Procédé selon la revendication 8, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 90% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.
10. Procédé selon l'une quelconque des revendications 1 à 9, dans lequel les séquences variables au centre de la première région présentent une identité inférieure à 70% avec les VAA alignés.
11. Procédé selon l'une quelconque des revendications 1 à 10, dans lequel la première région s'étend de la paire de bases 2800 à environ 3200 du VAA 1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.
12. Procédé selon la revendication 11, dans lequel la première région représente 257 paires de bases, s'étendant de la paire de bases 2886 à environ 3143 du VAA1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.
13. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel les amorces sont des AV1ns, présentant la séquence des nucléotides 1398 à 1423 de la SEQ ID NO:6, et des AV2cas, présentant la séquence de la SEQ ID NO:7.
14. Procédé selon la revendication 1 ou 2, dans lequel la première série d'amorces permet l'isolement de toute la longueur de séquences de capsid du virus associé à l'adénovirus d'un échantillon, la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep du VAA, sur base d'une région prédéterminée conservée et une amorce 3', dirigée sur une région en aval d'un gène cap du VAA, basée sur une

région prédéterminée conservée du VAA.

15. Procédé selon l'une quelconque des revendications 1 à 14, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.

16. Procédé selon l'une quelconque des revendications 1 à 15, dans lequel l'échantillon comprend du tissu humain.

17. Procédé selon l'une quelconque des revendications 1 à 16, dans lequel l'échantillon contient des séquences de VAA provirales.

18. Procédé selon l'une quelconque des revendications 1 à 17, dans lequel la première région est une région de signature.

19. Procédé selon l'une quelconque des revendications 1 à 18, dans lequel les paires de bases des séquences hautement conservées sont hautement conservées par rapport à un alignement des VAA 1,2,3,4,5 et 6 et des VAA isolés à partir d'oies et de canards.

20. Procédé selon l'une quelconque des revendications 1 à 19, dans lequel la séquence variable est une séquence hypervariable.

21. Procédé selon l'une quelconque des revendications 1 à 20, dans lequel la première région comprend jusqu'à 10 kilopaires de bases en longueur.

22. Procédé selon la revendication 21, dans lequel la première région comprend un fragment de 3,1 kilopaires de bases comprenant toute la longueur de la séquence du capsid.

23. Kit pour détecter la présence d'un virus associé à l'adénovirus (VAA) inconnu dans un échantillon d'ADN cellulaire dont on suspecte qu'il contient une infection latente par un VAA, ledit kit comprenant:

(a) une première série d'amorces qui amplifient spécifiquement une première région comprenant 250 paires de bases de séquences d'acides nucléiques d'un capsid de VAA, ladite première région présentant au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5', une séquence variable et au moins 18 paires de base d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

(b) éventuellement une deuxième série d'amorces spécifiques d'une deuxième région des séquences d'acides nucléiques de VAA qui comprend la première région des séquences de VAA et des séquences qui se situent côté 5' par rapport à la première région, de manière à obtenir des séquences d'extension 5' des VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;

(c) éventuellement une troisième série d'amorces qui amplifient spécifiquement une troisième région, qui comprend la première région de séquences de VAA et des séquences qui se situent côté 3' par rapport à la première région, de manière à obtenir des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces de la première région;

chacune desdites deuxième et troisième région étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins les VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', éventuellement des séquences variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences au moins des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;

chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3', chacune desdites amorces comprenant au moins 15 nucléotides complémentaires à sa séquence respective hautement conservée et présentant une identité exacte avec sa séquence respective hautement conservée sur au moins 5 paires de bases en son extrémité 3'.

24. Kit selon la revendication 23, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 nucléotides.

25. Kit selon la revendication 24, dans lequel l'amorce 5' et/ou l'amorce 3' comprend 25 nucléotides.

26. Kit selon l'une quelconque des revendications 23 à 25, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins

9 paires de bases d'identité exacte en son extrémité 3'.

27. Kit selon la revendication 26, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 paires de bases d'identité exacte en son extrémité 3'.

5

28. Kit selon l'une quelconque des revendications 23 à 27, dans lequel la première série d'amorces permet l'isolement de toute la longueur des séquences de capsid d'un virus associé à l'adénovirus d'un échantillon, la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep d'un VAA, basée sur une région prédéterminée conservée d'un VAA et une amorce 3' dirigée sur une région en aval d'un gène cap d'un VAA, basée sur une région prédéterminée conservée d'un VAA.

10

29. Kit selon la revendication 23, dans lequel l'amorce 5' présente une séquence comprenant GCTGCGTCAACTG-GACCAATGAGAAC, ce qui correspond aux nucléotides 1398 à 1423 de la SEQ ID NO:6.

15

30. Kit selon la revendication 23, dans lequel l'amorce 3' présente une séquence comprenant CGCAGAGACCAAAGTT-CAACTGAAACGA, qui correspond aux nucléotides complémentaires à 4462-4435 de la SEQ ID NO:7.

31. Kit selon l'une quelconque des revendications 23 à 30, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.

20

25

30

35

40

45

50

55